

See discussions, stats, and author profiles for this publication at: <https://www.researchgate.net/publication/353485434>

Blood donors appointment booking and managing system using PC and mobile web browsers in current pandemic (COVID-19)

Article in Indonesian Journal of Electrical Engineering and Computer Science · July 2021

DOI: 10.11591/ijeecs.v23.i1.pp566-574

CITATIONS

2

READS

802

3 authors:



Mustafa Abdulsatar Noori
Middle Technical University

4 PUBLICATIONS 4 CITATIONS

[SEE PROFILE](#)



Sura abed Sarab
University of Baghdad/ college of science

17 PUBLICATIONS 9 CITATIONS

[SEE PROFILE](#)



Thair al-janabi
Middle Technical University

6 PUBLICATIONS 104 CITATIONS

[SEE PROFILE](#)

Blood donors appointment booking and managing system using PC and mobile web browsers in current pandemic (COVID-19)

Mustafa Abdulsatar Noori¹, Sura Abed Sarab Hussien², Thair A. Al-Janabi³

¹Middle Technical University, Electrical Engineering Technical College, Baghdad, Iraq

²Baghdad University, College of Science, Computer Science Department, Baghdad, Iraq

³Middle Technical University, Electrical Engineering Technical College, Baghdad, Iraq

Article Info

Article history:

Received Dec 21, 2020

Revised May 5, 2021

Accepted Jun 21, 2021

Keywords:

Blood banks

Bootstrap technology

Direct donations

Plasma

ABSTRACT

Blood donation is the main source of blood resources in the blood banks which is required in the hospitals for everyday operations and blood compensation for the patients. In special cases, the patients require fresh blood for compensation such as in the case of major operations and similar situations. Moreover, plasma transfusions are vital in the current pandemic of coronavirus disease (COVID-19). In this paper, we have proposed a donation system that manages the appointments between the donors and the patient in the case of fresh blood donation is required. The website is designed using the Bootstrap technology to provide suitable access using the PC or the smart phones web browser. The website contains large database including information about the donors and their blood group, available time, and other personal information to facilitate the donation process. This system is designed with unlimited abilities to be used by any hospital, blood bank, or individuals to manage the donation process with no constrains.

This is an open access article under the [CC BY-SA](#) license.



Corresponding Author:

Mustafa Abdulsatar Noori

Department of Control & Automation Techniques Engineering

Middle Technical University

Baghdad, Iraq

Email: mustafa_abdulsatar@mtu.edu.iq

1. INTRODUCTION

Blood donation is an important process to maintain blood storage and prevent it from becoming at a low stock. Blood management systems have been widely considered in the literature [1]-[5], which depends on different technologies and methods. In addition, in some cases, it is essential to provide fresh blood to the patients or to offer an instant blood replacement [6]. Modeling suggests needing increase blood availability in the next five to ten years, meet the requirements of aging people [7]. Furthermore, in the recovery period, the use of plasma transfusions could be of great value to save lives in the current pandemic of coronavirus disease (COVID-19), given the lack of particular therapeutic options [8]-[10]. The management of patient blood is the main strategy to improve patient cases and in this crisis should be a high priority[11]-[12]. In [13], a system is proposed that correlates the previously blood bank systems to a new system that improves the efficiency of the blood bank and upgrades the framework to a portable scheme. In addition, the paper has discussed the enhancement in the prospective of the data storing and donated blood groups. Where referring to stress the importance of the preservation of medical data [14]. Automated blood bank systems have been designed in [15]-[17] utilizing Raspberry Pi B+ kit to gather blood donors with the blood recipients by means of android application. The proposed systems connect both the donator and the receptor using short-message-service (SMS).

On the other hand, a blood bank system that utilizes the cloud has been considered in [18] in which, the users having access to the information that are related to different blood banks locations, hospitals and donors with different types of devices [19]-[20]. As a security check, the system asks the users to provide an identity proof stating their blood group such as a driving license or a similar document. An android application has been used to fulfill this job, which has the ability to track the different blood bank locations to make the process easier for the users to select the nearest blood bank. In [21], the database of the blood bank has been collected from different sources including blood banks, hospitals and national service scheme (NSS), while the communication between the donors and the receptors has been achieved using asterisk hardware. The health status of the donors and the distance from the caller has been taken into consideration in an algorithm that is stored in a central server.

In [22], the receptor sends a text message over SMS to a shared blood bank platform with the required blood group, if the requested group was available at a certain blood bank, then the receptor is directed to that bank, otherwise, it sends the contact details of the donors with the required blood group. A computer-based system for blood management have been designed in [23] to manage, monitor and store the blood records, in addition to improving the medical service by providing a secure medical report. The implementation was achieved utilizing My-SQL database, bar-code technique and a PHP language, and tested with the national blood transfusion center (NBTC), which helped improving the system manipulation compared to the manual systems. A web-based application has been proposed in [24] that solve the issues of low blood resources resulting from several reasons such as uncontrolled blood managements, shortage of some blood groups and low awareness regarding blood donations. The processes of donating, testing, storing and delivering the blood bags are controlled by the proposed application.

A study on the blood biochemical and biophysical characteristics over a specific time has been carried out in [25] to show the effect of time on the blood characteristics while it is been stored in the blood banks. Several samples for different donors have been tested with HB, K+, P50, 2, 3 DPG, ATP, lactate and pH. The result of this work has suggested that the blood quality is more sensitive to be changed due to filterability than the normal biochemical factors. The problem of storing the blood bags for long time in both rural and urban areas has been considered in [26] by seeking the right donor information using a verbal keyword when a specific blood group is in need.

The contribution of this paper is to build a general virtual blood bank that gathers the users who requires a specific blood group with the users who are able to donate. The proposed web-based application can be used on a PC browser or on a smart phone browser without any constrained, and it contains a database for all the users who are willing to donate. The remaining of this paper is organized as follows, in Section 2 a brief description for the bootstrap technology is presented, while the paper methodology is illustrated in Section 3. The results and discussions are shown in Section 4 and the paper is concluded in Section 5.

2. BOOTSTRAP TECHNOLOGY

Bootstrap is an open-source, front-end web development framework that simplifies the development of web pages. It allows developers to design or develop highly responsive websites that works efficiently on various major browsers and devices such as smart phones, tablets and computers without changing the code [27]. It includes various HTML and CSS design based templates, as well as, the support for JavaScript. Bootstrap predefined design templates and classes provide basic UI (User interface) parts such as typography, tables, forms, buttons, dropdowns, navigations, alerts, modals, tabs, accordion and image carousels [28]. The CSS classes within the bootstraps allow further customization to these contents, for example, tables colors or text highlight.

3. METHODOLOGY

The map for the proposed appointment managing system is presented in Figure 1. The admin observes and controls the account of the donors and has the authority to delete and block any account that is not approved due to failing to prove their identity or when a user (the donating/requesting person) writes a negative feedback on a person for a particular reason and send it to the admin shown in the admin page in Figure 2 and 3.

The donors are able to register and have an account but first they need to read and accept the donating consent by checking the box "I have read all this and able to register" as shown in Figure 4. Then providing a proper identity to prevent fraud from registering with fake information and choose Yes or No from the field "Have been exposed to the Coronavirus" then write Date of recovery from Coronavirus as presented in Figure 5. Following the account registering process, the donors now are able to login, edit, report, logout or delete their accounts according to their preference.




Figure 1. Map for the appointment management system



Figure 2. The admin page



Figure 3. Deletes and block user

If the donor travels or has a specific illness that prevents him from donating, his condition can be changed to unavailable using account information as shown in Figure 6. On the other hand, users can search

for a donor or request donors that match their preferences such as the blood group, the nearest donor location, and the available time that suits both users. This is done through the search tab shown in Figure 7.

If a suitable donor could not be found, the seeker can fill the requested information on the site. Then clicks on the "Send Request" button shown in Figure 8, which will generate a code that must be saved to be used in the login combined with the phone number to be able to modify this information as shown in Figure 9 and 10, respectively. The information will be displayed automatically on the advertisement part of the webpage, which will be displayed on all the pages of the website as shown in Figure 11.



Figure 4. Donation obstacles




Figure 5. Registration form of the donors




Figure 6. Account information to change the donating status




Figure 7. Search donor or request

The patient can delete the advertisement when their need has been fulfilled such as finding the donor. The advertisement will be deleted automatically after a specific time that is set by the patient. When clicking on "Show Request" button in the advertisement, the patient detailed information will be shown.

Any user can write negative feedback about other users for a particular reason and sends it to the admin as shown in Figure 12. The notifications will be shown on the report section of the admin page as shown in Figure 13. The admin can click on the link “Go to” to display the report, then choosing to block or delete the reported users from the application as shown in Figure 14. When a user is blocked, a blocking message will appear to that user asking them to contact the admin as shown in Figure 15. After contacting the administrator and solving the problem, the administrator can remove the block from that user as shown on Figure 16.

Figure 8. Request register



Figure 9. The register code

Figure 10. Sign in to edit request



Figure 11. Advertisements for patient need your help




Figure 12. The reported user on the Admin page

Donor Reports Data

Full Name	User Name	Report Content	Date
ni Gd.fg	ni	ok	2018-09-20

Requests Reports Data

Full Name	Hospital Name	Report Content	Date
-----------	---------------	----------------	------

Figure 13. The report section



Figure 14. Block or delete user




Figure 15. Blocked user message




Figure 16. Unblocking a user

4. RESULTS AND DISCUSSIONS

The mapping diagram of the proposed appointment managing system is presented in Figure 1. The admin observes and controls the accounts of the donors and has the authority to delete and block any account that is not approved due to failing to prove their identity or a reported user. The donors can register and have an account but first they have to provide a proper identity to prevent fraud registration of a scam account with fake information. Once they are registered, the users will be able to login, edit, report, logout or delete their accounts according to their preference. On the other hand, the receptors can search for the required donors that match their preferences such as the blood group, the nearest donor, and the available time that suits both users. The receptors are able to report any abusive user and they can advertise for their requirement of a blood group and quantity. The major advantages of this work can be short listed as:

- Reducing the time to search for plasma, in the recovery period, the use of plasma transfusions could be of great value to save lives in the current pandemic of COVID-19, given the lack of particular therapeutic options.
- Reducing the power consumption required by the traditional blood banks to maintain the blood safety.
- Reducing the expenses of buying and maintaining the refrigeration system in the traditional blood banks.
- Reducing the number of workers in the blood banks.
- Reducing the time to search for a specific blood group that could be rare to find.
- The website has the required guidance and directions on how to use the website, which can make it easy for the user to manage their account.

5. CONCLUSIONS

This paper presented a high-end system to reduce the gap between the blood donors and the people in need for blood. With the help of the internet, the blood donor's appointment managing system through PC and mobile web browsers can synchronize the donors and the requesters of the blood through a database that gathers their information using My SQL. The webpage is created using Java, Java server pages (JSP) technology, hypertext markup language (HTML) and bootstrap. To check the blood availability through the web application, the blood request sends to the nearest blood donor or by calling the donor directly via the phone. If a certain blood group is not available, the system provides the ability to add an advertisement for that blood group that includes the requested blood information and how to contact the user. This application reduces the time required to search for a specific blood group availability through blood banks and hospitals. Thus, this application provides the required information in less time and cost optimize to reduce the working staff and power by reducing the use of blood storage devices.

REFERENCES

- [1] N. Adarsh, J. Arpitha, M. D. Ali, N. M. Charan and P. G. Mahendrakar, "Effective blood bank management based on RFID in real time systems," *2014 International Conference on Embedded Systems (ICES), Coimbatore*, 2014, pp. 287-290, doi: 10.1109/EmbeddedSys.2014.6953176.
- [2] A. S. Cheema, S. Srivastava, P. K. Srivastava and B. K. Murthy, "A standard compliant Blood Bank Management System with enforcing mechanism," *2015 International Conference on Computing, Communication and Security (ICCCS), Pamplermousses*, 2015, pp. 1-7, doi: 10.1109/ICCCS.2015.7374145.
- [3] Sulaiman, Sumazly, Abdul Aziz K. Abdul Hamid, and Nurul Ain Najihah Yusri, "Development of a blood bank management system," *Procedia-Social and Behavioral Sciences*, vol. 195, 2015, pp. 2008-2013, doi: 10.1016/j.sbspro.2015.06.215.
- [4] Nzoka, Makau, and Fanon Ananda, "Blood Bank Management Information System A Case Study of the Kenya National Blood Transfusion Services," *In Proceedings of Sustainable Research and Innovation Conference*, 2014, pp. 146-149.
- [5] Kulshreshtha, Vikas, and Sharad Maheshwari, "Benefits of management information system in blood bank," *International Journal of Engineering and Science*, vol. 1, no. 12, pp. 5-7, 2012.
- [6] T. B. Repine, J. G. Perkins, D. S. Kauvar, and L. Blackburne, "The use of fresh whole blood in massive transfusion," *J. Trauma - Inj. Infect. Crit. Care*, vol. 60, no. 6 SUPPL., 2006, doi: 10.1097/01.ta.0000219013.64168.b2.
- [7] L. M. Williamson and D. V. Devine, "Challenges in the management of the blood supply," *Lancet*, vol. 381, no. 9880, pp. 1866-1875, 2013, doi: 10.1016/S0140-6736(13)60631-5.
- [8] B. L. Brown and J. McCullough, "Treatment for emerging viruses: Convalescent plasma and COVID-19," *Transfus. Apher. Sci.*, vol. 59, no. 3, 2020, doi: 10.1016/j.transci.2020.102790.
- [9] M. Ye *et al.*, "Treatment with convalescent plasma for COVID-19 patients in Wuhan, China," *J. Med. Virol.*, vol. 92, no. 10, pp. 1890-1901, 2020, doi: 10.1002/jmv.25882.
- [10] X. Huang, *et al.*, "Chinese expert consensus on diagnosis and treatment of subacute combined degeneration," *Chinese J. Neurol.*, vol. 53, no. 4, pp. 269-273, 2020, doi: 10.3760/cma.j.issn.1006-7876.2017.05.003.
- [11] D. M. Baron *et al.*, "Patient blood management during the COVID-19 pandemic: a narrative review," *Anaesthesia*, vol. 75, no. 8, pp. 1105-1113, 2020, doi: 10.1111/anae.15095.
- [12] Y. Li *et al.*, "Current treatment approaches for COVID-19 and the clinical value of transfusion-related technologies," *Transfus. Apher. Sci.*, vol. 59, no. 5, p. 102839, 2020, doi: 10.1016/j.transci.2020.102839.
- [13] N. Mittal and K. Snotra, "Blood bank information system using Android application," *2017 Recent Developments in Control, Automation & Power Engineering (RDCAPE), Noida*, 2017, pp. 269-274. doi: 10.1109/RDCAPE.2017.8358280.
- [14] D. Gupta, A. Parikh, and R. Swarnalatha, "Integrated healthcare monitoring device for obese adults using internet of things (IoT)," *Int. J. Electr. Comput. Eng.*, vol. 10, no. 2, p. 1239, 2020, doi: 10.11591/ijece.v10i2.pp1239-1247.
- [15] L. B. S. Murugan and A. Julian, "Design and implementation of automated blood bank using embedded systems," *2015 International Conference on Circuits, Power and Computing Technologies [ICCPCT-2015], Nagercoil*, 2015, pp. 1-6, doi: 10.1109/ICCPCT.2015.7159464.
- [16] A. C. Adsul, V. K. Bhosale and R. M. Autee, "Automated blood bank system using Raspberry PI," *2018 2nd International Conference on Inventive Systems and Control (ICISC), Coimbatore*, 2018, pp. 252-255.
- [17] Bala Senthil Murugan L and A. Julian, "Design and implementation of Automated Blood Bank using embedded systems," *2015 International Conference on Innovations in Information, Embedded and Communication Systems (ICIIECS), Coimbatore*, 2015, pp. 1-6, doi: 10.1109/ICIIECS.2015.7193102.
- [18] S. A. Chaudhari, S. S. Walekar, K. A. Ruparel and V. M. Pandagale, "A Secure Cloud Computing Based Framework for the Blood bank," *2018 International Conference on Smart City and Emerging Technology (ICSCET), Mumbai*, 2018, pp. 1-7, doi: 10.1109/ICSCET.2018.8537351.
- [19] A. Bhawiyuga, S. A. Kharisma, B. J. Santoso, D. P. Kartikasari, and A. P. Kirana, "Cloud-based middleware for supporting batch and stream access over smart healthcare wearable device," *Bull. Electr. Eng. Informatics*, vol. 9, no. 5, pp. 1990-1997, 2020, doi: 10.11591/eei.v9i5.1978.
- [20] F. T. Hosizah, "Security system testing on electronic integrated antenatal care (e-iANC)," *Int. J. Electr. Comput. Eng.*, vol. 10, no. 1, pp. 346-352, 2020.

- [21] M. Arif, S. Sreevas, K. Nafseer and R. Rahul, "Automated online Blood bank database," *2012 Annual IEEE India Conference (INDICON)*, Kochi, 2012, pp. 012-017, doi: 10.1109/INDICON.2012.6420581.
- [22] G. M. Krishna and S. Nagaraju, "Design and implementation of short message service (SMS) based blood bank," *2016 International Conference on Inventive Computation Technologies (ICICT)*, Coimbatore, 2016, pp. 1-4, doi: 10.1109/INVENTIVE.2016.7824901.
- [23] M. Y. Esmail and Y. S. H. Osman, "Computerized Central Blood Bank Management System (CCBBMS)," *2018 International Conference on Computer, Control, Electrical, and Electronics Engineering (ICCCEEE)*, Khartoum, 2018, pp. 1-5, doi: 10.1109/ICCCEEE.2018.8515789.
- [24] R. S. Ali, T. F. Hafez, A. B. Ali and N. Abd-alsabour, "Blood bag: A web application to manage all blood donation and transfusion processes," *2017 International Conference on Wireless Communications, Signal Processing and Networking (WiSPNET)*, Chennai, 2017, pp. 2125-2130, doi: 10.1109/WiSPNET.2017.8300136.
- [25] V. P. Jani, S. Mailo, A. Athar, A. Lucas, A. T. Williams and P. Cabrales, "Blood Quality Diagnostic Device Detects Storage Differences Between Donors," in *IEEE Transactions on Biomedical Circuits and Systems*, vol. 11, no. 6, pp. 1400-1405, 2017, doi: 10.1109/TBCAS.2017.2749304.
- [26] J. A. Khan and M. R. Aloney, "Blood donor information filter based on seeker voice," *2016 International Conference on Inventive Computation Technologies (ICICT)*, Coimbatore, 2016, pp. 1-3, doi: 10.1109/INVENTIVE.2016.7830163.
- [27] Niska, Christoffer, "Extending Bootstrap," *Packt Publishing Ltd*, 2014.
- [28] Shenoy, Aravind, and Ulrich Sossou, "Learning Bootstrap," *Packt Publishing Ltd*, 2014.

BIOGRAPHIES OF AUTHORS



Mustafa Abdulsatar Noori: graduated with a BSc in computer science from Almaarif University College in 2007 and received MSc in databases and web technologies from University of Bucharest, Bucharest, Romania in 2017. The author works as an Assistant Lecturer in Control & Automation Techniques Engineering Dept. at the Middle Technical University, Electrical Engineering Technical College, Baghdad, Iraq. He has experience for 4 years in software development and system analysis also he has good experience in many programming languages and database. Authors' research interests are image processing, computer graphics processing, IoT, programming, and parallel computing.



Sura A. Al-Janabi received the B.Sc. degrees in Computer Science from Al_Mustasiriyah University and M.Sc. degrees in software engineering from the iraqi Commission for Computers and Informatics, Baghdad, Iraq in 2005 and 2013, respectively. Currently, she works as Assistant lecturer with the Baghdad University, Baghdad, Iraq. Her current research interests include security, image processing, IoT, artificial intelligence, pgp networks, development of PGP protocol, Fractal Geometry, chaotic System.



Thair A. Al-Janabi received the B.Sc. and M.Sc. degrees in information and communication engineering from Nahrain University, Baghdad, Iraq, in 2008 and 2011, respectively. He received the Ph.D. degree in wireless network engineering from Brunel University London, London, U.K., in 2018. Currently, he works as a lecturer with the Middle Technical University, Baghdad, Iraq. His current research interests include IoT, artificial intelligence, wireless sensor networks, development and optimization of routing and MAC protocols, SDN, NFV, and cloud computing.