DAVI-ELLEN CHABNER

Medical Terminology

A SHORT COURSE



evolve

ELSEVIER

YOU'VE JUST PURCHASED **MORE THAN** A TEXTBOOK!

Evolve Student Resources for Chabner: Medical Terminology: A Short Course, eighth edition, include the following:

- Mobile-optimized guizzes and flash cards
- Interactive games and exercises
- Audio program
- Body Spectrum
- Medical animations
- And more!





Activate the complete learning experience that comes with each textbook purchase by registering at

http://evolve.elsevier.com/Chabner/MedTermShort/

REGISTER TODAY!

You can now purchase Elsevier products on Evolve! Go to evolve.elsevier.com/html/shop-promo.html to search and browse for products.

Medical Terminology


A SHORT COURSE

Audrey prefers 6 @ Yahoo. Com

DAVI-ELLEN CHABNER

Medical Terminology

A SHORT COURSE



ELSEVIER

3251 Riverport Lane St. Louis, Missouri 63043

MEDICAL TERMINOLOGY: A SHORT COURSE, EIGHTH EDITION

ISBN: 978-0-323-44492-7

Copyright © 2018 by Elsevier, Inc. All rights reserved. Previous editions copyrighted © 2015, 2012, 2009, 2005, 2003, 1999, 1991.

No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, recording, or any information storage and retrieval system, without permission in writing from the publisher. Details on how to seek permission, further information about the Publisher's permissions policies and our arrangements with organizations such as the Copyright Clearance Center and the Copyright Licensing Agency, can be found at our website: www.elsevier.com/permissions.

This book and the individual contributions contained in it are protected under copyright by the Publisher (other than as may be noted herein).

Notices

Knowledge and best practice in this field are constantly changing. Practitioners and researchers must always rely on their own experience and knowledge in evaluating and using any information, methods, compounds or experiments described herein. Because of rapid advances in the medical sciences, in particular, independent verification of diagnoses and drug dosages should be made. To the fullest extent of the law, no responsibility is assumed by Elsevier, authors, editors or contributors for any injury and/or damage to persons or property as a matter of products liability, negligence or otherwise, or from any use or operation of any methods, products, instructions, or ideas contained in the material herein.

ISBN: 978-0-323-44492-7

Senior Content Strategist: Linda Woodard

Senior Content Development Specialist: Diane Chatman

Senior Content Development Manager: Luke Held

Publishing Services Manager: Julie Eddy

Project Manager: Mike Sheets
Design Direction: Brian Salisbury





Working together to grow libraries in developing countries

www.elsevier.com • www.bookaid.org



For my wonderful grandchildren whose laughter and love surround me, especially on Nantucket.

Thank you, Ben, Louisa, Bebe, Gus, Solomon, and Amari!



Preface to the 8th Edition

I wrote the first edition of *Medical Terminology: A Short Course* almost 30 years ago with the hope that it would fill a specific niche in the education of allied health professionals. My goal was to present a comprehensive introduction and overview of medical terminology in a straightforward and easy manner for students who had no previous background in biology or medicine.

It is gratifying to know that this book is now widely used in colleges, career schools, universities, hospitals, and other medical settings in the United States and abroad, where allied health workers use medical language and interpret it for patients and their families. There is no doubt that the method used in *Medical Terminology*:

DAVI-ELLEN CHABNER

Medical
Terminology
A SHORT COURSE

8th EDITION

BY
FRES WITH TIXTROOK PURCHASE
FRES WITH TIXT


A Short Course takes potentially complicated subject matter and makes it manageable and understandable. In this eighth edition, the text has been updated and carefully reviewed for clarity, simplicity, and practicality, but its essential elements remain. Here are its important features:

WORKBOOK-TEXT FORMAT. In

this book, you learn by doing. On nearly every page you are writing and interacting with medical terminology. You complete exercises (and check your answers), label diagrams, test your understanding with review sheets, and practice pronunciation. The best path to success is to write terms and their meanings as you test yourself. I really believe this method of learning will work for you!


EASY TO READ AND UNDERSTAND. Explanations of terms are worded simply and clearly, and repetition reinforces learning throughout the text. Answers to questions are located easily so that you can check and correct your responses while gaining additional explanation of terminology.

DYNAMIC ILLUSTRATIONS AND PHOTOGRAPHS. Medical terms come alive with images on nearly every page! Learning is reinforced by seeing parts of the body, diseases, conditions and real medical procedures. At the end of each chapter, "Picture Shows" highlight key images and allow you to apply your knowledge of terminology.



Laparoscopy


Laparotomy





INTRODUCTION TO BODY SYSTEMS. The Body Systems Resource, beginning on page 215, begins with the following five sections:

- Anatomy—shows full-color images of each body system, labeled for easy reference with combining forms for each body part.
- Terminology—repeats each combining form and gives a medical term illustrating
 the use of the combining form. Definitions are in the *Mini-Dictionary* at the end of
 the book.
- Pathology—presents explanations of disease conditions related to each body system.
- Diagnostic and Treatment Procedures—explains and defines common examples for each body system.
- Matching Exercises—tests your understanding of the material, with answers included.

PRACTICAL APPLICATIONS. Throughout the text, and on the Student Evolve website, you will find exciting images, medical case reports, and vignettes and exercises called Picture Shows that illustrate terminology in the context of stories about patients and procedures.







IN PERSON. These compelling first-person narratives describe procedures and conditions from a uniquely personal perspective. After reading each story, medical terms take on new meaning as you experience intimately how it feels to be in a patient's "shoes," living through a diagnosis, disease, and treatment.

TERMINOLOGY CHECKUP. This interactive and enhanced feature recaps and reinforces key concepts and easily confused terms in each chapter.


Before unders	TERMINOLOGY CHECKUP. you leave this chapter, here are important concepts that you should thoroughly hand. In your own words, write the answers on the lines provided. Confirm sawers on the next page Check the box next to each item when you know got' til.
1.	What is the difference between endocrine glands and exocrine glands . Give an example of each.
2.	What is the difference between a diagnosis and a prognosis?
□ 3.	What is the difference between a carcinoma and a sarcoma? Give an example of each.

REFERENCE GUIDE FOR MEDICAL AND HOSPITAL WORK. This book is also a useful resource. Diagnostic Tests and Procedures (radiological, nuclear medicine, and clinical and laboratory tests) are found in *Appendix 2*. Abbreviations, symbols, acronyms, and eponyms are located in *Appendix 3*. NEW to this edition is a Quick Drug Reference located in *Appendix 4*. The *Mini-Dictionary* helps you study each chapter and also will be a reference for you in the workplace. Each definition has been crafted carefully to explain terms using plain, nontechnical language.


ALSO AVAILABLE

Student Evolve Website (access included with text purchase)

The Evolve website included with this new edition contains additional information, images, and video clips to test and expand your understanding. Chapter by chapter, you will find case studies, games, and activities, as well as a wealth of images to illustrate medical terminology. In the Audio Program section you can hear the proper pronunciation with each medical term in the book.



Visit http://evolve.elsevier.com/Chabner/medtermshort to access your resources.



Medical Language Instant Translator (for sale separately)

My *Medical Language Instant Translator* is a uniquely useful resource for all allied health professionals and students of medical terminology. It is a pocket-sized medical terminology reference with convenient information at your fingertips!

Medical Terminology: A Short Course is exactly what you need to begin your medical career—whether in an office, hospital, or other medical setting. Use this handy book in a classroom with an instructor, or study it on your own. The combination of visually reinforced hands-on learning plus easily accessible reference material will mean success for you in your allied health career.

My more comprehensive workbook-text, *The Language of Medicine, 11th edition,* may be of interest to you as you continue your study of medical terminology. It can also serve as a valuable reference in the workplace.

I still experience the thrill and joy of teaching new students. I love being in the classroom and feel privileged to continue to write this text. I am available for help at any time. Please communicate your comments, questions, and suggestions to me at daviellenchabner@gmail.com. For technical assistance, please contact technical.support@elsevier.com.

Most of all, I hope this book brings to you excitement and enthusiasm for the medical language. It can ignite your imagination for new challenges and make your job more interesting. Work hard and have fun learning medical terminology!



DAVI-ELLEN CHABNER



Acknowledgments

It is impossible to publish another edition of this book without the assistance and hard work of my extraordinary and exceptional editor, Maureen Pfeifer. On virtually every aspect of this edition, she has listened, advised, and delivered the best possible solutions ... with great intelligence, thoughtfulness, and careful attention to detail. We are a TEAM! Thank you, Maureen, for not only being a superb cross-country working partner, but my loyal friend, as well.

I appreciate the support and advocacy of Linda Woodard, Senior Content Strategist, Elsevier, Inc. She is always responsive to my concerns and willing to find solutions! Luke Held, Content Development Manager, continues to be a reliable resource and support for my books. Thanks, Luke, for being "in my corner." I am also grateful to Diane Chatman, Senior Content Development Specialist, for her coordination and oversight of this edition.

Mike Sheets, Project Manager, facilitated the complex production of this edition. I appreciate his hard work and flexibility in all aspects of the project. Thank you, Brian Salisbury, Designer, for creating the layout and design for this edition. I appreciate your patience and cooperation.

Suzanne BeDell, Managing Director, Education, Reference and Continuity, took the time to become personally connected to me and my teaching. I appreciate her continuing involvement, insight, and vision for my work. Thanks also to other members of the Elsevier team: Michelle Harness, Director, Book Production; Julie Eddy, Publishing Services Manager, Book Production; and Kevin Herrin, Team Manager, Multimedia. A special thank you to the sales team for your continued support and promotion of my projects.

Jim Perkins, assistant professor of medical illustration, Rochester Institute of Technology, was responsible for the excellent, first-rate individual drawings that illustrate this edition. As always, he has done an outstanding job.

I am particularly grateful to the In Person contributors who shared their personal medical stories. Thanks so much to Ruthellen Sheldon, Cathy Ward, Elizabeth Chabner Thompson, Sidra DeKoven Ezrahi, and Nancy J. Brandwein.

I appreciate the valuable suggestions of the instructors who reviewed *Medical Terminology:* A Short Course for this new edition. They are listed with their credentials on page xv. Their helpful comments are incorporated in this text.

xiv ACKNOWLEDGMENTS

My class at Partners in Career and Workforce Development (PCWD), Partners Healthcare System has been an important resource for this edition. My students' enthusiasm and questions to inspire me. I appreciate them, and their commitment to beginning a career in healthcare.

Teachers and students worldwide continue to contact me with insights and questions. Thank you to: Mary Beth Dylewski, Tamara Bohnett, Gloria Lay, Isabel Isalguez, Mary Streight, N. Lee Price, Hani Elgendi, Robin Maddalena, Mohammed Allibaih, Kaylar Griffin, Joyce Y. Nakano, Judith Lytle, Julie Cox, Wendy Peters, Teresa Mills, Dianna Kerr, Jared Rodriguez, Ernest Nino-Murcia, Rori Alexander and Susan Grady.

My husband, Bruce A. Chabner, MD, and my daughter, Elizabeth Chabner Thompson, MD, MPH, are always available for expert medical advice and consultation. I am grateful for their availability no matter what else is going on in their busy lives and work. Special thanks for Dan L. Longo, MD, whom I continue to rely on for his infallible medical knowledge as well as his unwavering friendship.

Bruce and I think continuously of our friends and family who are in the throes of medical issues ... real time. Their positive attitudes and courage give deeper meaning to our daily lives.

Davi-Ellen Chabner

Reviewers

Darci Brown, PAC, MSPAS

Director of Clinical Education, Assistant Professor Misericordia University Physician Assistant Program Misericordia University Dallas, Pennsylvania

Bruce A. Chabner, MD

Director of Clinical Research
Massachusetts General Hospital Cancer
Center
Professor of Medicine
Harvard Medical School
Boston, Massachusetts

Elizabeth Chabner Thompson, MD, MPH

CEO/Founder BFFL Co Scarsdale, New York

Rosalie Griffith, MSN, RN, MAEd

Nursing Success Coordinator Chesapeake College Wye Mills, Maryland

Dan L. Longo, MD

Deputy Editor New England Journal of Medicine Professor of Medicine Harvard Medical School Boston, Massachusetts

Emily L. McClung, RN, MSN

Instructor Hiram College Hiram, Ohio

Deborah Harris O'Brien, PhD, Licensed Psychologist

Associate Professor Trinity Washington University Washington, DC

Sean F. Peck, MEd, EMT-P

Associate Faculty-Allied Health Arizona Western College Yuma, Arizona

Constance Phillips, MA, MPH

Director, Biomedical Laboratory and Clinical Sciences Boston University School of Medicine/ Metropolitan College Boston, Massachusetts

Dona Powell, BS in Education

Instructor Technical Education Center, Osceola Kissimmee, Florida

Mary M. Prorok, RN, MSN

Instructor
South Hills School of Business &
Technology
Altoona, Pennsylvania

Julie M. Weldon, RN, MSN

Education Coordinator and Adjunct Faculty Mercy Medical Center—Des Moines Mercy College of Health Sciences Des Moines, Iowa



Contents

CHAPTER 1	BASIC WORD STRUCTURE In Person: Living with Type 1 Diabetes	1 21
CHAPTER 2	ORGANIZATION OF THE BODY In Person: CT and MRI	47
CHAPTER 3	SUFFIXES In Person: Gallbladder Stones	85
CHAPTER 4	PREFIXES In Person: Total Knee Replacement	129 149
CHAPTER 5	MEDICAL SPECIALISTS AND CASE REPORTS In Person: Living with Crohn's	175 195
APPENDIX 1	BODY SYSTEMS	215
APPENDIX 2	DIAGNOSTIC TESTS AND PROCEDURES	295
APPENDIX 3	ABBREVIATIONS, ACRONYMS, SYMBOLS, AND EPONYMS	317
APPENDIX 4	QUICK DRUG REFERENCE	335
APPENDIX 5	ALLIED HEALTH CAREERS	339
GLOSSARY 1	MINI-DICTIONARY	349
GLOSSARY 2	GLOSSARY OF WORD PARTS	385
GLOSSARY 3	GLOSSARY OF ENGLISH – SPANISH TERMS	403



CHAPTER 1

Basic Word Structure

Chapter Sections

Word Analysis	2
Combining Forms, Suffixes, and Prefixes	5
In Person: Living With Type 1 Diabetes	21
Exercises and Answers	23
Pronunciation of Terms	33
Practical Applications	37
Picture Show	39
Review	42
Terminology CheckUp	45

CHAPTER OBJECTIVES

- To divide medical terms into component parts
- To analyze, pronounce, and spell medical terms using common combining forms, suffixes, and prefixes

WORD ANALYSIS

If you work in a medical setting, you use medical words every day. In addition, you hear medical terms spoken in your doctor's office, read about health issues, and make daily decisions about your own health care and the health care of your family. Terms such as arthritis, electrocardiogram, hepatitis, and anemia describe conditions and tests that are familiar. Other medical words are more complicated, but as you work in this book, you will begin to understand them even if you have never studied biology or science.

Medical words are like individual jigsaw puzzles. Once you divide the terms into their component parts and learn the meaning of the individual parts, you can use that knowledge to understand many other new terms.

For example, the term HEMATOLOGY is divided into three parts:




When you analyze a medical term, begin at the *end* of the word. The ending is called a **suffix.** All medical terms contain suffixes. The suffix in HEMATOLOGY is -LOGY, which means study of. Next, look at the beginning of the term. HEMAT is the word **root.** The root gives the essential meaning of the term. The root HEMAT means blood.

The third part of this term, which is the letter O, has no meaning of its own but is an important connector between the root (HEMAT) and the suffix (-LOGY). It is called a **combining vowel.** The letter O is the combining vowel usually found in medical terms.

Now put together the meanings of the suffix and the root: HEMATOLOGY means study of blood.

Another familiar medical term is ELECTROCARDIOGRAM. You probably know this term, often abbreviated as ECG (or sometimes EKG). This is how you divide it into its parts:



Start with the **suffix** at the end of the term. The suffix -GRAM means a record. Now look at the beginning of the term. ELECTR is a word **root**, and it means electricity.

This medical term has two roots. The second root is CARDI, meaning heart. Whenever you see CARDI in other medical terms, you will know that it means heart.

Read the meaning of medical terms from the suffix, back to the beginning of the term, and then across. Broken down this way, ELECTROCARDIOGRAM means record of the electricity in the heart. It is the electrical current flowing within the heart that causes the heart muscle to contract, pumping blood throughout the body. The sound made by contraction and relaxation of the heart muscle is called the heartbeat.


Notice the two combining vowels in ELECTROCARDIOGRAM. Looking for the O in medical terms will help you divide the term into its parts. One combining vowel (O) lies between two roots (ELECTR and CARDI) and another between the root (CARDI) and the suffix (-GRAM).

The combining vowel *plus* the root is called a **combining form.** For example, there are two combining forms in the word ELECTROCARDIOGRAM. These combining forms are ELECTR/O, meaning electricity, and CARDI/O, meaning heart.

Notice how the following medical term is analyzed. Can you locate the two combining forms in this term?



The two combining forms are GASTR/O and ENTER/O. The entire word (reading from the suffix, back to the beginning of the term, and across) means study of the stomach and the intestines. Here are other words that are divided into component parts:




GASTR/IC means pertaining to the stomach. Notice that the combining vowel is dropped when the suffix (-IC) begins with a vowel. -IC means pertaining to. Words ending with -IC are adjectives that modify a noun (e.g., gastric pain, gastric cancer).

CARDI/AC


(heart) (pertaining to)

root

means **pertaining to the heart.** Again, the combining vowel (O) is dropped when the suffix (-AC) begins with a vowel. Words ending in -AC are adjectives (e.g., cardiac care, cardiac arrest).



In addition to roots, suffixes, combining forms, and combining vowels, many medical terms have a word part attached to the *beginning* of the term. This is called a **prefix**, and it can change the meaning of a term in important ways. For example, watch what happens to the meaning of the following medical terms when the prefix changes:



Let's REVIEW the important word parts:

- 1. Root—gives the essential meaning of the term.
- 2. Suffix—is the word ending.
- 3. Prefix—is a small part added to the beginning of a term.
- **4. Combining vowel**—connects roots to suffixes and roots to other roots.
- **5. Combining form**—is the combination of the *root* and the *combining vowel*.

Some important rules to **REMEMBER** are:

- **1. Read** the meaning of medical words from the suffix to the beginning of the word and then across.
- 2. Drop the combining vowel before a suffix that starts with a vowel.
- Keep the combining vowel between word roots, even if the second root begins with a vowel.



COMBINING FORMS, SUFFIXES, AND PREFIXES

Presented in this section are lists of combining forms, suffixes, and prefixes that are commonly found in medical terms. Write the meaning of the medical term on the line that is provided. Some terms will be more difficult to understand even after you know the meanings of individual word parts. For these, more extensive explanations are given in *italics*. To check your work, see the **Mini-Dictionary** beginning on page 349, which contains meanings of all terms used in this book.

In your study of medical terminology, you will find it helpful to practice writing terms and their meanings many times. You'll succeed when you follow these simple steps:

- 1. Complete **Exercises** beginning on page 23 for this chapter, and faithfully check your answers on pages 31 to 32.
- 2. Fill in the meanings in the **Pronunciation of Terms** list on pages 33 to 36.
- 3. Apply your knowledge in the **Practical Applications** and **Picture Show** features beginning on page 37.
- 4. Complete the **Review** of word parts beginning on page 42 and check your answers.
- 5. Make sure you understand the key medical terminology concepts in the **Terminology CheckUp** on page 45.

COMBINING FORMS

Notice that the **combining form** is in **bold** type, while the <u>root</u> in the medical term is underlined.

Combining Form	Meaning	Medical Term Meaning
aden/o	gland	adenoma -OMA means tumor or mass. adenitis -ITIS means inflammation.
arthr/o	joint	arthritis
bi/o	life	biology
		biopsy
carcin/o	cancer, cancerous	carcinoma
cardi/o	heart	cardiology

cephal/o	head	-IC means pertaining to. If an infant is born with the head delivered first, it is a cephalic presentation.
cerebr/o	cerebrum, largest part of the brain	cerebral



What happens in a stroke?

Blood is prevented from reaching areas of the cerebrum, and brain cells die. Depending on the location and extent of reduced blood flow, signs and symptoms may include loss of movement (paralysis), loss of speech (aphasia), weakness, and changes in sensation.




FIGURE 1-1 Functions of the cerebrum.




FIGURE 1-2 Male urinary tract.

Note that the prostate gland lies below the urinary bladder. It secretes fluid that combines with sperm to form semen. Semen leaves the body through the urethra during ejaculation. (Modified from Chabner D-E: The Language of Medicine, ed 11, St. Louis, 2017, Elsevier.)

cyst/o

urinary bladder

cystoscope

-SCOPE means instrument to visually examine. Figure 1-2 shows the urinary bladder and urinary tract in a male. Figure 1-3 shows a cystoscope placed through the urethra into the urinary bladder of a female during cystoscopy.




FIGURE 1-3 Female urinary tract.

A **cystoscope** is placed into the urinary bladder through the urethra. (Modified from Chabner D-E: The Language of Medicine, ed 11, St. Louis, 2017, Elsevier.)


cyt/o cell cytology _______

derm/o skin dermal ______

dermat/o skin dermatitis ______

electr/o electricity electrocardiogram (ECG) ______

-GRAM means record. EKG is an older abbreviation for this test.






FIGURE 1-5 Blood cells: *erythrocytes* (carry oxygen), *leukocytes* (five different types help fight disease), and *thrombocytes* or *platelets* (help blood to clot). *(Modified from Chabner D-E:* The Language of Medicine, *ed 11, St. Louis, 2017, Elsevier.)*

gnos/o

stomach

gastroscopy

-SCOPY means process of visual examination using an instrument, or "scope."

gnos/o

knowledge

diagnosis

-SIS means state of; DIA- means complete. A diagnosis is the complete knowledge gained after testing and examining the patient. The plural of diagnosis is diagnoses. Table 1-1 shows other plural formations.

prognosis

PRO- means before. A prognosis is a prediction (before knowledge) that is made after the diagnosis. It forecasts the outcome of treatment.

TABLE 1-1 | FORMATION OF PLURALS

Consult the Mini-Dictionary beginning on page 349 for pronunciations of all terms.

1. Words ending in a retain the a and add e:

Singular	Plural	Meaning (of singular term)
vertebr a	vertebra e	Backbone
burs a	bursa e	Sac of fluid near a joint

2. Words ending in is drop the is and add es:

Singular	Plural	Meaning (of singular term)
diagnos is	diagnos es	Determination of the nature and cause of a disease
psychos is	psychos es	Abnormal condition of the mind

3. Words ending in ex or ix drop the ex or ix and add ices:

Singular	Plural	Meaning (of singular term)
ар ех	ap ices	Pointed end of an organ
cortex	cortices	Outer part of an organ
var ix	var ices	Enlarged, swollen vein

4. Words ending in on drop the on and add a:

Singular	Plural	Meaning (of singular term)
gangli on	gangli a	Group of nerve cells; benign cyst near a joint (such as the wrist)

5. Words ending in um drop the um and add a:

Singular	Plural	Meaning (of singular term)
bacteri um	bacteri a	Type of one-celled organism
ovum	ova	Egg cell

6. Words ending in us drop the us and add i*:

Singular	Plural	Meaning (of singular term)
bronch us	bronch i	Tube leading from the windpipe to the lungs
calcul us	calcul i	Stone

^{*}Exceptions to this rule are viruses and sinuses

hepat/o

liver

hepatitis_



Be careful about spelling this term!

The combining form is **gynec/o**. A **gynecologist** specializes in diseases of the female reproductive organs. Gynecology involves both surgical and internal medicine expertise, and is often practiced with **obstetrics** (care of pregnant women and delivery of a fetus).





FIGURE 1-6 A, Subungual hematoma. This collection of blood under (SUB-) a nail (UNGU/O = nail) resulted from trauma to the toe. **B, Hematoma from broken ribs**. (**A**, From Habif TP: Clinical Dermatology, ed 6, St. Louis, 2016, Mosby.)



Hematoma

A **hematoma** is a mass of blood trapped in tissues of the skin or in an organ. It often results from trauma and is commonly called a bruise or "black-and-blue" mark. Figure 1-6 A and B shows hematomas.

lapar/o	abdomen (area between the chest and hip)	-TOMY means cutting into. In an exploratory laparotomy the surgeon makes a large incision in the abdominal wall to inspect organs for evidence of disease. See Figure 1-7A. Laparoscopy is visual examination of the abdomen using several small incisions for a laparoscope and other instruments. See Figure 1-7B. Another combining form for abdomen is ABDOMIN/O, as in abdominal.
leuk/o	white	leukocyte Figure 1-5 on page 9 shows five different types of leukocytes.
nephr/o	kidney	nephrectomy
neur/o	nerve	neurology
onc/o	tumor (cancerous)	oncologist






FIGURE 1-7 A, Laparotomy. This large incision was closed with surgical staples.

B, Laparoscopy. The abdomen is examined making small incisions and using a laparoscope.



FIGURE 1-8 A, Ophthalmoscope. This instrument allows the ophthalmologist to view both the outer and inner areas of the eye. B, Ophthalmoscopic examination. C, The inner or back area (retina) of a normal eye as seen through an ophthalmoscope. (A, Modified from Jarvis, Physical Examination and Health Assessment, St. Louis, 2016, Saunders. B, From Jarvis C: Physical Examination and Health Assessment, ed 3, Philadelphia, 2000, Saunders. C, Courtesy of Dr. Jay Rosen, The Eye Gallery, Scarsdale NY, and Louisa Thompson.)

ophthalm/o

eye

ophthalmoscope _


Figure 1-8A is an image of ophthalmoscope. Figure 1-8B shows an ophthalmologist, a medical doctor, examining a patient's eye. Figure 1-8C shows the retina, lining the back of the eye (fundus) as seen through an ophthalmoscope.

oste/o

bone

osteoarthritis

Figure 1-9 shows a normal knee joint and a knee joint with osteoarthritis. Degenerative changes with thinning and loss of cartilage occur. Inflammation of the joint membrane occurs late in the disease.



path/o disease pathologist [S] A pathologist is a medical doctor who views biopsy samples to make a diagnosis and examines dead bodies (in an autopsy) to determine the cause of death. AUT- means self, and -OPSY means (process of) viewing. Thus, an autopsy is an opportunity to see for oneself what caused a patient's death. psych/o mind psychosis -OSIS means abnormal condition. In this serious mental condition, the patient loses touch with reality. Psychotic symptoms include hallucinations (unreal sensory perceptions, such as hearing voices when none are present) and delusions (fixed, false beliefs that can't be changed by logical reasoning). ren/o kidnev renal Sometimes there are two combining forms for the same part of the body. Often, one comes from Latin and the other from Greek. REN- is the Latin root meaning "kidney," and NEPHR- is the Greek root meaning "kidney." The Greek root describes abnormal conditions and procedures, whereas the Latin root is used with -AL, meaning "pertaining to." rhin/o nose rhinitis sarc/o flesh sarcoma_ Sarcomas and carcinomas are both cancerous tumors. Sarcomas grow from the fleshy (connective) tissues of the body, such as muscle, fat, bone, and cartilage, whereas carcinomas arise from skin tissue and the linings of internal organs. thromb/o clotting thrombocyte A thrombocyte (platelet) is a small cell that helps blood to clot. Platelets are shown in Figure 1-5 (see page 9). thrombosis Formation of a thrombus (blood clot) occurs when thrombocytes and other clotting factors combine.



Pathologist/medical examiner/coroner

A **medical examiner** (**M.E.**) is a **pathologist** who specializes in forensic (legal) medicine related to criminal issues. A **coroner**, however, is an elected official (administrator) who investigates any suspicious death. This official may or may not be a medical examiner.

(thrombus).

Thrombosis describes the condition of forming a clot

SUFFIXES

Each suffix is in **bold** in the Suffix column and $\underline{underlined}$ in the Medical Term column.

Suffix	Meaning	Medical Term Meaning
-al	pertaining to	neural
		Other suffixes meaning pertaining to are listed on page 385 in Glossary of Word Parts.
-algia	condition of pain	arthr <u>algia</u>
-cyte	cell	leukocyte
-ectomy	cutting out; removal, excision	gastrectomy In a partial or subtotal gastrectomy, only a portion of the stomach is removed.
-emia	blood condition	leukemia
		Large numbers of immature, cancerous cells are found in the bloodstream and bone marrow (inner part of bone that makes blood cells).
-globin	protein	hemoglobin
-gram	record	arthrogram
		This is an x-ray record of a joint.
-ia	condition	neuralg <u>ia</u>
		-IA means condition and is part of the larger suffix -ALGIA meaning condition of pain.
-ic	pertaining to	gastr <u>ic</u>
-ism	condition, process	hyperthyroid <u>ism</u>
		HYPER- means excessive. The thyroid gland is in the neck. It secretes the hormone thyroxine, which helps cells burn food to release energy. See Figure 1-10.
-itis	inflammation	gastroenter <u>itis</u>
-logist	specialist in the study of	neuro <u>logist</u>
-logy	study of	nephro <u>logy</u>
		See Table 1-2 on page 16 for a list of other terms using -LOGY.
-oma	tumor, mass	hepatoma
		This is a cancerous (malignant) tumor, also called hepatocellular carcinoma.



FIGURE 1-10 Hyperthyroidism (Graves disease).

The thyroid gland produces too much hormone, which causes signs and symptoms such as rapid pulse, nervousness, excessive sweating, and swelling of tissue behind the eyeball (resulting in exophthalmos, or "bulging" of the eyes). Notice the enlarged thyroid gland in the neck. (Modified from Seidel H, et al: Mosby's Guide to Physical Examination, ed 4, St. Louis, 1998, Mosby.)

-opsy	to view	biopsy
-osis	abnormal condition	nephr <u>osis</u>
		leukocytosis

This is an increase in numbers of normal white blood cells as a response to infection.

TABLE 1-2 TERMS USING -LOGY (STUDY OF)


Cardiology Study of the heart Dermatology Study of the skin Endocrinology Study of the endocrine glands Gastroenterology Study of the stomach and intestines Gynecology Study of women and women's diseases Hematology Study of the blood Neurology Study of the nerves and the brain and spinal cord Oncology Study of tumors (cancerous or malignant diseases)

Ophthalmology Study of the eye Pathology Study of disease

Psychology Study of the mind and mental disorders

Rheumatology Study of joint diseases (RHEUMAT/O = flow or watery discharge, which was once thought to cause aches and pains, especially in joints)

Urology Study of the urinary tract (surgical specialty)



into; incision

FIGURE 1-11 Laparoscopy for tubal ligation (interruption of the continuity of the fallopian tubes) as a means of preventing future pregnancy. The vaginal speculum keeps the vaginal cavity open. The uterine cannula is a tube placed into the uterus to manipulate the uterus during the procedure. Forceps and tenaculum are used for grasping or manipulating tissue. (Modified from Chabner D-E: The Language of Medicine, ed 11, St. Louis, 2017, Elsevier.)



FIGURE 1-12 Arthroscopy of the shoulder. A surgeon (orthopedist) performs an arthroscopic examination to make a diagnosis or treat disease of the joints (courtesy of Michael J. Curtin, MD, St. Luke's Clinic, Boise, Idaho).

PREFIXES

Each prefix is in **bold** type in the Prefix column and <u>underlined</u> in the Medical Term column.

Prefix	Meaning	Medical Term	Meaning
a-, an-	no, not	is a decrease in the num	a condition of "no blood." Actually, it aber of red blood cells or in that helps in their ability to carry
aut-	self	autopsy Viewing and examining Here the root OPS- (view (process of viewing).	a dead body with one's own (self) eyes. ving) is embedded in the suffix -OPSY



Where is the root?

Some suffixes can contain roots. In the term anemia, notice that the root EM- (from HEM, meaning blood) is embedded in the suffix -EMIA.

dia-	complete,	diagnosis
	through	In this term, DIA- means complete.
		diameter
		The suffix -METER means measurement. DIA- means through in this term.
dys-	bad, painful,	dysentery
	difficult, abnormal	The suffix -Y means condition or process.
endo-	within	endocrine glands
		CRIN/O means to secrete (to form and give off). Examples of endocrine glands are the thyroid gland, pituitary gland, adrenal glands, ovaries, and testes. All of these glands secrete hormones within the body and into the bloodstream.
		endocardium
		The valves and chambers within the heart are lined with endocardium. The suffix -UM indicates a structure.
exo-	outside	exocrine glands
		Examples of exocrine glands are sweat, tear, and mammary (breast) glands, which secrete substances to the outside of the body.
hyper-	excessive, more	hyperglycemia
	than normal, too much	GIYC/O means sugar. Hyperglycemia may be a sign of diabetes mellitus. Mellitus means "sweet."
hypo-	below, less	hypoglycemia
<i>.</i> 1	than normal, under	This condition results from too much insulin in the bloodstream. Symptoms are weakness, headache, and hunger.
peri-	surrounding	pericardium



Hyperglycemia and diabetes

People with hyperglycemia lack insulin (**type 1 diabetes**) or have ineffective insulin (**type 2 diabetes**). Insulin is a hormone normally released by the pancreas, an endocrine gland near the stomach. Insulin allows sugar to leave the bloodstream and enter cells. When insulin is either absent or not working, sugar remains in the blood, resulting in hyperglycemia and diabetes. See *In Person: Living with Type 1 Diabetes* on page 21.



Transurethral resection of the prostate gland (TURP)

This is a surgical procedure to remove noncancerous (benign) growth of the prostate gland. Pieces of the enlarged gland are removed through the urethra. See Figure 1-13.





FIGURE 1-13 Transurethral resection of the prostate (TURP). The resectoscope contains a light, valves for controlling irrigating fluid, and an electrical loop that cuts tissue and seals blood vessels. (From Chabner D-E: The Language of Medicine, ed 11, St. Louis, 2017, Elsevier.)




IN PERSON: LIVING WITH TYPE 1 DIABETES

The following first-person narrative describes the reality of living with a particular medical condition—type 1 diabetes in a teenager. In each of the subsequent chapters, you'll find other first-person accounts of diseases and procedures that will make your study of medical terminology more relevant to real-life situations.

Jake Sheldon has type 1 diabetes, which was diagnosed when he was 8 years old. The following narrative was written by his mother, Ruthellen Sheldon, based on his teenage years.





Throughout the school day, if his blood sugar is high or low, he visits the nurse. If it's high, he gives himself an insulin bolus, or correction, by pump. If his blood sugar is positive for ketones, he is sent home from school. If his blood sugar is low or less than 70, he eats or drinks some fast-acting sugar (Skittles, Smarties, or Sprite) and waits in the healthroom for his blood sugar to rise so he can return to class.

During the night, his dad and I set an alarm to wake up around 3 hours after bedtime. If his blood sugar is high while he sleeps, we use his pump to give him extra insulin, "a correction." If it is low, we wake him and have him drink Sprite or eat Smarties.

The insulin pump is connected to his body with a small cannula [tube]. It is inserted manually through a needle into his hip region. The needle is then removed and the tiny Teflon cannula remains in his body, delivering fast-acting insulin under the skin. His pump is always connected to him with plastic tubing, and he carries it with him in his pants pocket. When he bathes, he can disconnect the pump, and when he sleeps, he places it on the mattress next to his body.

When Jake is playing sports, he times his meals with the start of the activity so his blood sugar is around 150 mg/dL. He disconnects his pump during sports, and at halftime he tests his blood sugar. If it is low, he needs to eat. If it is high, he needs to reconnect his pump and administer more insulin.

In general, Jake's diabetes doesn't disrupt his life other than for his nighttime checks, wearing an insulin pump, and paying attention to how many carbs he eats. We encourage him to make good nutritional choices and to limit certain foods (doughnuts, Slurpees, candy) to special occasions. He also must carry a glucometer with him at all times and a sugar to take when his blood glucose is low.

Having a child with diabetes forces me to carefully plan the preparation and timing of meals. I always have certain foods and medical supplies in the house, and I also carry snacks and sugar sources wherever I go. My husband and I hope that

keeping Jake's blood sugar in tight control will help avoid many of the complications frequently encountered later in life by people with type 1 diabetes.

Throughout high school, Jake took over all diabetes management tasks and managed his diabetes 100 percent independently before his graduation. Moving out of state to college, Jake has had to learn how cafeteria foods, late nights, and new social situations affect his blood sugars. Jake is also learning how to manage ordering and maintaining a vast number of diabetes supplies and prescriptions in his dorm room. Jake will also be transitioning from his pediatric endocrinologist to an adult endocrinologist this year.

Ruthellen Sheldon and her son, Jake, now 18 years old.



EXERCISES AND ANSWERS

These exercises give you practice writing and understanding the terms presented in the chapter. An important part of your work is to **check your answers** with the Answers to Exercises beginning on page 31. If you cannot answer a question, then please look at the answer key and **copy** the correct answer. You may want to photocopy some of the exercises before you complete them so that you can practice doing them many times.

Remember the 3 "Rs"—wRite, Review, Repeat—and you will succeed!

Visit the Evolve website (http://evolve.elsevier.com/Chabner/medtermshort) for additional information, images, games, videos, and interactive activities.

Using slashes (/), divide the following terms into their component parts and

	example.
1.	aden/oma tumor of a gland
2.	arthritis
3.	biopsy
	cardiology
5.	dermal
6.	cytology
	cystoscope
8.	cerebral
9.	cephalic
	adenitis

B	Complete the following se	entences using the	e medical terms given below.	
	diagnosis	erythrocyte	hepatitis	
	electrocardiogram	gynecology hematoma	prognosis	
	electroencephalogram enteritis	hemoglobin		
1	A mass of blood, or "block a	and blue" mark is	a/an	
2.	A red blood cell is a/an			
3.	Inflammation of the small i	ntestine is	·	
4.	The prediction about the ou	tcome of an illnes	s is a/an	
5.	The record of electricity in t	the brain is a/an _		
6.	The study of women and wo	omen's diseases is		
7.	The record of electricity in t	the heart is a/an _		
8.	8. Complete knowledge of a patient's illness on the basis of tests and other			
	information is a/an		·	
9.	A protein found in red blood cells is			
10.	Inflammation of the liver is		·	
G	the meaning of the entire	f the body contair term. /Body Part	ned in the following terms and give Meaning of Term	
			Weating of Term	
	1. laparotomy			
	2. nephrectomy			
	3. neuritis			
	4. ophthalmoscope			
	5. osteotomy			
	6. renal			
	7. rhinitis			

8. sarcoma

Give the meanings of the following terms.
1. oncologist
2. pathologist
3. psychosis
4. leukocyte
5. thrombocyte
6. gastritis
7. adenoma
8. thrombosis
E Give the meanings of the following suffixes.
1cyte
2ism
3ectomy
4al
5emia
6gram
7algia
8itis
9globin
3grount

F	Complete the following medical terms to end each sentence.
1.	Nerve pain is neur
2.	Presence of large numbers of immature, cancerous white blood cells is a blood
	condition known as leuk
3.	An x-ray record of a joint is arthro
4.	Study of the kidney is nephro
5.	Tumor of the liver is hepat
6.	Visual examination of the abdomen is laparo
7.	An incision of a joint is called arthro
8.	Abnormal condition of the skin is dermat
9.	Inflammation of the skin is dermat
10.	A specialist in the study of blood is a hemato
G	Give the meanings of the following prefixes.
1.	hyper-
2.	sub-
3.	dys-
4.	trans-
5.	retro-
6.	dia
7.	exo-
	aut
	hypo-
	endo-
	neri-

لنا	Give the meanings of	f the foll	owing medical terms.
1.	autopsy		
3.	anemia		
4.	dysentery		
5.	endocrine glands		
6.	hypoglycemia		
7.	exocrine glands		
8.	resection		
9.	transdermal		
10.	hyperglycemia		
0	Complete the followi	ng medi	cal terms related to the stomach.
1.		gastric	Pertaining to under the stomach
2.	gastr		Pain in the stomach
3.	gastr		Inflammation of the stomach
4.		gastric	Pertaining to across or through the stomach
5.	gastr		Process of visually examining the stomach
6.		gastric	Pertaining to behind the stomach
7.	gastr		Study of the stomach and intestines
8.	gastr		Incision of the stomach
9.	gastr		Excision of the stomach
10.	gastr		Instrument to visually examine the stomach

J	On the line provided, give the meaning of the term in bold.
1.	An oncologist treats abnormal conditions such as sarcomas and carcinomas.
2.	After explaining the diagnosis, Dr. Jones outlined the treatment and assured the patient that the prognosis was hopeful.
3.	Elderly Mrs. Scott has constant arthralgia in her knees and hips. Her physician prescribes anti-inflammatory drugs and aspirin to treat her osteoarthritis but
	advises that joint replacement may be necessary.
4.	A pathologist is a medical doctor who performs autopsies and examines biopsy samples.
5.	Thrombosis is a serious condition that may result in blockage of blood vessels.
6.	Hyperglycemia results from lack of insulin (hormone) secretion from the pancreas (endocrine gland near the stomach). Without insulin, sugar cannot enter cells and remains in the blood
7.	Schizophrenia is an example of a psychosis , in which the patient loses touch with reality and displays abnormal behavior (delusions and hallucinations may occur).
	Minimally invasive surgery of the abdomen may be performed using laparoscopy . For example, a gallbladder or appendix can be removed with instruments inserted through small incisions.

9.	Clinical signs of hyperthyroidism include an enlarged thyroid gland and
	protruding eyeballs (exophthalmos).
10.	Sally's diagnosis of dysentery was made after she returned from a trip to Mexico with abdominal pain, fever, and severe diarrhea (loose, watery stools).
11.	Mr. Smith died of a cerebrovascular accident. Confirmation at autopsy revealed a thrombus blocking one of his cerebral arteries.
12.	Erythrocytes contain hemoglobin, which enables them to carry oxygen throughout the body.
13.	Leukemia was confirmed after a bone marrow biopsy and high white blood cell counts.
14.	Certain types of bleeding or clotting disorders may be caused by reduced numbers of thrombocytes, also known as platelets .
15.	An example of anemia is iron deficiency anemia.
16.	Transdermal delivery by patch is used for administering drugs such as nicotine, nitroglycerin, and scopolamine (for motion sickness).
17.	When Bill had difficulty urinating (urinary retention), his doctor discovered that his prostate gland was enlarged.

30

18.	To relieve his symptoms related to urinary retention, Bill's urologist performed a			
	transurethral resection of his enlarged prostate gland.			
19.	Although the small intestine is longer (20 feet) than the large intestine (5 feet),			
	the diameter of the large intestine (colon) is greater.			
K	Refer to Table 1-1, page 10, to form the plurals of the following terms.			
1.	psychosis			
2.	ovum			
3.	vertebra			
4.	bronchus			
5.	spermatozoon			
6.	apex			

- In the following medical vignettes, circle the bold term that best completes the meaning of the sentences.
- 1. Selma ate a spicy meal at an Indian restaurant. Later that night she experienced (osteoarthritis, dermatitis, gastroenteritis). Fortunately the cramping and diarrhea subsided by morning.
- 2. Christina was feeling very sluggish, both physically and mentally. Her hair seemed coarse, she had noticed weight gain in the past weeks, and she had hot and cold intolerance. Her internist ordered a blood test that revealed low levels of a hormone normally secreted from a gland in the neck. She was referred to a specialist, a/an (gynecologist, endocrinologist, pathologist). The physician ordered a blood test that confirmed low levels of the hormone. The diagnosis of (hypothyroidism, hyperthyroidism, psychosis) was thus made, and proper treatment prescribed.
- 3. Dr. Fischer examined the lump in Bruno's thigh. An imaging technique using magnetic waves and radio signals (MRI scan) revealed a suspicious mass in the soft connective tissue of the thigh. Suspecting a cancerous mass of flesh tissue, or (hematoma, carcinoma, sarcoma), Dr. Fischer ordered a/an (prognosis, biopsy, autopsy) of the mass.

- 4. On her seventh birthday, Susie fell down during her birthday party. Her mother noticed bruises on Susie's knees and elbows that seemed to "come up overnight." Her pediatrician ordered a blood test, which demonstrated a decreased platelet count and an elevated (leukocyte, erythrocyte, thrombocyte) count at 40,000 cells. Susie was referred to a/an (dermatologist, nephrologist, oncologist), who made a diagnosis of (hepatitis, anemia, leukemia).
- 5. When Mr. Saluto collapsed and died while eating dinner, the family requested a/an (laparotomy, gastroscopy, autopsy) to determine the cause of death. The (hematologist, pathologist, gastroenterologist) discovered that Mr. Saluto had died of a (cardiovascular accident, dysentery, cerebrovascular accident), otherwise known as a stroke.

ANSWERS TO EXERCISES

A

1. Tumor of a gland

2. Inflammation of a joint

- 3. Process of viewing living tissue under a microscope
- 4. Study of (process of study of) the heart
- 5. Pertaining to the skin
- 6. Study of (process of study of) cells
- 7. Instrument to visually examine the urinary bladder
- 8. Pertaining to the cerebrum (largest part of the brain)
- 9. Pertaining to the head
- 10. Inflammation of a gland

B

- 1. hematoma
- 2. erythrocyte
- 3. enteritis
- 4. prognosis
- 5. electroencephalogram

- 6. gynecology
- 7. electrocardiogram
- 8. diagnosis
- 9. hemoglobin
- 10. hepatitis

C

- 1. abdomen: incision of the abdomen (this is also called exploratory surgery)
- 2. kidney: excision (removal, resection) of the kidney
- 3. nerve: inflammation of a nerve
- 4. eye: instrument to visually examine the eve
- 5. bone: incision (to cut into, section) of a bone
- 6. kidney: pertaining to the kidney
- 7. nose: inflammation of the nose
- 8. flesh tissue: tumor (cancerous or malignant) of flesh tissue

O

- 1. Specialist in the study of tumors (cancerous or malignant tumors)
- 2. Specialist in the study of disease (examines biopsy samples and erforms autopsies)
- 3. Abnormal condition of the mind
- 4. White blood cell
- 5. Clotting cell or platelet

- 6. Inflammation of the stomach
- Tumor of a gland (this is a benign or harmless tumor). An adenocarcinoma is a malignant tumor (CARCIN/O means cancerous).
- 8. Abnormal condition of clotting (occurring in a blood vessel)

E

- 1. cell
- 2. condition, process
- 3. process of cutting out, excision, resection, removal
- 4. pertaining to
- 5. condition of blood (blood condition)
- 6. record
- 7. pain; condition of pain
- 8. inflammation
- 9. protein
- 10. pertaining to

- 1. neuralgia
- 2. leukemia
- 3. arthrogram
- 4. nephrology
- 5. hepatoma or hepatocellular carcinoma
- 1. excessive, above, more than normal
- 2. under, below
- 3. abnormal, bad, difficult, painful
- 4. across, through
- 5. behind, back
- 6. complete, through

- 6. laparoscopy
- 7. arthrotomy
- 8. dermatosis
- 9. dermatitis
- 10. hematologist
- 7. out, outside
- 8. self
- 9. below, deficient, less than normal
- 10. within, in, inner
- 11. surrounding

- 1. Examination of a dead body to determine the cause of death
- 2. Excessive activity of the thyroid gland
- 3. Deficiency of hemoglobin or numbers of red blood cells; literally, "no" (AN-) "blood" (-EMIA)
- 4. Condition of painful intestines; marked by inflammation, abdominal pain, and frequent and bloody stools and often caused by bacteria
- 5. Organs that produce (secrete) hormones directly into the bloodstream

- 6. Blood condition of decreased sugar (lower-than-normal levels)
- 7. Organs that produce (secrete) chemicals to the outside of the body (through tubes or ducts)
- 8. Removal (excision) of an organ or structure
- 9. Pertaining to through the skin
- 10. Blood condition of increased sugar (higher than normal levels)

- 1. subgastric or hypogastric
- 2. gastralgia
- 3. gastritis
- 4. transgastric
- 5. gastroscopy

- 6. retrogastric
- 7. gastroenterology
- 8. gastrotomy
- 9. gastrectomy
- 10. gastroscope

- 1. Specialist in the study (and treatment) of tumors
- 2. Prediction of the outcome of an illness or treatment
- 3. Inflammation of bones and joints (including degeneration of joints)
- 4. Specialist in the study of disease
- 5. Abnormal condition of clotting (clot formation)
- 6. Blood condition of increased sugar (high blood sugar)
- 7. Abnormal condition of the mind
- 8. Visual examination of the abdomen
- 9. Condition of increased secretion of hormone from the thyroid gland
- 10. Condition of painful intestines

- 11. Stroke; trauma to blood vessels of the brain (cerebrum) 12. Red blood cells
- 13. Increase in cancerous (malignant) white blood cells in blood and bone marrow
- 14. Clotting cells
- 15. Deficiency of hemoglobin and/or decrease in number of red blood cells: results in reduced oxygen to cells
- 16. Pertaining to through the skin
- 17. Gland in males located in front of the urinary bladder (the prostate is an exocrine gland)
- 18. Removal of portions of the prostate gland through the urethra (procedure is called TURP)
- 19. Measurement of the width across a circle
- 1. psychoses (drop -is and add -es)
- 2. ova (drop -um and add -a)
- 3. vertebrae (add -e)
- 1. gastroenteritis
- 2. endocrinologist, hypothyroidism
- 3. sarcoma, biopsy

- 4. bronchi (drop -us and add -i) 5. spermatozoa (drop -on and add -a)
- 6. apices (drop -ex and add -ices)
- 4. leukocyte, oncologist, leukemia
- 5. autopsy, pathologist, cerebrovascular accident



PRONUNCIATION OF TERMS

The terms that you have learned in this chapter are presented here with their pronunciations. The capitalized letters in **BOLDFACE** indicate the accented syllable. Pronounce each word out loud; then write the meaning in the space provided. All meanings of terms are found in the **Mini-Dictionary** beginning on page 349, and on the audio section of the Evolve site (http://evolve.elsevier.com/Chabner/medtermshort). After you write all of the meanings, it is a good idea to cover the Term column and write each term from its meaning.

Term	Pronunciation	Meaning
adenitis	ad-eh- NI -tis	
adenoma	ah-deh- NO -mah	
anemia	ah- NE -me-ah	
arthralgia	ar- THRAL -jah	
arthritis	ar-THRI-tis	
arthrogram	AR-thro-gram	
arthroscope	AR-thro-skope	
arthroscopy	ar-THROS-ko-pe	
autopsy	AW-top-se	
biology	bi- OL -o-je	
biopsy	BI-op-se	
carcinoma	kar-sih-NO-mah	
cardiac	KAR-de-ak	
cardiology	kar-de- OL -o-je	
cephalic	seh- FAL -ik	
cerebral	seh- RE -bral	

cerebrovascular accident	seh-re-bro-VAS-ku-lar AK-sih-dent
cystoscope	SIS-to-skope
cystoscopy	sis- TOS -ko-pe
cytology	si-TOL-o-je
dermal	DER-mal
dermatitis	der-mah-TI-tis
dermatosis	der-mah-TO-sis
diagnosis	di-ag-NO-sis
diameter	di- AM -eh-ter
dysentery	DIS-en-teh-re
electrocardiogram	e-lek-tro- KAR -de-o-gram
electroencephalogram	e-lek-tro-en- SEF -ah-lo-gram
endocardium	en-do- KAR -de-um
endocrine glands	EN-do-krin glanz
endocrinology	en-do-krih- NOL -o-je
enteritis	en-teh- RI -tis
erythrocyte	eh-RITH-ro-site
exocrine glands	EK-so-krin glanz
gastrectomy	gas-TREK-to-me
gastric	GAS-trik
gastritis	gas-TRI-tis
gastroenteritis	gas-tro-en-teh-RI-tis
gastroenterology	gas-tro-en-ter- OL -o-je
gastroscope	GAS-tro-skope

gastroscopy	gas-TROS-ko-pe
gastrotomy	gas-TROT-o-me
gynecologist	gi-neh-KOL-o-jist
gynecology	gi-neh-KOL-o-je
hematoma	he-mah-TO-mah
hemoglobin	HE-mo-glo-bin
hepatitis	hep-ah-TI-tis
hepatoma	hep-ah-TO-mah
hyperglycemia	hi-per-gli- SE -me-ah
hyperthyroidism	hi-per- THI -royd-izm
hypoglycemia	hi-po-gli- SE -me-ah
hypothyroidism	hi-po- THI -royd-izm
laparoscope	LAP-ah-ro-skope
laparoscopy	lap-ah- ROS -ko-pe
laparotomy	lap-ah-ROT-o-me
leukemia	loo- KE -me-ah
leukocyte	LOO-ko-site
leukocytosis	loo-ko-si- TO -sis
nephrectomy	neh-FREK-to-me
nephrology	neh-FROL-o-je
nephrosis	neh-FRO-sis
neural	NU-ral
- annalaia	
neuralgia	nu-RAL-jah

neurology	nu-ROL-o-je
neurotomy	nu-ROT-o-me
oncologist	ong-KOL-o-jist
ophthalmoscope	of- THAL -mo-skope
osteitis	os-te-I-tis
osteoarthritis	os-te-o-ar- THRI -tis
pathologist	pah- THOL -o-jist
pericardium	peh-rih- KAR -de-um
platelet	PLAYT-let
prognosis	prog-NO-sis
prostate gland	PROS-tayt gland
psychosis	si-KO-sis
renal	RE-nal
resection	re-SEK-shun
retrogastric	reh-tro- GAS -trik
rhinitis	ri- NI -tis
rhinotomy	ri- NOT -o-me
sarcoma	sar-KO-mah
subgastric	sub-GAS-trik
subhepatic	sub-heh- PAT -ik
thrombocyte	THROM-bo-site
thrombosis	throm-BO-sis
transdermal	tranz- DER -mal
transgastric	tranz-GAS-trik
transurethral	tranz-u- RE -thral



MEDICAL CONDITIONS AND SPECIALISTS

Match the following physician specialists with the condition each would treat.

cardiologist dermatologist endocrinologist gastroenterologist gynecologist	hematologist neurologist oncologist ophthalmologist urologist	
Cerebrovascular accident		
2. Skin cancer		
3. Dysentery		
4. Anemia		
5. Lung cancer		
6. Prostate gland enlargement _		
7. Hyperglycemia		
8 Cataract (clouding of the lens	of the eve)	

9. Heart attack _____

10. Abnormal bleeding of the uterus from the vagina _____

WHAT'S YOUR DIAGNOSIS?

Case Study

This seven-year-old boy presents with fever, sore throat, runny nose, and persistent fatigue [feeling of being tired all the time]. Physical examination reveals multiple bruises [contusions] of his lower extremities and arms, an erythematous [red] pharynx [throat] with white plaques on the tonsils, and pale gums, lips, and nailbeds. CBC [complete blood count] was performed. Increasing fever prompted immediate admission to the children's ward of the hospital.

During the course of admission, the patient's pharyngitis was monitored and subsided. Tonsillitis was ruled out. Fatigue and contusions on his arms and legs were noted and addressed with the parents while taking his social history. A lab hematologist reviewed the high WBC [white blood cell] count, and a WBC differential [percentages of the various types of these cells] shows immature cells. A bone marrow biopsy confirms the diagnosis of WBC malignancy.

Using the information presented in this case study, what's your diagnosis?

- A. Hyperthyroidism
- B. Leukemia
- C. Fever
- D. Contusions—arms/legs
- E. Leukocytosis

ANSWERS TO PRACTICAL APPLICATIONS

MEDICAL CONDITIONS AND SPECIALISTS

- 1. neurologist
- 2. dermatologist
- 3. gastroenterologist
- 4. hematologist
- 5. oncologist

- 6. urologist
- 7. endocrinologist
- 8. ophthalmologist
- 9. cardiologist
- 10. gynecologist

WHAT'S YOUR DIAGNOSIS?


Answer: B. Leukemia



PICTURE SHOW

Answer the questions that follow each image. Answers are found on page 41.





Blood smear. (Modified from Carr JH, Rodak BF: Clinical Hematology Atlas, Philadelphia, 1999, Saunders.)

- 1. The arrows in this photo of a blood smear are pointing to cells that are necessary in blood clotting. These cells are:
 - a. leukocytes
 - b. thrombosis

- c. platelets
- d. erythrocytes
- 2. The other blood cells in the photo contain a protein that helps the cell carry oxygen. These cells are:
 - a. leukocytes
 - b. thrombosis

- c. platelets
- d. erythrocytes
- 3. The protein contained in the cells is:
 - a. hemoglobin
 - b. anemia

- c. sarcoma
- d. carcinoma






(From Miller MD, Howard RF, Plancher KD: Surgical Atlas of Sports Medicine, Philadelphia, 2003, Saunders.)

- 1. The image shows a minimally invasive procedure used to visually examine the knee. This procedure is:
 - a. laparotomy

- c. laparoscopy
- b. arthroscopy d. arthrectomy



Blood smear. (Courtesy Dr. Robert W. McKenna, Department of Pathology, University of Texas Southwestern Medical School, Dallas, Texas; from Kumar V, Cotran RS, Robbins SL, editors: Basic Pathology, ed 8, Philadelphia, 2007, Saunders.)

- 1. In this blood smear, the arrows point to an increased number of large, immature cells (that would normally fight infection). These cells are:
 - a. hepatocytes
 - b. erythrocytes

- c. thrombocytes
- d. leukocytes
- 2. The name of the abnormal condition in which these cells predominate is:
 - a. iron deficiency anemia
 - b. sickle cell anemia

- c. leukemia
- d. hyperglycemia

D




(From Forbes CD, Jackson WF: Color Atlas and Text of Clinical Medicine, ed 3, London, 2003, Mosby.)

- 1. Notice that the left leg of the patient is swollen (edema), resulting from blood flow that is slow and sluggish. Fluid seeps out of tiny vessels into tissue spaces. The abnormal condition often associated with this problem is caused by a blood clot in a blood vessel. The condition is called:
 - a. hyperglycemia
 - b. deep vein thrombosis

- c. cerebrovascular accident
- d. hematoma








- 1. The lesion pictured in A is a/an:
 - a. hepatoma
 - b. sarcoma of muscle

- c. adenoma
- d. basal cell carcinoma
- 2. The lesion pictured in B is a/an:
 - a. hepatoma
 - b. sarcoma of muscle

- c. adenoma
- d. basal cell carcinoma





(Courtesy American Rheumatism Association; from Noble J: Textbook of Primary Care Medicine, ed 3, St. Louis, 2001, Mosby.)

- 1. The image in A shows degeneration of the hip (pelvic) joint with narrowed joint spaces (see arrow). The image in B shows a normal hip for comparison (see arrow). The patient with the hip changes has arthralgia, stiffness, and joint tenderness. Your diagnosis?
 - a. osteoarthritis
 - b. gastroenteritis

- c. hyperthyroidism
- d. osteogenic sarcoma

ANSWERS TO PICTURE SHOW

- A 1. c
- 2. d
- 3. a
- **D** 1. b

- **B** 1. b
- C 1. d
- 2. c

- 1. b
- 2. d
- 1. a



Here is your chance to test your understanding of all the **combining forms**, **suffixes**, and **prefixes** that you have studied in this chapter. Write the meaning of each term in the space provided and **check** your answers with the Answers to Review section on page 44. All of the meanings for word parts are found in **Glossary of Word Parts** beginning on page 385. **Remember the 3 "Rs"—wRite, Repeat, Review.**

Combining Form

Meaning

COMBINING FORMS

Combining Form Meaning

Combining Form Weaning	Combining Form Wearing
1. aden/o	18. gnos/o
2. arthr/o	19. gynec/o
3. bi/o	20. hem/o, hemat/o
4. carcin/o	21. hepat/o
5. cardi/o	22. lapar/o
6. cephal/o	23. leuk/o
7. cerebr/o	24. nephr/o
8. crin/o	25. neur/o
9. cyst/o	26. onc/o
10. cyt/o	27. ophthalm/o
11. derm/o, dermat/o	28. oste/o
12. electr/o	29. path/o
13. encephal/o	30. psych/o
14. enter/o	31. ren/o
15. erythr/o	32. rhin/o
16. gastr/o	33. sarc/o
17. glyc/o	34. thromb/o

SUFFIXES

Suf	fix Meaning	Suffix	Meaning
1.	-al	11logist	
2.	-algia	12logy	
3.	-cyte	13oma	
4.	-ectomy	14opsy	
5.	-emia	15osis	
6.	-globin	16scope	
7.	-ia	17scopy	
8.	-ic	18sis	
9.	-ism	19tomy	
10.	-itis		

PREFIXES

Prefix	Meaning	Prefix	Meaning
1. a-, an		8. hypo	
2. aut		9. peri	
3. dia		10. pro-	
4. dys		11. re	
5. endo		12. retro	
6. exo		13. sub	
7. hyper		14. trans	

ANSWERS TO REVIEW

COMBINING FORMS

-4	7		- 1
	001	lan	
4.0	~ ~ ?	lan	ιu

- 2. joint
- 3. life
- 4. cancer (cancerous)
- 5. heart
- 6. head
- 7. cerebrum
- 8. secrete
- 9. urinary bladder
- 10. cell
- 11. skin
- 12. electricity

- 13. brain
- 14. intestines (often small intestine)
- 15. red
- 16. stomach
- 17. sugar
- 18. knowledge
- 19. woman, female
- 20. blood
- 21. liver
- 22. abdomen
- 23. white

- 24. kidney
- 25. nerve
- 26. tumor
- 27. eye
- 28. bone
- 29. disease
- 30. mind
- 31. kidney
- 32. nose
- 33. flesh
- 34. clotting

SUFFIXES

- 1. pertaining to
- 2. pain (condition of)
- 3. cell
- 4. cutting out; removal; excision
- 5. blood condition
- 6. protein
- 7. condition

- 8. pertaining to
- 9. condition; process
- 10. inflammation
- 11. specialist in the study of
- 12. study of
- 13. tumor, mass
- 14. to view (process of viewing)

- 15. abnormal condition
- 16. instrument to visually examine
- 17. process of visual examination
- 18. state of
- 19. cutting into; incision

PREFIXES

- 1. no, not
- 2. self
- 3. complete, through
- 4. bad, painful, difficult, abnormal
- 5. within

- 6. out, outside
- 7. excessive, more than normal, too much
- 8. below, less than normal, under
- 9. surrounding

- 10. before
- 11. back
- 12. behind
- 13. below, under
- 14. across, through



TERMINOLOGY CHECKUP

Before you leave this chapter, here are important concepts that you should thoroughly understand. In your own words, write the answers on the lines provided. Confirm your answers on the next page. Check the box next to each item when you know you've "got" it!

1.	What is the difference between endocrine glands and exocrine glands . Give an example of each.
2.	What is the difference between a diagnosis and a prognosis?
3.	What is the difference between a carcinoma and a sarcoma? Give an example of each.
4.	What is the difference between anemia, leukemia, and leukocytosis?
5.	What is the difference between laparotomy and laparoscopy?

ANSWERS TO TERMINOLOGY CHECKUP

- Endocrine glands secrete chemicals called hormones within the body.
 Examples are thyroid, pituitary, and adrenal glands.

 Exocrine glands secrete chemicals to the outside of the body through ducts.
 Examples are sweat, tear, and salivary glands.
- 2. A **diagnosis** is complete knowledge gained after examining and performing tests on a patient.

A **prognosis** is a prediction made after the diagnosis. It forecasts and describes the likely *outcome* of an illness.

- 3. A **carcinoma** is a cancerous tumor arising from lining cells of internal organs. An example is an **adenocarcinoma**.
 - A **sarcoma** is also a cancerous tumor, but arising from bone, cartilage, muscle, and fat (connective tissues). An example is an **osteosarcoma**.
- 4. **Anemia** is deficiency of red blood cells (erythrocytes) or deficiency in hemoglobin within red blood cells.
 - **Leukemia** is a cancerous condition of high numbers of abnormal white blood cells (leukocytes).
 - **Leukocytosis** is only a slight increase in normal white blood cells as a response to infection.
- 5. A **laparotomy** is a large *incision* of the abdomen to explore or remove organs and tissues.
 - A **laparoscopy** is *visual examination of the abdomen* using small incisions for insertion of instruments (laparoscope) to view and remove organs and tissues.

Organization of the Body

Chapter Sections

Introduction	48
Body Systems	48
Body Cavities	51
Divisions of the Back	54
Planes of the Body	56
Terminology	59
In Person: CT and MRI	
Exercises and Answers	66
Pronunciation of Terms	73
Practical Applications	76
Picture Show	78
Review	81
Terminology CheckUp	83

CHAPTER OBJECTIVES

- To name the body systems and their functions
- To identify body cavities and specific organs within them
- · To list the divisions of the back
- To identify the three planes of the body
- To analyze, pronounce, and spell new terms
- To apply medical terms in real-life situations

INTRODUCTION

All the parts of your body are composed of individual units called **cells.** Examples are muscle, nerve, epithelial (skin, and lining of internal organs and cavities), and bone cells.

Similar cells grouped together are **tissues**. Groups of muscle cells are muscle tissue, and groups of epithelial cells are epithelial tissue.

Collections of different tissues working together are **organs.** An organ, such as the stomach, has specialized tissues, such as muscle, epithelial, and nerve, that help the organ function.

Groups of organs working together are the **systems** of the body. The digestive system, for example, includes the mouth, throat (pharynx), esophagus, stomach, and intestines, which bring food into the body, break it down, and deliver it to the bloodstream.

Figure 2-1 reviews the differences between cells, tissues, organs, and systems.

BODY SYSTEMS

There are 11 systems of the body, and each plays an important role in the way the body works.

The **circulatory system** (heart, blood, and blood vessels such as arteries, veins, and capillaries) transports blood (containing all types of blood cells) throughout the body. The **lymphatic system** includes lymph vessels, and nodes that carry a clear fluid called lymph. Lymph contains white blood cells called lymphocytes that fight against disease and play an important role in immunity.




FIGURE 2-1 Cells, tissues, organs, and systems.

The **digestive system** brings food into the body and breaks it down so that it can enter the bloodstream. Food that cannot be broken down is then removed from the body at the end of the system as waste. Organs in the digestive system include the mouth, stomach, and intestines.

The **endocrine system**, composed of glands, sends chemical messengers called hormones into the blood to act on other glands and organs. Examples of endocrine glands are the thyroid gland, adrenal glands, and pituitary gland.

The **female and male reproductive systems** produce the cells (eggs and sperm) that join to form the embryo, which develops in the uterus of a female. Male (testes) and female (ovaries) sex organs produce hormones as well.

The **musculoskeletal system**, including muscles, bones, joints, and other connective tissues such as cartilage, supports the body and allows it to move.

The **nervous system** carries electrical messages to and from the brain and spinal cord.

The **respiratory system** controls breathing, a process by which air enters and leaves the body. Organs of the respiratory system include the trachea (windpipe), bronchial tubes and lungs.

The **skin and sense organ system,** including the skin and eyes and ears, receives messages from the environment and sends them to the brain. The retina is a layer of sensitive receptor tissue in the back of the eye.

The **urinary system** produces urine and sends it out of the body through the kidneys, ureters, bladder, and urethra.

You can find a table of specific organs/structures and the systems to which they belong on the Evolve site for Chapter 2 in the resources section.

In a separate section of this book, you will find useful information about each body system, with diagrams, terminology, pathology, laboratory tests, and diagnostic and treatment procedures.

At the end of the book, you will find helpful information. Use these resources as you study:

- Appendix 1, Body Systems, page 215
- Appendix 2, Diagnostic Tests and Procedures, page 295
- Appendix 3, Abbreviations, Acronyms, Symbols, and Eponyms, page 317
- Appendix 4, Quick Drug Reference, page 335
- Appendix 5, Health Careers Information, page 339
- Mini-Dictionary, page 349
- Glossary of Word Parts, page 385
- Glossary of English-Spanish Terms, page 403




FIGURE 2-2 Body cavities. (Modified from Chabner D-E: The Language of Medicine, ed 11, St. Louis, 2017, Elsevier.)

BODY CAVITIES

Figure 2-2 shows the five body cavities. A body cavity is a space that contains organs. Label the figure in the spaces provided as you read the following paragraphs.

The **cranial cavity** (1) is located in the head and surrounded by the skull (CRANI/O means skull). The cranial cavity contains the brain and other organs, such as the pituitary gland (an endocrine gland located below the brain).

The **thoracic cavity** (2), also known as the chest cavity (THORAC/O means chest), is surrounded by the breastbone and ribs. The lungs, heart, windpipe (trachea), bronchial tubes (leading from the trachea to the lungs), and other organs are in this cavity.

Figure 2-3 shows a front view of the thoracic cavity. The lungs are each surrounded by a double membrane known as the **pleura**. The space between the pleural membranes is the **pleural cavity**. The large area between the lungs (yellow in Figure 2-3) is the **mediastinum**. The heart, esophagus (food tube), trachea, and bronchial tubes are organs within the mediastinum.

In Figure 2-2, the **abdominal cavity** (3) is the space below the thoracic cavity. The **diaphragm** is the muscle that separates the abdominal and thoracic cavities. Organs in the abdomen include the stomach, liver, gallbladder, and small and large intestines.




FIGURE 2-3 Thoracic cavity.




FIGURE 2-4 The **peritoneum** (side view) is a double membrane surrounding the organs (including the liver, stomach, small and large intestines) in the abdomen. The **peritoneal cavity** is the space between the peritoneal membranes. The **retroperitoneal area** is behind the peritoneum. The kidneys are in the retroperitoneal cavity.

The organs in the abdomen are covered by a double membrane called the **peritoneum** (Figure 2-4). The peritoneum attaches the abdominal organs to the abdominal muscles and surrounds each organ to hold it in place.

Turn back to Figure 2-2 and locate the **pelvic cavity** (4), below the abdominal cavity. The pelvic cavity is surrounded by the **pelvis** (bones of the hip). The major organs located within the pelvic cavity are the urinary bladder, ureters (tubes from the kidneys to the bladder), urethra (tube from the bladder to the outside of the body), rectum, and anus, and the uterus (muscular organ that nourishes the developing embryo and fetus) in females.

Label the **spinal cavity** (5) on Figure 2-2. This is the space surrounded by the **spinal column** (backbones). The **spinal cord** is the nervous tissue within the spinal cavity. Nerves enter and leave the spinal cord and carry messages to and from all parts of the body.



Double membranes

You can visualize the way organs are surrounded by a double membrane by imagining your fist pushing deep into a soft balloon. The balloon is then in two layers folded over your fist, just the way the pleura surrounds the lungs and the peritoneum surrounds the abdominal organs. Double wrapping around organs provides protection and cushioning, as well as a site for attachment to muscles. In the event of inflammation or disease of organs or membranes, fluid may collect in the space between the membranes surrounding the organs. This collection of fluid in the pleural cavity is called a **pleural effusion**. A collection of fluid in the peritoneal cavity is called **ascites** (see page 63).

As a quick review of the terms presented in this section, match the term with its meaning and write it in the space provided.

Meaning
1. Membrane surrounding the lungs
2. Space between the lungs, containing the heart
3. Bones of the hip
4. Space containing the liver, gallbladder, and stomach;
also called the abdomen
5. Space within the backbones, containing the spinal cord
6. Membrane surrounding the organs in the abdomen
7. Space within the skull, containing the brain
8. Space below the abdominal cavity, containing the urinary bladder
9. Muscle between the thoracic and abdominal cavities
10. Entire chest cavity, containing the lungs, heart, trachea, esophagus, and bronchial tubes

DIVISIONS OF THE BACK

The **spinal column** is a long row of bones from the neck to the tailbone. Each bone in the spinal column is called a **vertebra** (**backbone**). Two or more bones are called **vertebrae**.

A piece of flexible connective tissue, called a **disk** (or **disc**), lies between each backbone. The disk, composed of **cartilage**, is a cushion between the bones. If the disk slips or moves out of its place, it can press on the nerves that enter or leave the spinal cord, causing pain. Figure 2-5 shows a side view of vertebrae and disks.

The divisions of the spinal column are pictured in Figure 2-6. Label them according to the following list:

Division	Bones	Abbreviation
1. Cervical (neck) region	7 bones	C1-C7
2. Thoracic (chest) region	12 bones	T1-T12
3. Lumbar (loin or waist) region	5 bones	L1-L5
4. Sacral (sacrum or lower back) region	5 fused bones	S1-S5
5. Coccygeal (coccyx or tailbone) region	4 fused bones	




FIGURE 2-5 Vertebrae and disks (discs).




FIGURE 2-6 A, Divisions of the back (spinal column). B, MRI (magnetic resonance imaging) study of a herniated disk at the L4-L5 level of the spinal column. (Modified from Chabner D-E: The Language of Medicine, ed 11, St. Louis, 2017, Elsevier.)

PLANES OF THE BODY

A plane is an imaginary flat surface. Organs appear in different relationships to one another according to the plane of the body in which they are viewed.

Figure 2-7 shows three planes of the body. Label them as you read the following descriptions:

1. Frontal (coronal) plane

A vertical plane that divides the body, or body part such as an organ, into front and back portions.

Anatomically, *anterior* means the front portion and *posterior* means the back portion.




FIGURE 2-7 Planes of the body.

2. Sagittal (lateral) plane

A vertical plane that divides the body or organ into right and left sides. The **midsagittal plane** divides the body vertically into right and left **halves**.

3. Transverse (axial) plane

Vertebra

C

A horizontal plane that divides the body or organ into upper and lower portions, as in a **cross section**. (Think of cutting a long loaf of French bread into circular sections.)

Bone of rib

Knowing the planes of the body is helpful in looking at imaging studies such as x-ray films (radiographs) and computed tomography (CT) scans. See Figure 2-8.




FIGURE 2-8 X-ray views of the chest. A, Frontal (coronal) plane. This radiographic image is an anterior-posterior view of the chest. B, Sagittal (lateral) plane. This is a lateral (side) x-ray view of the chest. C, Transverse (axial) plane. This computed tomography image is a snapshot of structures at a specific level of the body. (A, Modified from Black JM, Matassarin-Jacobs E: Medical-Surgical Nursing: Clinical Management for Continuity of Care, ed 5, Philadelphia, 1997, Saunders. B, Modified from Weir J, Abrahams PH: An Imaging Atlas of Human Anatomy, ed 2, London, 2000, Mosby. C, From Chabner D-E: The Language of Medicine, ed 11, St. Louis, 2017, Elsevier.)

Transverse (Axial)

P.

Magnetic resonance imaging (MRI) is another technique for producing images of the body. With **MRI**, magnetic waves instead of x-rays are used to create the images, which show organs and other structures in specialized detail and in all three planes of the body (Figure 2-9). Figure 2-10 shows a patient undergoing MRI. See *In Person: CT and MRI* on page 65.




FIGURE 2-9 Magnetic resonance images. Basic views are frontal, transverse, and sagittal. A, Frontal (coronal) plane of the head. B, Transverse (axial) plane of the head. C, Sagittal (lateral) plane showing the head and side of the brain. (A and B, From Frank ED, et al: Merrill's Atlas of Radiographic Positioning and Procedures, ed 12, St. Louis, 2012, Elsevier. C, From Reynolds PA, Abraham PH: McMinn's Interactive Clinical Anatomy: Head and Neck, ed 2, London, 2001, Mosby Ltd.)





FIGURE 2-10 Patient entering an MRI unit surrounded by a superconducting 1.5-Tesla magnet. Magnetic field changes are picked up by the surrounding machine and processed by a computer to create images. For this examination, the patient must lie very still and have no metal objects on or within the body. (Courtesy GE Medical Systems, Milwaukee, Wisconsin.)

TERMINOLOGY

Write the meanings of the medical terms on the line provided. Check your answers with the *Mini-Dictionary*, page 349.

25

COMBINING FORMS

Combining Form	Meaning	Medical Term	Meaning
abdomin/o	abdomen	abdominal	
anter/o	front	anterior	
bronch/o	bronchial tubes (leading from the windpipe to the lungs)	bronchoscopy	

		Application of the property of			
TABLE	2-1	POSITIONAL	AND [DIRECTION	NAL TERMS

Position/Direction	Description	Example
Anterior	Front side	The nose is on the anterior of the head.
Posterior	Back side	The heel is on the posterior of the foot.
Inferior	Below	The liver is inferior to the right lung.
Superior	Above	The stomach is superior to the intestines.
Lateral	Side	The ears are lateral to the mouth.
Medial	Middle	The heart is in the medial area of the chest. (mediastinum)
Distal	Far	The distal end of the thigh bone (femur) is at the knee.
Proximal	Near	The proximal end of thigh bone (femur) is at the hip.
Deep	Away from the surface	The stab wound penetrated deep into the skin.
Superficial	On the surface	Superficial veins can be seen on the surface of the skin.
Supine	Facing up	The patient lies supine during an examination of the abdomen.
Prone	Facing down	The backbones are examined with the patient in a prone position.

cervic/o	neck of the body or neck (cervix) of the uterus	You must decide from the context of what you are reading whether cervical means pertaining to the neck of the body or pertaining to the uterine cervix (lower portion of the uterus). Figure 2-11 shows the uterus and the cervix.
chondr/o	cartilage (connective tissue attached to bones)	chondroma This is a benign tumor.
		chondrosarcoma
		This is a malignant tumor. The root SARC, meaning flesh, indicates that the malignant tumor arises from a type of flesh or connective tissue.
coccyg/o	coccyx, tailbone	coccygeal
		-EAL means pertaining to.




FIGURE 2-11 The uterus and cervix. The cervix is the lower portion of the uterus opening to the vagina.

skull

crani/o

craniotomy _




FIGURE 2-12 Lumbar puncture ("spinal tap"). The patient lies on his side with his knees drawn up to the abdomen and the chin brought down to the chest. This position increases the spaces between the vertebrae. The physician inserts a needle between the third and fourth (or fourth and fifth) lumbar vertebrae, and cerebrospinal fluid (CSF) is withdrawn, or medication can be injected. The end of the spinal cord is where the spinal nerves begin to fan out toward the legs. Performing a lumbar puncture below this level avoids injury to the spinal cord. (Modified from Chabner D-E: The Language of Medicine, ed 11, St. Louis, 2017, Elsevier.)

lumb/o	loin (waist)	lumbar
		-AR means pertaining to. A lumbar puncture ("spinal tap") is the placement of a needle within the membranes in the lumbar region of the spinal cord to inject or withdraw fluid. See Figure 2-12.
lymph/o	lymph (clear fluid in tissue spaces and lymph vessels)	lymphocyte
mediastin/o	mediastinum (space between the lungs)	mediastinal
pelv/o	pelvis (bones of the hip)	pelvic
peritone/o	peritoneum (membrane surrounding the abdominal organs)	peritoneal

2-13).

may accumulate in the peritoneal cavity. This accumulation of fluid is called **ascites** (see Figure






FIGURE 2-13 Ascites. Abnormal intraperitoneal fluid can result from conditions such as liver disease, peritonitis, and ovarian cancer. (Photo from Lewis SM, Heitkemper MM, Dirksen SR: Medical-Surgical Nursing, ed 9, St. Louis, 2014, Mosby.)

pharyng/o pharynx (throat) pharyngeal _

The pharynx (pronounced **FAR**-inks) is the common passageway for food from the mouth and air from the nose. See Figure 2-14.

pleur/o pleura pleuritis

PHARYNX
(THROAT)
Bolus of food

Epiglottis (closed)

Larynx (voice box)

Esophagus

Trachea (windpipe)

FIGURE 2-14 Pharynx (throat). Notice that the epiglottis (a flap of cartilage) closes over the trachea during swallowing so that the bolus (mass) of food travels down the esophagus and not the trachea.

☐ (Modified from Chabner D-E: The Language of Medicine, ed 11, St. Louis, 2017, Elsevier.)



Your Mother Was Right! Don't Talk While You're Eating!

Talking while eating causes the epiglottis to open, so food can accidentally enter the trachea causing you to choke.



Don't confuse sacr/o and sarc/o

Notice the difference in spelling! Sacr/o always refers to the sacrum, a part of the back, while sarc/o means flesh and is used in **sarcoma**, a malignant tumor of connective or fleshy tissue of the body.




FIGURE 2-15 Tracheotomy. This procedure may be performed to open the trachea below a blockage from a foreign body or tumor. For an emergency procedure, any available instrument, even the barrel of a ballpoint pen, with the inner part removed, can be used to keep the airway open.

6



IN PERSON: CT AND MRI

The following first-person narrative provides a detailed look at two common diagnostic procedures—CT and MRI—from the perspective of the patient. It was written by Catherine Ward, a 77-year-old woman with head and neck cancer.

CT—COMPUTED TOMOGRAPHY

Before an upcoming surgical procedure, I was told that I would need to have a CT scan. The doctors wanted to see if the cancer on my scalp had spread into the bones in my skull. They explained that these images of my head would be in thin "slices," taken as the CT camera rotated around me.



When I arrived in the room, I saw, to my claustrophobic relief, the CT machine was a large, circular hollow tube about 18 inches wide with a narrow table through the center. The technician explained he would add contrast halfway through the procedure through an intravenous (IV) line.

The table was rolled into the machine to a specific spot where a series of pictures were taken. There were several short periods when I was asked to stay as still as possible and hold my breath. The noise was minimal, just soft whirring and clicking. Halfway through the procedure, the contrast was administered into the IV line. Additional pictures were taken, and the test was completed with a minimum of discomfort, much to my grateful surprise.

MRI-MAGNETIC RESONANCE IMAGING

Before yet another surgical procedure, my doctors requested an MRI. They explained that the MRI and CT images are similar, but that MRI shows more detail, especially of soft tissue.

The technician asked if I had any metal (such as a pacemaker or surgical screws) inside or on my body. The magnet used in the MRI machine is so strong that it could cause metal objects to shift, disrupting the imaging process or causing damage to tissue in my body.

The MRI machine is a 6-foot-long round tube, open on both ends. Because the body part to be examined was my head, a rubber shield was placed over and very close to my face to hold me in the correct position. I was then rolled inside to the middle of the tube. This was really uncomfortable for me because of my mild claustrophobia. I took deep breaths to relax myself.

I was still taken aback by just how loud it was inside the tube. Even with the earplugs that were provided, the sound of the machine was extremely loud, just like heavy-duty jackhammers. I used a "relax-substitution" method to calm myself, replacing the jarring MRI pounding with more pleasant sounds. I remembered a very loud time as my family and I made our way to Nantucket Island on a ferry for a brief vacation. Now the previously strident and threatening sound of the MRI was replaced in my mind by the welcoming sound of the ferry horn bellowing a happy welcome to the visitors' smiling faces as they came onto the ferry with straw hats,

sunscreen, backpacks, and duffel bags. This relaxation method was extremely effective for me.

After taking a series of images, I was then rolled out of the machine for addition of the IV contrast, and the process was repeated.

I am still amazed that the doctors could get such detailed information on what was going on inside my body using these two tests.

?

EXERCISES AND ANSWERS

Complete these exercises and check your answers. An important part of your success in learning medical terminology is checking your answers carefully with the Answers to Exercises on page 72. Be sure to visit the Evolve website, which has additional information, images, games, videos, and interactive activities.

A Match the following systems of the body with their functions.

circulatory digestive endocrine musculoskeletal nervous reproductive respiratory skin and sense organs urinary

- 5. Transports blood containing nutrients, gases, and other substances through the body _____
- 6. Moves air into and out of the body _____
- 7. Produces the cells that unite to form a new baby _____
- 8. Receives messages from the environment and sends them to the brain
- 9. Carries electrical messages to and from the brain and spinal cord

9

B	Select from the following land within the system.	body syste	ems to mat	tch the organ or tissue that i	S
	cardiovascular female reproductive musculoskeletal skin and sense organs	digestive lymphatic nervous urinary	с	endocrine male reproductive respiratory	
1.	brain				
2.	cartilage				
3.	kidney				
4.	intestines				
5.	heart				
6.	bronchial tubes	-			
7.	uterus				
8.	retina				
9.	adrenal glands				
10.	testes				
C	Use the following terms to cavity and an organ that is				•
	abdominal brain cranial heart	lungs pelvic spinal spinal con	⁻ d	stomach thoracic urinary bladder uterus	
			Cavity	Organ	
	Space located within the bone of the hip	es			
2. 8	Space located within the skul	11			
3. \$	Space located within the ches	st			
4. \$	Space located within the abdo	omen			

5. Space located within the backbones

	abdomen (abdominal cavity) diaphragm disk (disc)	mediastinum pelvis peritoneum pleura	spinal column spinal cord vertebra			
1.	The bones of the hip are the					
2.	The muscle separating the c	hest and the abdomen is the	e			
3.	The membrane surrounding	the organs in the abdomen	is the			
4.	The membrane surrounding	the lungs is the				
5.	The space between the lung	s in the chest is the				
6.	The space that contains orga	ans such as the stomach, liv	er, gallbladder, and			
	intestines is the					
7.	7. The backbones are the					
8.	8. The nerves running down the back form the					
9.	9. A single backbone is a					
10.	A piece of cartilage in betwe	en two backbones is a				
E 1. (2. f	Name the five divisions of	the spinal column from the				
5. (

Complete the following sentences using the terms listed below.

F Match the following	ng terms with their meanings belo	w.
anterior cartilage CT scan	frontal (coronal) plane MRI posterior	sagittal plane transverse (axial) plane
1. Pertaining to the ba	ck	
2. Pertaining to the fro	nt	
3. A plane that divides	the body into an upper and a lower	r part
4. An imaging study th	at uses magnetic waves; all three p	planes of the body are viewed
5. A plane that divides	the body into right and left parts _	
6. Flexible connective t	cissue found between bones at joints	3
7. A plane that divides	the body into front and back parts	
8. Series of cross-section	onal x-ray images	
G Give meanings for	the following terms.	
•		
•		
13. bronchoscopy		

70 ORGANIZATION OF THE BODY

14.	diaphragm			
15.	pleura			
16.	chondrosarcoma			
17.	radiology			
•	Match the following terms	with their meanings below	v.	
	coccygeal epithelial esophageal laparoscopy	laparotomy laryngeal lumbar pharyngeal	pleuritis sacral thoracotomy vertebral	
1.	Pertaining to the loin (waist	region below the thoracic	vertebrae	
2.	Pertaining to skin (lining or	surface) cells		
3.	Incision of the abdomen			
4.	Pertaining to the tube from the throat to stomach			
5.	Pertaining to the voice box			
6.	. Inflammation of the membrane surrounding the lungs			
7.	Pertaining to the throat			
8.	Pertaining to the sacrum			
9.	Incision of the chest			
10.	Pertaining to the tailbone			
11.	Visual examination of the abdomen			
12.	Pertaining to backbones			
0	Circle the boldface term the	at best completes the mea	ning of the sentences in	

- the following medical vignettes.
- 1. After her car accident, Cathy had severe neck pain. An MRI study revealed a protruding (diaphragm, disk, uterus) between C6 and C7. The doctor asked her to wear a (sacral, cervical, cranial) collar for several weeks.
- 2. Mr. Sellar was a heavy smoker all his adult life. He began coughing and losing weight and became very lethargic (tired). His physician suspected a tumor of the (musculoskeletal, urinary, respiratory) system. A chest CT scan showed a (lung, pharyngeal, spinal) mass. Dr. Baker performed (laparoscopy, craniotomy, bronchoscopy) to biopsy the lesion.

- 3. Grace had never seen a gynecologist. She had pain in her (cranial, pelvic, thoracic) cavity and increasing (abdominal, vertebral, laryngeal) girth (size). Dr. Hawk suspected a/an (esophageal, ovarian, mediastinal) tumor after palpating (examining by touch) a mass.
- 4. Mr. Cruise was explosed to asbestos while working in the shipyards during World War II. Now many years later, his doctor encouraged him to stop smoking because of a recently discovered link between asbestos, smoking, and the occurrence of mesothelioma (malignant tumor of cells of the pleura or the membrane surrounding the lungs). A routine chest x-ray film had shown thickening of the (esophagus, pleura, trachea) on both sides of Mr. Cruise's (abdominal, spinal, thoracic) cavity.
- 5. Kelly complained of headaches, together with nausea, disturbances of vision, and loss of coordination in her movements. Also, she had generalized weakness and stiffness on one side of her body. Dr. Brown suspected a tumor of the central (circulatory, digestive, nervous) system. Treatment involved a (thoracotomy, craniotomy, laryngectomy) to remove the lesion (mass) in her brain.
- 6. Mr. Smith experienced increasing weakness and loss of movement in his right arm and right leg. He saw his family doctor, who immediately referred him to a (neurologist, cardiologist, rheumatologist). This specialist examined him and sent him to (pathology, hematology, radiology) for x-ray imaging. (Results are shown in Figure 2-16.) This image is a/an (MRI study, CT scan, AP film). The imaging clearly showed a large white region in the brain, indicating an area of dead tissue. Mr. Smith's doctor informed him that he had had a stroke, which is also known as a (pituitary gland tumor, myocardial infarction, CVA or cerebrovascular accident).




FIGURE 2-16 Cross-sectional x-ray image of Mr. Smith's head.

N:	SWERS TO EXERC	ISI	ES	an an ann an	A constant of the second
	urinary	4.	digestive	7.	reproductive
	endocrine		circulatory	8.	skin and sense organ
	musculoskeletal	6.	respiratory	9.	nervous
1.	nervous	5.	cardiovascular	9.	endocrine
	musculoskeletal		respiratory		male reproductive
3.	urinary		female reproductive		*
4.	digestive		skin and sense organs		
1.	pelvic (urinary bladder,	2.	cranial (brain)	4.	abdominal (stomach)
	uterus)		thoracic (lungs, heart)		spinal (spinal cord)
1	pelvis	5	mediastinum	Q	eninal cord
	diaphragm		abdomen (abdominal		spinal cord vertebra
	peritoneum	0,	cavity)		disk (disc)
	pleura	7.	spinal column	10.	disk (disc)
1.	cervical 2. thoracio	c	3. lumbar	4. sacra	l 5. coccygea
1	posterior	1	MRI	77	frontal (somenal) plane
	anterior		sagittal plane		frontal (coronal) plan CT scan
	transverse (axial) plane		cartilage	0.	C1 scan
	incision of the skull				
	pertaining to the abdomer				
	pertaining to the pelvis (b	ones	s of the hip)		
	pertaining to the chest				
	pertaining to the mediasti			e lungs)	
	pertaining to skin (lining				
	incision of the trachea (wi				
8.	pertaining to the peritoner	ım (the membrane surround	ding the	organs in the abdome
	inflammation of the liver				
	pertaining to the neck of t			the uter	rus
	lymph cell (a type of white	e blo	ood cell)		
	pertaining to the side				
13.	visual examination of bron	ıchı	al tubes using an endos	cope	
	muscle separating the abd				
.GI	membrane surrounding th				
	malignant tumor (sarcoma	1) OI	cartilage		
16.	study of x-rays				
16. 17.	study of x-rays	~	1		
16. 17.	study of x-rays		laryngeal		thoracotomy
16. 17. 1. 2.	study of x-rays lumbar epithelial	6.	pleuritis	10.	coccygeal
16. 17. 1. 2. 3.	study of x-rays	6. 7.	pleuritis	10. 11.	•

1. disk, cervical

2. respiratory, lung, bronchoscopy

3. pelvic, abdominal, ovarian

4. pleura, thoracic

5. nervous, craniotomy

6. neurologist, radiology, CT scan, CVA or cerebrovascular accident



PRONUNCIATION OF TERMS

The terms that you have learned in this chapter are presented here with their pronunciations. The capitalized letters in BOLDFACE represent the accented syllable. Pronounce each word out loud; then write the meaning in the space provided. Meanings of terms are found in the Mini-Dictionary, beginning on page 349, and on the audio section of the Evolve website (http://evolve.elsevier.com/Chabner/medtermshort).


Term	Pronunciation	Meaning	
abdomen	AB-do-men		
abdominal cavity	ab- DOM -in-al KAV -ih-te _		
anterior	an-TE-re-or		
bronchial tubes	BRON-ke-al toobz		
bronchoscopy	bron- KOS -ko-pe		
cartilage	KAR-tih-lij		
cervical	SER-vih-kal		
chondroma	kon- DRO -mah		
chondrosarcoma	kon-dro-sar- KO -mah		
circulatory system	SER-ku-lah-tor-e SIS-tem		
coccygeal	kok-sih- JE -al		
coccyx	KOK-siks		
cranial cavity	KRA-ne-al KAV-ih-te		
craniotomy	kra-ne- OT -o-me		
diaphragm	DI-ah-fram		
digestive system	di-JES-tiv SIS-tem		
disc (disk)	disk		
endocrine system	EN-do-krin SIS-tem		
epithelial	ep-ih- THE -le-al		

74 ORGANIZATION OF THE BODY

esophageal	eh-sof-ah- JE -al
esophagus	eh-SOF-ah-gus
female reproductive system	FE-male re-pro-DUK-tiv SIS-tem
frontal plane	FRUN-tal plane
hepatitis	hep-ah-TI-tis
laparoscopy	lap-ah- ROS -ko-pe
laparotomy	lap-ah-ROT-o-me
laryngeal	lah- RIN -je-al <i>or</i> lah-rin- JE -al
laryngectomy	lah-rin- JEK -to-me
larynx	LAR-inks
lateral	LAT-er-al
lumbar	LUM-bar
lymphocyte	LIMF-o-site
male reproductive system	male re-pro-DUK-tiv SIS-tem
mediastinal	me-de-ah-STI-nal
mediastinum	me-de-ah-STI-num
musculoskeletal system	mus-ku-lo-SKEL-eh-tal SIS-tem
nervous system	NER-vus SIS-tem
ovary	O-vah-re
pelvic cavity	PEL-vik KAV-ih-te
pelvis	PEL-vis
peritoneal	per-ih-to- NE -al
peritoneum	per-ih-to- NE -um
pharyngeal	fah- RIN -je-al <i>or</i> fah-rin- JE -al

pharynx	FAR-inks	
pituitary gland	pih-TOO-ih-teh-re gland	
pleura	PLOO-rah	
pleuritis	ploo-RI-tis	
posterior	pos-TER-e-or	
radiology	ra-de- OL -o-ge	
respiratory system	RES-pir-ah-tor-e SIS-tem	
sacral	SA-kral	
sacrum	SA-krum	
sagittal plane	SAJ-ih-tal plane	
spinal cavity	SPI-nal KAV-ih-te	
spinal column	SPI-nal KOL-um	
spinal cord	SPI-nal kord	
thoracic cavity	tho-RAS-ik KAV-ih-te	
thoracotomy	tho-rah-KOT-o-me	
trachea	TRAY-ke-ah	
tracheotomy	tray-ke-OT-o-me	
transverse plane	trans-VERS plane	
ureter	YOOR-eh-ter or u-RE-ter	
urethra	u- RE -thrah	
urinary system	YOOR-in-air-e SIS-tem	
uterus	U-ter-us	
vertebra	VER-teh-brah	
vertebrae	VER-teh-bray	
vertebral	VER-teh-bral	

procedure is a ____



PROCEDURES

Select one of the procedures listed below to identify the descriptions in the following paragraphs. Answers are found on page 77.

		ge 77.
bronchoscopy craniotomy laparoscopy	laparotomy laryngectomy	thoracotomy tracheotomy
burr (or bur) holes using a craniotome	are drilled into the skull. The (bone saw). The bone flap is	away from the skull. Four or five e bone between the holes is cut turned down or completely mbrane surrounding the brain is
incised and the bra	in is exposed. This procedure	e is a
purposes. One type breastbone). A stra (suprasternal notch must be cut with a	of incision is a medial sterned ight incision is made from the a) to the lower end of the ster	e upper part of the sternum rnum (xiphoid process). The sternum The procedure is done to perform a
remove all or a por	tion of a lung. This procedure	e is a
the abdomen. The good visualization of the wall of a body cavit umbilicus. After the removed and an en	gas distends (expands) the ab organs. A trocar (sharp-poin cy) within a cannula (tube) is e cannula is in place in the a	ted instrument used to puncture the inserted into an incision under the bdominal cavity, the trocar is the cannula. The surgeon can then

and trachea to assess the tracheobronchial tree for tumors and obstructions, to obtain biopsy specimens, and to remove secretions and foreign bodies. This

WHAT'S YOUR DIAGNOSIS?

Case Study

A 67-year-old man with a 2-pack-a-day h/o (history of) smoking and hypertension (high blood pressure) presents to the ED (emergency department) complaining of hemoptysis (coughing up blood), fatigue, back pain on his right side, polyuria (frequent need to urinate), and headaches. The elevated BP (blood pressure), hemoptysis, and headaches require observation in the ED. The patient is admitted, and diabetes is ruled out as a cause of polyuria. A chest x-ray for hemoptysis reveals a RLL (right lower lobe) mass. Needle biopsy confirms malignancy. The patient agrees to have a lobectomy performed. He is counseled on his tobacco use during recovery, and he agrees to begin therapy for tobacco cessation.

Using the information presented in this case study, what's your diagnosis?

- A. Lung cancer—lower lobe
- B. Hemoptysis
- C. Polyuria
- D. Headache
- E. Hypertension

ANSWERS TO PRACTICAL APPLICATIONS

PROCEDURES

- 1. craniotomy
- 2. thoracotomy

- 3. laparoscopy
- 4. bronchoscopy


WHAT'S YOUR DIAGNOSIS?

Answer: A. Lung cancer—lower lobe



PICTURE SHOW

Answer the questions that follow each image. Answers are found on page 80.



Abdominopelvic regions. (Modified from Chabner D-E: The Language of Medicine, ed 11, St. Louis, 2017, Elsevier.)

- 1. Which abdominopelvic regions are the middle lateral regions?
 - a. epigastric

c. hypochondriac (right and left)

b. lumbar (right and left)

- d. inguinal (right and left)
- 2. Which abdominopelvic region lies above the stomach?
 - a. epigastric

c. umbilical

b. inguinal (right and left)

d. hypogastric

- 3. Which abdominopelvic regions lie under the cartilage of the ribs?
 - a. hypogastric

c. umbilical


b. hypochondriac (right and left)

- d. inguinal (right and left)
- 4. Which lateral abdominopelvic regions are in the area of the groin (depression between the thigh and the trunk of the body)?
 - a. umbilical

c. lumbar (right and left)

b. hypochondriac (right and left)

d. inguinal (right and left)



Abdominopelvic quadrants. (Modified from Chabner D-E: The Language of Medicine, ed 11, St. Louis, 2017, Elsevier.)

- 1. A large organ in the RUQ is the:
 - a. stomach

c. heart


- b. lung d. liver
- 2. The spleen is located in which quadrant?
 - a. LUQ

c. RLQ

b. RUQ

d. LLQ





- 1. In the procedure shown, an endoscope (pictured in B) is inserted into the mouth to visualize tubes leading to the lungs. This procedure is:
 - a. laryngoscopy
 - b. laparoscopy
 - c. mediastinoscopy
- 2. The instrument is a/an:

 - b. laparoscope
 - c. bronchoscope

- d. esophagoscopy
- e. bronchoscopy

- - a. mediastinoscope

- d. esophagoscope
- e. laryngoscope

ANSWERS TO PICTURE SHOW

- A 1. b
- 2. a
- 3. b
- 4. d

- **B** 1. d
- 2. a
- **C** 1. e. This procedure is used for removing material (sputum) from the bronchial tubes, obtaining a biopsy specimen, or removing foreign bodies.
 - 2. c. This flexible bronchoscope permits passage of various instruments to obtain specimens from airways and lungs.



Write the meanings of the following combining forms and suffixes in the spaces provided. Check your answers with the Answers to Review on page 82. Meanings for word parts also are listed in the Glossary of Word Parts beginning on page 385. Remember: The key to success is wRite, Repeat, Review!

COMBINING FORMS

Combining Form	Meaning	Combining Form	Meaning
1. abdomin/o _		15. lymph/o	
2. anter/o		16. mediastin/o	
3. bronch/o		17. pelv/o	
4. cervic/o	·	18. peritone/o	
5. chondr/o		19. pharyng/o	
6. coccyg/o		20. pleur/o	
7. crani/o		21. poster/o	
8. epitheli/o _		22. radi/o	
9. esophag/o _		23. sacr/o	
10. hepat/o		24. spin/o	
11. lapar/o		25. thorac/o	
12. laryng/o		26. trache/o	
13. later/o		27. vertebr/o	
14. lumb/o			

SUFFIXES

Suffix	Meaning
1ac	

ANSWERS TO REVIEW

COMBINING FORMS

1. abdomen

10. liver 19. throat 2. front 11. abdomen 20. pleura 3. bronchial tubes 12. voice box 21. back, behind 4. neck 13. side 22. x-rays 5. cartilage 14. loin, waist region 23. sacrum 6. tailbone 15. lymph 24. backbone 7. skull 16. mediastinum 25. chest 8. skin 17. bones of the hip region 26. windpipe 9. esophagus 18. peritoneum 27. backbone **SUFFIXES**

5. pertaining to

- 1. pertaining to 6. cutting out, removal, 2. pertaining to excision, resection 3. pertaining to 7. pertaining to
- 4. cell 8. inflammation
 - 9. study of

- 10. tumor, mass
- 11. process of visual examination
- 12. cutting into, incision, to cut into



TERMINOLOGY CHECKUP

undersi	you leave this chapter, here are important concepts that you should thoroughly tand. In your own words, write the answers on the lines provided. Confirm asswers on the next page. Check the box next to each item when you know 'got" it!
1.	Give the locations for the following double membranes: pleura, peritoneum, and pericardium.
2.	What is the difference between the following parts of the body: pharynx , larynx , trachea , and esophagus ?
3.	Explain the difference between three planes of the body: frontal (coronal) plane, sagittal (lateral) plane, and transverse (axial) plane.
☐ 4.	Where is the mediastinum ? Name organs that are located in this space.
<u> </u>	What is the difference between the spinal column and the spinal cord ? Name the sections of the spinal column and the spinal cord.

ANSWERS TO TERMINOLOGY CHECKUP

- 1. The **pleura** is a double membrane surrounding the lungs.

 The **peritoneum** is a double membrane surrounding the abdominal organs.

 The **pericardium** is a double membrane surrounding the heart. In a later chapter, you will learn about the *meninges*, three membranes surrounding the brain and spinal cord.
- 2. The **pharynx** is the **throat** (common passageway for air and food).

 The **larynx** is the **voice box** (containing vocal cords and located in the upper portion of the trachea).

The **trachea** is the **windpipe** (tube that carries air into the bronchial tubes and lungs).

The **esophagus** is the **food tube** (behind the trachea and carrying food to the stomach).

- 3. The **frontal** (**coronal**) **plane** divides the body into front and back (anterior/posterior) portions.

 The **sagittal** (**lateral**) **plane** divides the body into right and left sides.

 The **transverse** (**axial**) **plane** divides the body into upper and lower portions (cross sections). Visualizing organs in all three planes is possible with CT and MRI
- 4. The **mediastinum** is the central region in the chest. It is the **space between the lungs.** Organs in the mediastinum are the **heart**, **large blood vessels** (aorta and venae cavae), **trachea**, **bronchial tubes**, and **lymph nodes**.
- 5. The **spinal cord** is a **bundle of nerves** extending from the base of the brain down the back of the body. The **spinal column** is a **series of bones** surrounding the spinal cord. Sections of the spinal cord and the spinal column are **cervical**, **thoracic**, **lumbar**, **sacral**, and **coccygeal**.

CHAPTER 3

Suffixes

Chapter Sections

Introduction	86
Combining Forms	86
Suffixes and Terminology	87
In Person: Gallbladder Stones	106
Exercises and Answers	107
Pronunciation of Terms	115
Practical Applications	118
Picture Show	120
Review	124
Terminology CheckUp	127

CHAPTER OBJECTIVES

- To identify and define useful diagnostic and procedural suffixes
- To analyze, spell, and pronounce medical terms that contain diagnostic and procedural suffixes
- To apply medical terms in real-life situations

INTRODUCTION

This chapter reviews the suffixes that you have learned in the first two chapters and also introduces new suffixes and medical terms. The combining forms used in the chapter are listed below. Refer to this list as you write the meanings of the terms in the Suffixes and Terminology section that follows (beginning on page 87). Be faithful about completing all of the Exercises (page 107), and remember to check your answers on pages 113 and 114! These exercises will help you spell terms correctly and understand their meanings. Test yourself by completing the Pronunciation of Terms on pages 115 to 117 and Review (pages 124 and 125).

Remember the 3 "Rs"—wRite, Review, Repeat—and you will succeed!



COMBINING FORMS

Combining Form Meaning			
aden/o gland			
amni/o amnion (sac of fluid surrounding the embry			
angi/o vessel (usually a blood vessel)	0)		
arteri/o artery			
arthr/o joint			
ather/o plaque (a yellow, fatty material)			
axill/o armpit (underarm)			
bronch/o bronchial tube			
bronchi/o bronchial tube			
carcin/o cancerous			
cardi/o heart			
chem/o drug; also chemical	drug; also chemical		
cholecyst/o gallbladder			
chron/o time			
col/o colon (large intestine or bowel)	colon (large intestine or bowel)		
crani/o skull			
cry/o cold			
cyst/o urinary bladder; also a sac of fluid or a cyst			
electr/o electricity			
encephal/o brain			
erythr/o red			
esophag/o esophagus (tube leading from the throat to t	the stomach)		
nem/o blood	,		
hemat/o blood			
	liver		
hyster/o uterus			
inguin/o groin (area in which the thigh meets the tru	ink of the body)		
to hold back	ouy)		
lapar/o abdominal wall)			

laryng/o voice box (larynx)

leuk/o white

mamm/o breast (use with -ARY, -GRAPHY, -GRAM, and -PLASTY)

mast/o breast (use with -ECTOMY and -ITIS)

men/o menses (menstruation); month

mening/o meninges (membranes around the brain and spinal cord)

my/o muscle

myel/o spinal cord (nervous tissue connected to the brain, located within

the spinal column.) MYEL/O can also mean bone marrow (soft,

inner part of bones, where blood cells are made)

necr/o death (of cells)

nephr/o kidney (use with all suffixes, except -AL and -GRAM; use REN/O

with -AL and -GRAM)

neur/onerveoophor/oovaryoste/oboneot/oearpelv/ohip area

peritone/o peritoneum (membrane surrounding organs in the abdomen)

phleb/o vein
pneumon/o lung
pulmon/o lung
radi/o x-rays

ren/o kidney (use with -AL and -GRAM)

rhin/o nose

salping/o fallopian (uterine) tube

sarc/o flesh

septic/o pertaining to infection

thorac/o chest tonsill/o tonsil

trache/o windpipe; trachea

ur/o urine or urea (a waste material); urinary tract

vascul/o blood vessel

SUFFIXES AND TERMINOLOGY

Suffixes are divided into two groups: those that describe **diagnoses** and those that describe **procedures**.

DIAGNOSTIC SUFFIXES

Diagnostic suffixes describe disease conditions or their symptoms. Use the list of combining forms in the previous section to write the meaning of each term. You will find it helpful to check the meanings of the terms with the *Mini-Dictionary*, beginning on page 349.

Noun Suffix	Meaning	Terminology Meaning
-algia	condition of pain, pain	arthr <u>algia</u>
		ot <u>algia</u>
		myalgia
		neuralgia
-emia	blood condition	leukemia
		Increase in numbers of leukocytes; cells are malignant (cancerous).
		septicemia 💌
		Blood infections result when pathogens enter the blood from a wound.
		ischemia
		Figure 3-1 illustrates ischemia of heart muscle caused by blockage of a coronary (heart) artery.



Septicemia and bacteremia

Bacteremia is bacterial invasion of the blood without or without symptoms. **Septicemia** (sepsis), however, is a more serious bacteremia that moves rapidly and may be life-threatening.




FIGURE 3-1 Ischemia of heart muscle. Blood is held back from an area of the heart muscle by an occlusion (blockage) of a coronary (heart) artery. The muscle then loses its supply of oxygen and nutrition and, if the condition persists, dies. The death of the affected part of the heart muscle is a myocardial infarction (heart attack). (From Chabner D-E: The Language of Medicine, ed 11, St. Louis, 2017, Elsevier.)




FIGURE 3-2 A, Chest x-ray film showing normal lungs. B, Chest x-ray showing pneumonia in the right lower lobe of the lung (see arrow). (A, From Mason RJ, et al: Murray and Nadel's Textbook of Respiratory Medicine, ed 4, Philadelphia, 2005, Saunders. B, From Mettler FA: Essentials of Radiology, ed 3, Philadelphia, 2014, Saunders.)

		uremia
		Uremia occurs when the kidneys fail to function and urea (a waste material) accumulates in the blood.
-ia	condition	pneumonia
		The lung is inflamed, causing fluid and material to collect in the air sacs of the lung. See Figure 3-2.
-itis	inflammation	bronchitis
		Bronchial tubes are inflamed, with hypersecretion of mucus.
		esophag <u>i</u> tis
		laryng <u>itis</u>
		meningitis
		The meninges are membranes that surround and protect the brain and spinal cord. See Figure 3-3.
		cyst <u>itis</u>
		phleb <u>itis</u>
		colitis
		Table 3-1 lists other common inflammatory conditions

with their meanings.





FIGURE 3-3 Meninges (frontal view) are the membranes surrounding the brain and spinal cord.

TABLE 3-1	INFLAMMATIONS
appendicitis	Inflammation of the appendix (hangs from the colon in the lower right abdomen)
bursitis	Inflammation of a small sac of fluid (bursa) near a joint
cellulitis	Inflammation of soft tissue under the skin
dermatitis	Inflammation of the skin
endocarditis	Inflammation of the inner lining of the heart (endocardium)
epiglottitis	Inflammation of the epiglottis (cartilage at the upper part of the windpipe)
gastritis	Inflammation of the stomach
hepatitis	Inflammation of the liver
myositis	Inflammation of muscle (MYOS/O means muscle)
nephritis	Inflammation of the kidney
osteomyelitis	Inflammation of bone and bone marrow
otitis	Inflammation of the ear
peritonitis	Inflammation of the peritoneum
pharyngitis	Inflammation of the throat
thrombophlebitis	Inflammation of a vein with formation of clots

-megaly enlargement cardiomegaly hepatomegaly _____ -oma tumor, mass adenoma This is a benign (noncancerous) tumor. adenocarcinoma Carcinomas are malignant (cancerous) tumors of epithelial (skin or lining) tissue in the body. Glands and the linings of internal organs are composed of epithelial tissue. See Figure 3-4B. myoma This is a benign tumor. Myomas commonly occur in the uterus and are known as **fibroids.** See Figure 3-5. myosarcoma Sarcomas are malignant tumors of connective (flesh) tissue. Muscle, bone, cartilage, fibrous tissue, and fat are examples of connective tissues. See Table 3-2. myeloma _ MYEL/O means bone marrow in this term. Also called multiple myeloma, this is a malignant tumor of cells in the bone marrow. See Table 3-3 for names of other



forms CARCIN/O and SARC/O.

malignant tumors that do not contain the combining

FIGURE 3-4 A, Normal esophagus. B, Esophageal adenocarcinoma. (Courtesy Dr. Erik-Jan Wamsteker: Gastroenterology. In Rakel RE, editor: Textbook of Family Medicine, ed 7, Philadelphia, 2007, Saunders.)

TABLE 3-3




FIGURE 3-5 A, Location of uterine fibroids (leiomyomas). Pedunculated growths protrude on stalks. A subserosal mass lies under the serosal (outermost) layer of the uterus. A submucosal leiomyoma grows under the mucosal (innermost) layer. Intramural (mural means wall) masses arise within the muscular uterine wall. B, Multiple myomas viewed laparoscopically. (A, From Damjanov I: Pathology for the Health-Related Professions, ed 5, Philadelphia, 2017, Saunders. B, From Hunt RB: Text and Atlas of Female Infertility Surgery, ed 3, St. Louis, 1999, Mosby.)

TABLE 3-2 SARCON	IAS
chondrosarcoma	Cancer of cartilage tissue (CHONDR/O means cartilage)
fibrosarcoma	Cancer of fibrous tissue (FIBR/O means fibrous tissue)
leiomyosarcoma	Cancer of visceral (attached to internal organs) muscle (LEIOMY/O means visceral or "smooth" muscle)
liposarcoma	Cancer of fatty tissue (LIP/O means fat)
osteogenic sarcoma	Cancer of bone (OSTE/O means bone)
rhabdomyosarcoma	Cancer of skeletal (attached to bones) muscle (RHABDOMY/O means skeletal muscle)

hepatoma	Malignant tumor of the liver (commonly called hepatocellular carcinoma)
lymphoma	Malignant tumor of lymph nodes (previously called lymphosarcoma)
melanoma	Malignant tumor of pigmented (MELAN/O means black) cells in the skin
mesothelioma	Malignant tumor of pleural cells (membrane surrounding the lungs)
multiple myeloma	Malignant tumor of bone marrow cells
thymoma	Malignant tumor of the thymus gland (located in the mediastinum)

MALIGNANT TUMORS WHOSE NAMES DO NOT CONTAIN THE COMBINING FORMS CARCIN/O AND SARCIO

-osis condition. nephrosis abnormal condition necrosis Ischemia may lead to necrosis. Gangrene is type of necrosis. ervthrocytosis When -OSIS is used with blood cell words, it means a slight increase in number of cells. leukocytosis 📉 ____ -pathy disease encephalopathy ____ condition Pronunciation is en-sef-ah-LOP-ah-the. cardiomyopathy [______ Pronunciation is kar-de-o-mi-OP-ah-the. nephropathy _ Pronunciation is neh-FROP-ah-the. Table 3-4 lists other disease conditions.



Leukocytosis versus leukemia

Leukocytosis—slight increase in normal white blood cells (WBCs)—is the body's response to bacterial infection. **Leukemia** is a malignant condition marked by dramatic increase in cancerous WBCs.



Cardiomyopathy and myocardial infarction (MI)

Cardiomyopathy is chronic (ongoing) disease of heart muscle with inflammation and weakness. A myocardial infarction (MI) is an acute (sudden) condition involving an area of heart muscle that has died as a result of ischemia. An MI is a heart attack.

TABLE 3-4 DISEASE CONDITIONS (-PATHIES)

adenopathy	Disease condition of lymph nodes ("glands"); lymphadenopathy	
adrenopathy	Disease condition of the adrenal glands	
hepatopathy	Disease condition of the liver	
lymphadenopathy	Disease condition of the lymph nodes (previously called glands)	
myopathy	Disease condition of muscles	
neuropathy	Disease condition of nerves	
osteopathy	Disease condition of bones	
retinopathy	Disease condition of the retina of the eye	

-rrhea	flow, discharge	menorrhea
-rrhage or -rrhagia	excessive discharge of blood	hemorrhagia menorrhagia Excessive bleeding during menstruation.
-sclerosis	hardening	Atherosclerosis is the most common type of arteriosclerosis. A fatty plaque (atheroma) collects on the lining of arteries. See Figure 3-6.
-uria	condition of urine	hematuria Bleeding into the urinary tract can cause this sign of kidney disease or of disorders of the urinary and genital tracts.

All of the following **adjective suffixes** mean *pertaining to* and describe a part of the body, process, or condition. Do not worry about which suffix (-al, -eal, -ar, -ary, or -ic) to use with a particular organ or root. Just identify the suffix as meaning "pertaining to" in each term.

-al or -eal	pertaining to	periton <u>eal</u>
		inguinal
		renal
		esophageal
		myocardial
		Don't forget that a heart attack is a myocardial infarction (MI). An infarction is an area of dead tissue caused by ischemia (a condition in which blood supply is held back from a part of the body).
100.00		



Menorrhea and menorrhagia

Menorrhea is the normal discharge of blood and tissue from the lining of the uterus. **Menorrhagia** is abnormally heavy or long menstrual periods. Chronic menorrhagia can result in anemia. Menorrhagia is a common complication of uterine myomas (fibroids).



Hematuria and uremia

Hematuria is blood in the urine, whereas uremia is high levels of urea in the blood.




FIGURE 3-6 Atherosclerosis (a type of arteriosclerosis). A, A fatty material (cholesterol) collects in an artery, narrowing it and eventually blocking the flow of blood. B, Photo of resected aorta with mild atherosclerotic disease.

-ar	pertaining to	vascul <u>ar</u> A cerebrovascular accident (CVA) is a stroke.
-ary	pertaining to	axillary
		mammary
		pulmonary
-ic	pertaining to	chronic
		pelvic

PROCEDURAL SUFFIXES

The following suffixes describe procedures used in patient care.

Suffix	Meaning	Terminology	Meaning
-centesis	surgical	thoracentesis	
	puncture to remove fluid	This term is a shor Figure 3-7.	tened form of thoracocentesis. See
		amniocentesis	
		See Figure 3-8.	
		arthrocentesis	
			ommonly performed on the knee luid for diagnosis or treatment.
-ectomy	removal,	tonsillectomy	
	resection, excision		ds are lymph tissue in the pharynx composed of white blood cells that Figure 3-9.
		hysterectomy	
		the cervix, is removed is removed, the proc	etomy, the entire uterus, including ed. If only a portion of the uterus cedure is a partial or subtotal Figure 3-10 on page 98.




FIGURE 3-7 Technique of thoracentesis. A, The patient is sitting in the correct position for the procedure. B, The needle is advanced, and the fluid (pleural effusion) is drained.




FIGURE 3-8

Amniocentesis. Under ultrasound guidance (imaging based on high-frequency sound waves), the physician inserts a needle through the uterine wall and amnion, into the amniotic cavity. Amniotic fluid, containing fetal cells, is withdrawn and examined for chemicals that indicate fetal defects.




FIGURE 3-9 Tonsils and adenoids. Removal of the tonsils and adenoids is called tonsillectomy and adenoidectomy (T&A).




FIGURE 3-10 Total hysterectomy. In a total abdominal hysterectomy (TAH), the uterus is removed through the abdomen. A TAH-BSO is a total abdominal hysterectomy with bilateral salpingectomy and oophorectomy. Laparoscopic hysterectomy can be performed as well.

oopnorectomy	
Figure 3.11 ch.	owe a lanaroscopio conhoractomy

Figure 3-11 shows a laparoscopic oophorectomy.

salpingectomy

cholecystectomy

See Figure 3-12. Laparoscopic cholecystectomy is performed whenever possible, instead of an open (more invasive) procedure. See In Person: Gallbladder Stones on page 106.

mastectomy

Table 3-5 lists additional resection procedures.




FIGURE 3-11 Laparoscopic

oophorectomy. A, Notice the ovary within a plastic bag. The bag was inserted through the laparoscope and then opened, and the ovary was placed inside. B, Both are extracted through the laparoscope, leaving the uterus and the cut end of the fallopian tube. (A and B, Courtesy Dr. A.K. Goodman, Massachusetts General Hospital, Boston, Massachusetts.)




FIGURE 3-12 Cholecystectomy. The liver is lifted up to show the **gallbladder** underneath. The pancreas is a long, thin gland located behind and to the left of the stomach, toward the spleen. The common bile duct carries bile from the liver and gallbladder to the intestine. After cholecystectomy, the liver continues to produce bile and release it, via the common bile duct, into the intestine.

-gram

record

myelogram

MYEL/O means spinal cord in this term. Contrast material is injected into the membranes around the spinal cord (by lumbar puncture), and then x-ray pictures are taken of the spinal cord. This procedure is performed less frequently now that MRI is available.

mammogram

See Figure 3-13.

TABLE 3-5 RESECTIONS

adenectomy	Excision of a gland
adenoidectomy	Excision of the adenoids
appendectomy	Excision of the appendix
colectomy	Excision of the colon
gastrectomy	Excision of the stomach
laminectomy	Excision of a piece of backbone (lamina) to relieve pressure on nerves from a (herniating) disk
myomectomy	Excision of a muscle tumor (commonly a fibroid of the uterus)
pneumonectomy	Excision of lung tissue: total pneumonectomy (an entire lung) or lobectomy (a single lobe)
prostatectomy	Excision of the prostate gland
splenectomy	Excision of the spleen





FIGURE 3-13 Mammograms from a 63-year-old woman. The right breast is normal, and the left breast contains a carcinoma (breast cancer) (arrow). (From Frank ED, et al: Merrill's Atlas of Radiographic Positions and Radiologic Procedures, ed 11, vol 2, St. Louis, 2007, Mosby.)

-graphy

process of recording

electroencephalography

mammography

Tomosynthesis is a new mammographic technique that shows clearer and more detailed images. See Figure 3-14, A and B.

angiography

Contrast material (such as iodine) is injected into an artery or vein, and x-ray images are taken.






FIGURE 3-14 A, Mammography. The breast is compressed, and x-ray images, craniocaudal (top to bottom) and lateral, are taken. **B,** Image on the left is a mammogram and the image on the right is the same anatomy viewed by digital mammography **tomosynthesis**. (A from Frank ED, et al: Merrill's Atlas of Radiographic Positions and Radiologic Procedures, ed 11, St. Louis, 2007, Mosby. B from Klatt E: Robbins and Coltran Atlas of Pathology, ed 2, Philadelphia, 2010, Saunders.)

-lysis

separation, breakdown, destruction

dialysis

The root (LYS, meaning to loosen) in this term is embedded in the suffix (-LYSIS). Hemodialysis is the removal of blood for passage through (DIA- means through or complete) a kidney machine to filter out waste materials, such as urea. Another form of dialysis is peritoneal dialysis. A special fluid is inserted into the peritoneal cavity through a tube in the abdomen. The wastes seep into the fluid from the blood during a period of time. The fluid and wastes are then drained from the peritoneal cavity. See Figure 3-15.




FIGURE 3-15 Peritoneal dialysis. This procedure (or the alternative method of hemodialysis) is necessary when the kidneys are not functioning to remove waste materials (such as urea) from the blood. Without dialysis or kidney transplantation, uremia can result. (From Chabner D-E: The Language of Medicine, ed 11, St. Louis, 2017, Elsevier.)

-plasty

surgical repair, mammoplasty or surgical

rhinoplasty_

angioplasty

Balloon angioplasty is performed on narrowed, blocked coronary arteries that surround the heart, A wire with a collapsed balloon is placed in a clogged artery. Opening of the balloon widens the vessel, allowing more blood to flow through. A stent (mesh tube) is placed in the artery to hold it open. See Figure 3-16.

-scopy

process of visual examination

correction

bronchoscopy

laparoscopy

A common weight loss technique is a laparoscopic gastric band procedure. A band is placed around the upper part of the stomach to create a small pouch. which reduces the capacity of the stomach and helps decrease appetite.

laryngoscopy

See Figure 3-17.




FIGURE 3-16 Angioplasty and placement of an intracoronary artery stent. A, The stent is positioned at the site of the lesion. B, The balloon is inflated, expanding the stent. C, The balloon is then deflated and removed, and the implanted stent is left in place. Coronary artery stents are stainless steel mesh, tubelike devices that help hold arteries open. Drug-eluting stents release chemicals to dissolve plaque.




FIGURE 3-17 Laryngoscopy.

-stomy

opening

colostomy

A -STOMY procedure is the creation of a permanent or semipermanent opening (stoma) from an organ to the outside of the body. See Figure 3-18. Images of colostomy care are pictured in Figure 3-19. When two tube-like structures are surgically connected within the body, the new connection is an anastomosis (see Figure 3-20). A colocolostomy is an anastomosis, a new connection between two previously unconnected portions of the colon.

tracheostomy

See Figure 3-21.

-therapy

treatment

radiotherapy 🔼 _____

chemotherapy _____

cryotherapy _

Skin lesions, such as warts, are removed with cryotherapy. Liquid nitrogen or carbon dioxide snow is applied and blistering followed by necrosis results.



Radiotherapy versus radiology

Radiotherapy (radiation therapy) is directed by a radiation oncologist, a medical doctor specializing in treating cancer using radiation to kill tumor cells. Radiology is the specialty of a radiologist, also a medical doctor, who primarily diagnoses conditions using x-ray, magnetic wave, and ultrasound techniques.






FIGURE 3-19 Colostomy care.




FIGURE 3-20 Anastomoses are new surgical connections between previously unconnected tube-like structures. (Modified from Chabner D-E: The Language of Medicine, ed 11, Philadelphia, 2017, Saunders.)






FIGURE 3-21 A, Tracheostomy with tube in place. B, Healed tracheostomy incision after laryngectomy. (B, From Black JM, Hawks JH, Keene AM: Medical-Surgical Nursing: Clinical Management for Positive Outcomes, ed 6, Philadelphia, 2001, Saunders.)

-tomy

incision, cutting into craniotomy S

laparotomy _

phlebotomy _

See Figure 3-22.



FIGURE 3-22 Phlebotomy. After a vein is entered with a needle inserted through the skin, the plunger of the syringe is slowly pulled out to withdraw blood. (From Bonewit-West K: Clinical Procedures for Medical Assistants, ed 6, Philadelphia, 2004, Saunders.)



-TOMY versus -STOMY

-TOMY indicates a temporary incision, as opposed to -STOMY, which is a permanent or semipermanent opening.



IN PERSON: GALLBLADDER STONES

This first-person narrative describes the symptoms and treatment of a 46-year-old woman with gallbladder stones.

Everyone enjoys a little dessert after dinner, but when the ice cream or a creamy tart leads to pain, most would avoid it. I loved sweets, and despite the revenge they took on my waistline, I still would not pass up an ice cream cone—until my gallbladder decided it had had



enough. After several late nights spent doubled over in pain, I tried to steer clear of fatty foods but could not resist the temptation of frozen yogurt.

With one hand I pushed my cart through the supermarket; with the other hand I fed myself some delicious low-fat (not non-fat) frozen yogurt. I never dreamed that the attendant at the quick service window actually gave me soft-serve ice cream. Within 10 minutes of eating the questionable yogurt, I broke out into a sweat; a wave of nausea took me, over and a knifelike pain stabbed me in my right upper quadrant. It hurt even more when I pressed my hand on the area in an attempt to brace the pain.

Several months earlier, after a similar painful episode, I had undergone an ultrasound of my gallbladder, and the surgeon then recommended cholecystectomy. The US showed multiple stones in my gallbladder. Most of the stones were just the right size to lodge in the common bile duct and cause blockage of the outflow of bile that occurs after a fatty meal. When I heard the ultrasound results, I swore off all fatty foods.

I just did not imagine that ice cream masquerading as "low-fat yogurt" would be the straw that broke the camel's back! Soon enough, I abandoned my shopping cart and apologized to the manager of the store for vomiting all over aisle 4. The unrelenting pain did not cease when I vomited—it only intensified. I have no idea how I made it home and into bed, but my husband found me several hours later in a deep sweat. I managed to call my surgeon and arrange for "semiemergent" surgery the next morning.

Dr. Fernandez and his team performed a laparoscopic cholecystectomy and relayed to me as I came out of anesthesia that I no longer had a "bag of marbles" for a gallbladder. I had a gassy, distended feeling in my abdomen over the two weeks after surgery (carbon dioxide gas is injected into the abdomen before surgery to allow space between abdominal organs). I felt "tight as a drum" for the first few days, and then day by day it went away. My four tiny incisions healed just fine, and in about 2 weeks I was feeling back to normal. Now I can eat ice cream to my heart's content, only suffering the padding on my waistline, not the stabbing pain just above. Without missing a beat, my liver now delivers the bile into my small intestine right after I eat a fatty meal. The bile emulsifies (breaks down) the fat. I just don't have a storage bag to hold bile in reserve.

I've had an appendectomy, my wisdom teeth removed, and now I gave up my gallbladder! How many more "useless" body parts are there to go?



EXERCISES AND ANSWERS

Complete these exercises and check your answers. An important part of your success in learning medical terminology is checking your answers carefully with the Answers to Exercises beginning on page 113. Visit the Evolve website (http://evolve.elsevier.com/Chabner/medtermshort) for additional interactive activities and information.

A	Give meanings for the following suffixe		
1.	-algia	-pathy	
2.	-emia	rrhea	
3.	-itis	rrhagia	
4.	-megaly	sclerosis	
5.	-oma	uria	
В	Give definitions for the following terms		
1.	myalgia		
2.	septicemia		
3.	uremia		
4.	phlebitis		
5.	cardiomegaly		
6.	myosarcoma		
7.	nephrosis		
8.	encephalopathy		
9.	rhinorrhea		
0.	menorrhagia		

10. myocardial

C	Match the following next to its meaning.	nedical terms with their m	eanings below. Write each terr			
	adenocarcinoma cardiomyopathy esophagitis hematoma	hepatomegaly ischemia leukocytosis	myeloma otalgia pneumonia			
1.	Enlargement of the live	er				
2.	Pain in the ear					
3.	Holding back blood from	m an organ (depriving it of	blood supply)			
4.	. Abnormal condition of white blood cells (slight increase in normal cells to fight infection)					
5.		_	accumulation of material often			
6.						
	Tumor (malignant) of bone marrow					
	Disease of heart muscle					
	Tamor (ourself das) of §.					
D	Underline the suffix marea or part of the boo	eaning <u>pertaining to</u> in the dy referred to.	e following terms and give the			
1.	esophageal					
2.	inguinal					
3.	renal					
4.	vascular					
5.	pelvic					
6.	pulmonary					
	mammary					

1.	-ectomy						
2.	-gram						
3.	-centesis						
4.	-graphy						
5.	-plasty						
6.	-lysis						
7.	-stomy						
8.	-scopy						
9.	-tomy						
10.	-therapy						
	angiography angioplasty bronchoscopy	colocolostomy colostomy hysterectomy	mammogram oophorectomy phlebotomy				
1.	chemotherapy Surgical repair of a bl	laryngoscopy ood vessel using a catheter (thoracentesis (tube), balloon, and stent is				
2.	Surgical repair of a bl Treatment using chem	ood vessel using a catheter (tube), balloon, and stent is				
 3. 	Surgical repair of a bl Treatment using chem X-ray record of the bro	ood vessel using a catheter (nicals to destroy malignant ceast is a/an	(tube), balloon, and stent is ells is				
 3. 4. 	Surgical repair of a black of the brown of t	ood vessel using a catheter (nicals to destroy malignant ceast is a/an remove fluid from the chest i	tube), balloon, and stent is ells iss				
 3. 4. 5. 	Surgical repair of a black of the brown opening of the brown are surgical puncture to reach a new opening of the brown opening	ood vessel using a catheter of the cast is a/an	ells ise of the body is a/ane				
 3. 4. 5. 	Surgical repair of a black of the brown opening of the brown A new opening of the brown A new internal connections.	ood vessel using a catheter (nicals to destroy malignant ceast is a/an remove fluid from the chest i	tube), balloon, and stent is ells is e of the body is a/an two parts of the large bowel				
 3. 4. 6. 	Surgical repair of a black Treatment using chem X-ray record of the brack Surgical puncture to r A new opening of the black A new internal connect (intestine) is a/an	ood vessel using a catheter of the cast is a/an	ells ise of the body is a/antwo parts of the large bowel				
 3. 4. 6. 7. 	Surgical repair of a black Treatment using chemomy and the broad surgical puncture to real A new opening of the black and a surgical connect (intestine) is a/an	ood vessel using a catheter (nicals to destroy malignant c east is a/an remove fluid from the chest i large intestine to the outside	ells ise of the body is a/antwo parts of the large bowel				
 3. 4. 6. 8. 	Surgical repair of a black Treatment using chem X-ray record of the brown Surgical puncture to r A new opening of the brown A new internal connect (intestine) is a/an Removal of the uterus Process of recording x-	ood vessel using a catheter (nicals to destroy malignant cest is a/an remove fluid from the chest is large intestine to the outside tion (anastomosis) between the a/an	ells is of the body is a/an two parts of the large bowel after injection of contrast is				

Write the medical term for the f	following definitions.				
1. Excessive bleeding (discharge of b	1. Excessive bleeding (discharge of blood)				
2. Hardening of fatty plaque (in the	Hardening of fatty plaque (in the lining of the arteries)				
3. Pertaining to time (occurring over	Pertaining to time (occurring over a long period of time)				
4. X-ray record of the spinal cord	X-ray record of the spinal cord				
5. Sharp, sudden, brief	. Sharp, sudden, brief				
6. Treatment using cold temperature	. Treatment using cold temperatures				
7. Record of electricity in the brain	7. Record of electricity in the brain				
8. Surgical puncture to remove fluid	Surgical puncture to remove fluid from the membrane surrounding the fetus				
9. Muscle pain					
10. Malignant tumor of bone marrow					
11. Enlargement of the heart					
12. Abnormal condition of the death of	of cells				
13. Disease condition of the kidney _	. Disease condition of the kidney				
14. Incision of the skull	4. Incision of the skull				
What part of the body is inflame	ed?				
1. neuritis	11. meningitis				
2. arthritis	12. bronchitis				
3. salpingitis	13. rhinitis				
4. otitis	14. peritonitis				
5. hepatitis					
6. nephritis					
7. esophagitis					
8. laryngitis					
9. encephalitis	19. pharyngitis				
10. osteitis	20. phlebitis				

U	Provide the terms for the following procedures.
1.	Excision of the gallbladder
2.	Excision of the appendix
3.	Excision of a breast
4.	Excision of the uterus
5.	Excision of an ovary
6.	Excision of the voice box
7.	Excision of a kidney
8.	Excision of a gland
9.	Excision of the large intestine
10.	Excision of a fallopian tube
11.	Excision of tonsils
12.	Incision of the skull
13.	Incision of the abdomen
14.	Incision of the chest
15.	Opening of the windpipe to the outside of the body
16.	Opening of the colon to the outside of the body
17.	Surgical puncture to remove fluid from the chest
18.	Surgical puncture to remove fluid from a joint
19.	Incision of a vein (needle or catheter is inserted)
20.	Visual examination of the voice box

J	Supply the correct medical term for the following:
1.	A stroke is a cerebro [two words]
2.	A heart attack is a myo [two words]
3.	Use of a machine that filters wastes from the blood is hemo
4.	Injection of fluid into the abdominal cavity and then withdrawal of that fluid
	(containing waste material) is peri [two words]
5.	A benign tumor of muscle is a my
6.	A malignant tumor of muscle is a myo
7.	High levels of wastes (urea) in the blood is ur
8.	Blood in the urine is hemat
9.	High numbers of malignant (cancerous) white blood cells is leuk
10.	Slightly elevated numbers of white blood cells due to an infection in the body is
	leuko
11.	Normal discharge of blood during menstruation is men
12.	Excessive bleeding during menstruation is men
13.	Hardening of arteries is called arterio
14.	Use of high-energy rays to treat cancerous tumors is radio
K	Circle the boldface term that best completes the meaning of the sentences in the following medical vignettes.
	After routine breast self-examination, Nora felt a small lump in her breast. She consulted her doctor, who scheduled a diagnostic (mammoplasty, mastectomy,

- 1. After routine breast self-examination, Nora felt a small lump in her breast. She consulted her doctor, who scheduled a diagnostic (mammoplasty, mastectomy, mammogram). The examination showed a stellate (star-shaped) mass, and a (biopsy, necropsy, laparoscopy) revealed an infiltrating ductal carcinoma. Nora decided to have her breast removed (hysterectomy, mastectomy, salpingectomy), although her physician gave her the option of having lumpectomy followed by (cryotherapy, thoracotomy, radiotherapy).
- 2. In addition to her surgery, Nora had a sentinel node biopsy of a/an (inguinal, thoracic, axillary) lymph node to determine whether the cancer had spread. Injection of contrast revealed the primary (sentinel) lymph node, which was removed and microscopically examined.
- 3. Victoria had never been comfortable with the bump on her nose. She saw a plastic surgeon, who performed (mammoplasty, rhinoplasty, angioplasty).
- 4. Sylvia had irregular bleeding in between her periods. She was 50 years old and beginning menopause. On pelvic exam, Dr. Hawk felt a large, lobulated uterus. Biopsy revealed a large fibroid, which is a benign (noncancerous) tumor of muscle tissue (myeloma, myoma, hematoma). The doctor discussed three surgical options: removal of the fibroid, blockage of blood flow to the fibroid (embolization), or a total abdominal (gastrectomy, hysterectomy, cholecystectomy).

- 5. Sam was experiencing cramps, diarrhea, and a low-grade fever. He was diagnosed with ulcerative (colitis, meningitis, laryngitis) and had several bouts of (uremia, menorrhagia, septicemia) caused by inflammation and rupture of the bowel wall.
- 6. Bill felt chest pain every time he climbed a flight of stairs. He went to his doctor, who did a coronary (myelogram, angiogram, dialysis), which revealed (adenocarcinoma, nephrosis, atherosclerosis) in one of his coronary arteries. The doctor recommended (angioplasty, thoracentesis, amniocentesis). This would prevent further (myosarcoma, ischemia, leukocytosis) and help Bill avoid a (peritoneal, vascular, myocardial) infarction, or heart attack, in the future.

ANSWERS TO EXERCISES 1. condition of pain 5. tumor, mass 8. excessive discharge of 2. blood condition 6. disease condition blood 9. hardening 3. inflammation 7. flow, discharge 10. condition of urine 4. enlargement 1. muscle pain 5. enlargement of the heart 8. disease of the brain 2. blood infection 6. malignant tumor of 9. discharge from the nose muscle 10. excessive bleeding 3. high levels of wastes (urea) in the blood 7. abnormal condition of during menstruation. 4. inflammation of a vein the kidney C 1. hepatomegaly 8. cardiomyopathy 5. pneumonia 6. myeloma (also called 9. hematoma 2. otalgia 10. adenocarcinoma multiple myeloma) 3. ischemia 4. leukocytosis 7. esophagitis D 6. pulmonary—lungs 1. esophageal—esophagus (tube leading 7. axillary—armpit (underarm area) from the throat to the stomach) 8. peritoneal—peritoneum (membrane 2. inguinal—groin (area where the thigh meets the trunk of the body) surrounding the abdominal cavity) 9. mammary—breast 3. renal—kidney 10. myocardial—heart muscle 4. vascular—blood vessels 5. pelvic—hip area 1. removal, excision, resection 6. separation; breakdown 2. record 7. new opening 8. process of visual examination 3. surgical puncture to remove fluid 9. cutting into, incision, section 4. process of recording 10. treatment surgical repair 8. angiography 5. colostomy 1. angioplasty 9. laryngoscopy 2. chemotherapy 6. colocolostomy 10. phlebotomy

7. hysterectomy

3. mammogram 4. thoracentesis

1.	hemorrhage		electroencephalogram		cardiomegaly
2.	atherosclerosis	8.	amniocentesis		necrosis
3.	chronic		myalgia		nephropathy
4.	myelogram	10.	myeloma or multiple	14.	craniotomy
5.	acute		myeloma		
	cryotherapy				
1.	nerve	9.	brain	15.	blood vessels
2.	joint	10.	bone	16.	breast
3.	fallopian tubes	11.	meninges (membranes		tonsils
4.	ear		surrounding the brain		colon (large intestine
5.	liver		and spinal cord)		throat (pharynx)
6.	kidney	12.	bronchial tubes	20.	veins
7.	esophagus	13.	nose		
8.	larynx (voice box)	14.	peritoneum		
1.	cholecystectomy		adenectomy		tracheostomy
2.	appendectomy	9.	colectomy		colostomy
3.	mastectomy	10.	salpingectomy		thoracentesis
4.	hysterectomy	11.	tonsillectomy		arthrocentesis
5.	oophorectomy	12.	craniotomy	19.	phlebotomy
6.	laryngectomy	13.	laparotomy	20.	laryngoscopy
_	nephrectomy	1.4	thoracotomy		

- 4. peri**toneal dialysis**—fluid is introduced into the abdominal cavity and then removed after wastes have passed into the fluid from the peritoneal blood vessels.
- 5. myoma—benign muscle tumors occurring in the uterus are fibroids.
- $6. \ \ myo \textbf{sarcoma--}malignant \ tumors \ of \ connective \ or \ flesh \ tissue \ are \ sarcomas.$
- 7. uremia—this indicates failure of the kidneys to eliminate nitrogen-containing wastes, such as urea, creatinine, and uric acid, from the bloodstream.
- 8. hematuria—this indicates bleeding in the urinary tract.
- 9. leukemia—immature, cancerous white blood cells are produced in excess from the bone marrow or lymph nodes.
- 10. leukocytosis—normal, mature white blood cells are produced to fight infection.
- 11. men**orrhea**—lining of the uterus breaks down as a result of changes in hormone levels.
- 12. men**orrhagia**—long or heavy menstrual periods; often caused by benign muscle tumors or fibroids in the uterus.
- 13. arteriosclerosis—the most common type is atherosclerosis, or the collection of fatty plaques in arteries.
- 14. radio**therapy**—using high-energy x-rays, gamma rays, and protons to destroy cancerous cells.
 - 1. mammogram, biopsy, mastectomy, radiotherapy
 - 2. axillary
 - 3. rhinoplasty

- 4. myoma, hysterectomy
- 5. colitis, septicemia
- 6. angiogram, atherosclerosis, angioplasty, ischemia, myocardial



PRONUNCIATION OF TERMS

The terms that you have learned in this chapter are presented here with their pronunciations. The capitalized letters in **BOLDFACE** represent the accented syllable. Pronounce each word out loud; then write the meaning in the space provided. Meanings of all terms can be checked with the Mini-Dictionary beginning on page 349 and on the audio section of the Evolve website (http://evolve.elsevier.com/Chabner/medtermshort).

Term	Pronunciation	Meaning	
acute	ah -KUT		
adenocarcinoma	ah-deh-no-kar-sih- NO -ma	h	
adenoma	ah-deh- NO -mah		
amniocentesis	am-ne-o-sen- TE -sis		
anastomosis	ah-nah-sto- MO -sis		
angiography	an-je- OG -rah-fe		
angioplasty	AN-je-o-plas-te		
arteriosclerosis	ar-te-re-o-skleh- RO -sis		
arthralgia	ar- THRAL -je-ah		
arthropathy	ar-THROP-ah-the		
atherosclerosis	ah-theh-ro-skleh-RO-sis		
axillary	AKS-ih-lair-e		
bronchitis	brong-KI-tis		
bronchoscopy	brong-KOS-ko-pe		
carcinoma	kar-sih- NO -mah		
cardiomegaly	kar-de-o- MEG -ah-le		
cardiomyopathy	kar-de-o-mi- OP -ah-the		
chemotherapy	ke-mo- THER -ah-pe		
cholecystectomy	ko-le-sis- TEK -to-me		
chronic	KRON-ik		
colitis	ko-LI-tis		

colostomy	ko-LOS-to-me
colocolostomy	ko-lo-ko-LOS-to-me
craniotomy	kra-ne-OT-o-me
cystitis	sis-TI-tis
dialysis	di-AL-ih-sis
electroencephalography	e-lek-tro-en-sef-ah- LOG -rah-fe
encephalopathy	en-sef-ah- LOP -ah-the
erythrocytosis	eh-rith-ro-si- TO -sis
esophageal	e-sof-ah- JE -al
esophagitis	e-sof-ah- JI -tis
hematuria	he-mah- TUR -e-ah
hemorrhage	HEM-o-rij
hysterectomy	his-teh- REK -to-me
infarction	in- FARK -shun
inguinal	ING-gwih-nal
ischemia	is- KE -me-ah
laparoscopy	lap-ah-ROS-ko-pe
laparotomy	lap-ah-ROT-o-me
laryngitis	lah-rin- JI -tis
laryngoscopy	lah-rin-GOS-ko-pe
leukemia	loo- KE -me-ah
leukocytosis	loo-ko-si- TO -sis
mammogram	MAM-o-gram
mammography	mah- MOG -rah-fe
mammoplasty	MAM-o-plas-te
mastectomy	mas- TEK -to-me
meningitis	men-in- JI -tis
menorrhagia	men-or- RA -jah
menorrhea	men-o- RE -ah

myalgia	mi- AL -jah
myelogram	MI-eh-lo-gram
myeloma	mi-eh-LO-mah
myocardial	mi-o- KAR -de-al
myoma	mi-O-mah
myosarcoma	mi-o-sar-KO-mah
necrosis	neh-KRO-sis
nephrosis	neh-FRO-sis
neuralgia	nu- RAL -jah
oophorectomy	o-of-o- REK -to-me <i>or</i> oo-for- EK -to-me
otalgia	o- TAL -jah
pelvic	PEL-vik
peritoneal	per-rih-to- NE -al
phlebitis	fleh-BI-tis
phlebotomy	fleh-BOT-o-me
pneumonia	noo-MO-ne-ah
pulmonary	PUL-mo-nair-re
radiotherapy	ra-de-o-THAIR-ah-pe
renal	RE-nal
rhinoplasty	RI-no-plas-te
rhinorrhea	ri-no- RE -ah
salpingectomy	sal-pin- JEK -to-me
septicemia	sep-tih-SE-me-ah
thoracentesis	tho-rah-sen-TE-sis
tonsillectomy	ton-sih- LEK -to-me
tracheostomy	tra-ke- OS -to-me
uremia	u- RE -me-ah
vascular	VAS-ku-lar



PRACTICAL APPLICATIONS

Answers are given on page 119.

MATCHING

Match the procedure in Column I with an abnormal condition (diagnosis) it is associated with in Column II.

	LUMN I OCEDURE		COLUMN II ABNORMAL CONDITION (Diagnosis)
1.	angioplasty		A. uterine adenocarcinoma
2.	mammoplasty		B. ligament tear of the patella (kneecap)
3.	cholecystectomy		C. ovarian cyst
4.	tonsillectomy		D. blockage of the windpipe
5.	dialysis		E. renal failure
6.	hysterectomy		F. absence of a breast (postmastectomy)
7.	thoracentesis	the day of the latest and the latest	G. pleural effusion (collection of fluid)
8.	oophorectomy		H. coronary atherosclerosis
9.	tracheostomy		I. gallbladder calculi (stones)
10.	arthroscopy		J. pharyngeal lymph node enlargement

B Match the sign/symptom (abnormal condition) in Column I with an organ or tissue in Column II.

COLUMN I SIGN/SYMPTOM (Abnormal Condition	COLUMN II ORGAN OR TISSUE	
1. colitis	A. uterus	
2. phlebitis	B. ear	
3. menorrhagia	C. bone marrow	
4. myocardial ischemia	D. coronary arteries	
5. otalgia	E. large bowel	
6. uremia	F. membrane surrounding spinal cord or brain	
7. meningitis	G. vein	
8. leukemia	H. kidney	

WHAT'S YOUR DIAGNOSIS?

Case Study

A 45-year-old obese woman presents complaining of menorrhagia [heavy periods] with cramping pelvic pain, dizziness when standing, and rapid heart rate. Manual physical examination demonstrates multiple enlarged masses in her uterus. Blood workup reveals low RBCs [red blood cells] and hematocrit [percentage of red blood cells in a volume of blood], normal WBCs and platelets, and slightly elevated blood sugar level. U/S [ultrasound] of the abdomen and pelvis shows multiple fibroids [leiomyomas] of the uterine wall. Patient is admitted to the hospital with recommendation for hysterectomy. During the course of admission she speaks to the resident dietitian about a compulsive eating disorder and agrees to undergo therapy at the hospital's weight loss clinic.

Using the information presented in the case study, what's your diagnosis?

- A. Pelvic pain—female
- B. Obesity
- C. Anemia
- D. Menorrhagia
- E. Fibroid uterus

ANSWERS TO PRACTICAL APPLICATIONS						
MATCHING						
A 1. H 2. F	3. I 4. J	5. E 6. A	7. G 8. C	9. D 10. B		
B 1. E 2. G	3. A 4. D	5. B 6. H	7. F 8. C			


WHAT'S YOUR DIAGNOSIS?

Answer: E. Fibroid uterus



PICTURE SHOW

Answer the questions that follow each image. Correct answers are found on page 123.



- 1. The drawing in Figure A shows a procedure (**bariatric surgery**)* used to treat extreme obesity. First, the stomach (a) is stapled so that it is reduced to the size of a small pouch. Next, the jejunum (b), which is the second part of the small intestine, is brought up to connect with the smaller stomach. This diverts food so that it has a shorter travel time through the intestine with less time for absorption into the bloodstream. What is the name of this surgical procedure?
 - a. esophageal bypassb. total gastric resection
- c. gastric bypassd. duodenal resection
- 2. The new connection, or anastomosis (See Figure 3-20), between the stomach and the second part of the small intestine is a:
 - a. gastrostomy

c. gastroduodenostomy

b. jejunostomy

- d. gastrojejunostomy
- 3. The drawing in Figure B shows another type of bariatric surgery. It is a simpler procedure that creates a small, adjustable stomach pouch without the complications of more invasive surgery. It is called a/an:
 - a. lap band procedure

c. laparoscopic gastrectomy

b. duodenal anastomosis

d. esophageal pouch procedure

^{*}Bar/o = weight.

⁻iatric = pertaining to treatment.



(From Lewis SM, Heitkemper MM, Dirksen SR: Medical-Surgical Nursing: Assessment and Management of Clinical Problems, ed 5, St. Louis, 2000, Mosby.)

- 1. In the image shown, blood leaves the patient's body to enter a machine that filters out impurities. The filtered blood then circulates back to the patient's body. This procedure is:
 - a. pericardiocentesis
 - b. peritoneal dialysis

- c. hemodialysis
- d. amniocentesis
- 2. The procedure is a treatment for patients with failure of the:
 - a. kidneys

c. liver

b. pancreas

d. all three organs listed







(From Chipps EM, Clanin NJ, Campbell VG: Neurologic Disorders, St. Louis, 1992, Mosby.)

- 1. This patient is undergoing a procedure that records brain wave activity. It is called:
 - a. electrocardiography
 - b. electroencephalography
- 2. It may be used to diagnose:
 - a. seizure disorders (epilepsy)
 - b. dyspnea
 - c. paraplegia

- c. electromyography
- d. electrocraniography
- d. quadriplegia
- e. all four disorders listed





(Courtesy Dr. Daniel Simon and Mr. Paul Zampino.)

- 1. The arrow in A shows a narrowing of a coronary artery, preventing blood flow to the heart muscle. A condition caused by decreased blood flow is called:
 - a. nephrosis
 - b. uremia

- c. cardiomegaly
- d. ischemia
- 2. \boldsymbol{B} shows the coronary artery after stenting. The imaging procedure that is shown is:
 - a. electrocardiography
 - b. angiography

- c. radiotherapy
- d. mammography
- 3. The treatment procedure in which coronary arteries are opened using a balloon catheter and stenting is:
 - a. rhinoplasty
 - b. phlebotomy

- c. angioplasty
- d. thoracentesis

B



- 1. The darkened tissue on the toes pictured in the image is called **gangrene**. It is an example of:
 - a. dermatitis

c. uremia

b. necrosis

- d. hematoma
- 2. Gangrene may develop as a result of blood vessel injury, frostbite, or conditions such as diabetes and atherosclerosis. It results from:
 - a. hematuria

c. ischemia

b. chronic cystitis

d. cardiomyopathy

ANSWERS TO PICTURE SHOW

- A 1. c
- 2. d
- 3. a

- **B** 1. c
- 2. a
- **C** 1. b
- 2. a
- 1. d
- 2. b
- 3. c

- **1**. b
- 2. c

Write the meanings for the following word parts. Remember to check your answers with the Answers to Review section on page 126.

SUFFIXES

Suffix	·	Meaning	Suffix	Meaning
1a	1		15megaly	
2a	lgia		16oma	
3. - a	r		17osis	
4a	ry		18pathy	
5c	entesis		19plasty	
6e	al		20rrhage	
7e	ctomy		21rrhagia	
8e	mia		22rrhea	
9g	ram		23sclerosis	
10g	raphy		24scopy	
11ia	a		25stomy	
12io	c		26therapy	
13it	tis		27tomy	
14ly	ysis		28uria	

COMBINING FORMS

Combining Form	Meaning	Combining Form	Meaning	
1. aden/o		4. arteri/o		
2. amni/o		5. arthr/o		
3. angi/o		6. ather/o		

Combining Form Meaning	Combining Form Meaning
7. axill/o	32. mening/o
8. bronch/o	33. my/o
9. carcin/o	34. myel/o
10. cardi/o	35. necr/o
11. chem/o	36. nephr/o
12. cholecyst/o	37. neur/o
13. chron/o	38. oophor/o
14. col/o	39. oste/o
15. crani/o	40. ot/o
16. cry/o	41. pelv/o
17. cyst/o	42. peritone/o
18. encephal/o	43. phleb/o
19. erythr/o	44. pneumon/o
20. esophag/o	45. pulmon/o
21. hemat/o	46. radi/o
22. hepat/o	47. ren/o
23. hyster/o	48. rhin/o
24. inguin/o	49. salping/o
25. isch/o	50. sarc/o
26. lapar/o	51. septic/o
27. laryng/o	52. thorac/o
28. leuk/o	53. tonsill/o
29. mamm/o	54. trache/o
30. mast/o	55. ur/o
31. men/o	56. vascul/o

ANSWERS TO REVIEW

SUFFIXES

- 1. pertaining to
- 2. condition of pain, pain
- 3. pertaining to
- 4. pertaining to
- 5. surgical puncture to remove fluid
- 6. pertaining to
- 7. removal, resection, excision
- 8. blood condition
- 9. record
- 10. process of recording
- 11. condition
- 12. pertaining to
- 13. inflammation
- 14. separation, breakdown, destruction

- 15. enlargement
- 16. tumor, mass
- 17. abnormal condition
- 18. disease condition
- 19. surgical repair
- 20. excessive discharge of blood
- 21. excessive discharge of blood
- 22. flow, discharge
- 23. hardening
- 24. visual examination
- 25. opening
- 26. treatment
- 27. incision; cutting into
- 28. urine condition

COMBINING FORMS

- 1. gland
- 2. amnion
- 3. vessel
- 4. artery
- 5. joint
- 6. plaque, collection of fatty material
- 7. armpit
- 8. bronchial tubes
- 9. cancerous
- 10. heart
- 11. drug, chemical
- 12. gallbladder
- 13. time
- 14. colon (large intestine)
- 15. skull
- 16. cold
- 17. urinary bladder
- 18. brain
- 19. red

- 20. esophagus
- 21. blood
- 22. liver
- 23. uterus
- 24. groin
- 25. to hold back
- 26. abdomen
- 27. larynx (voice box)
- 28. white
- 29. breast
- 30. breast
- 31. menstruation
- 32. meninges
- 33. muscle
- 34. spinal cord or
 - bone marrow
- 35. death
- 36. kidney
- 37. nerve
- 38. ovary

- 39. bone
- 40. ear
- 41. hip area
- 42. peritoneum
- 43. vein
- 44. lung
- 45. lung
- 46. x-rays
- 47. kidney
- 48. nose
- 49. fallopian tube
- 50. flesh
- 51. pertaining to infection
- 52. chest
- 53. tonsil54. trachea (windpipe)
- 55. urine, urinary tract
- 56. blood vessel



TERMINOLOGY CHECKUP

t	Explain the concept of ischemia. How can it lead to necrosis ? How described the concept of ischemia. How can it lead to necrosis ? How described the concept of ischemia. How can it lead to necrosis ? How described the concept of ischemia. How can it lead to necrosis ? How described the concept of ischemia. How can it lead to necrosis ? How described the concept of ischemia. How can it lead to necrosis ? How described the concept of ischemia. How can it lead to necrosis ? How described the concept of ischemia. How can it lead to necrosis ? How described the concept of ischemia. How can it lead to necrosis ? How described the concept of ischemia. How can it lead to necrosis ?
-	Explain the difference between the following procedural suffixes: -tom ectomy, and -stomy. Congratulate yourself if you can explain what a surgeon does in an anastomosis !
	What is uremia ? How is it treated? Name two different types of treatments for uremia.
(What is the difference between the combining forms, my/o and myel/ Give meanings for the following terms that contain these combining for myoma, myosarcoma, myeloma, and myelogram.
	Define the following surgical resections: cholecystectomy, splenectors

ANSWERS TO TERMINOLOGY CHECKUP

- 1. **Ischemia** leads to necrosis because cells are deprived of necessary blood supply (containing oxygen and nutrients). A **myocardial infarction** (heart attack) is when ischemia and necrosis occur in the heart muscle. A **cerebrovascular** accident (stroke) is when ischemia and necrosis occur in the brain.
- 2. A procedure ending in **-tomy** is an incision or section. A procedure ending in **-ectomy** is an excision or resection. A procedure ending in **-stomy** is the creation of a new opening in an organ to the outside of the body. An **anastomosis** is a new surgical connection between two tubelike structures **within** the body.
- 3. **Uremia** is a high concentration of waste products (urea, creatine, and uric acid) in the blood when the kidneys fail to function. It is treated by **dialysis**. Two types of dialysis are **hemodialysis** and **peritoneal dialysis**.
- 4. **My/o** means muscle. **Myel/o** can mean either bone marrow or spinal cord. **Myoma** is a tumor (benign) of muscle. **Myosarcoma** is a tumor (malignant) of muscle. **Myeloma** is malignant condition occurring in bone marrow. **Myelogram** is an x-ray record of the spinal cord.
- 5. **Cholecystectomy** is removal of a gallbladder. **Splenectomy** is removal of the spleen. **Oophorectomy** is removal of one or both (bilateral) ovaries. In case you are wondering, the body copes very well without these organs. After **cholecystectomy**, without a gallbladder to store bile, the liver secretes bile as needed. After **splenectomy**, without a spleen to produce white blood cells and process worn-out red blood cells, lymph nodes and the liver take over these functions. After **bilateral oophorectomy**, without ovaries to produce eggs and female hormones, adrenal glands produce small amounts of female hormones.

CHAPTER 4

Prefixes

Chapter	Sections
Industrial continue	

Introduction	130
Combining Forms and Suffixes	130
Prefixes and Terminology	132
In Person: Total Knee Replacement (TKR)	149
Exercises and Answers	150
Pronunciation of Terms	160
Practical Applications	163
Picture Show	166
Review	169
Terminology CheckUp	173

CHAPTER OBJECTIVES

- To identify and define common prefixes used in medical terms
- To analyze, spell, and pronounce medical terms that contain prefixes
- To apply medical terms in real-life situations

INTRODUCTION

This chapter reviews the prefixes you studied in Chapter 1 and introduces new prefixes. The list of Combining Forms and Suffixes that follows will help you understand the terminology presented beginning on page 132. Remember to complete all exercises and check your answers. The Pronunciation of Terms and Review are opportunities to test your understanding of all terminology in this chapter.



vertebr/o

COMBINING FORMS AND SUFFIXES

Combining Form	Meaning
abdomin/o	abdomen
an/o	anus (opening of the digestive tract to the outside of the body)
bi/o	life
cardi/o	heart
carp/o	carpals (wrist bones)
cis/o	to cut
cost/o	ribs
crani/o	skull
cutane/o	skin
dur/o	dura mater (outermost meningeal membrane surrounding the brain and spinal cord)
gen/o	to produce, to begin
glyc/o	sugar
hemat/o	blood
later/o	side
men/o	menses (monthly discharge of blood from the lining of the uterus)
nat/i	birth
neur/o	nerve
norm/o	rule, order
oste/o	bone
peritone/o	peritoneum (membrane surrounding the organs in the abdomen)
plas/o	formation, growth, development
ren/o	kidney
scapul/o	scapula (shoulder blade)
son/o	sound
thyroid/o	thyroid gland
top/o	to put, place, position
troph/o	development, nourishment
urethr/o	urethra (tube leading from the bladder to the outside of the body)
uter/o	uterus
ven/o	vein

vertebra (backbone)

Suffix	Meaning
-al	pertaining to
-ation	process, condition
-cision	process of cutting
-crine	secretion
-dipsia	thirst
-emia	blood condition
-gen	to produce
-graphy	process of recording
-ia	condition
-ic	pertaining to
-ine	pertaining to
-ism	condition, process
-lapse	to fall, slide
-lysis	loosening, breakdown, separation, destruction
-meter	to measure
-mission	to send
-mortem	death
-oma	tumor, mass
-ous	pertaining to
-partum	birth
-pathy	disease condition
-phagia	eating
-phasia	speech
-plasia	formation (condition)
-plasm	formation (tissue)
-plegia	paralysis
-pnea	breathing
-rrhea	flow, discharge
-scopy	process of visual examination
-section	to cut
-stasis	to stand, place, stop, control
-tension	pressure
-thesis	to put, place (state of putting or placing)
-tic	pertaining to
-trophy	nourishment; development
-um	structure
-uria	urine condition
-y	process, condition

PREFIXES AND TERMINOLOGY

Prefix	Meaning	Terminology Meaning
a-, an-	no, not, without	apnea
		aphasia
		atrophy
		anemia Anemia is a condition in which there is a lower-than- normal number of red blood cells or a decrease in hemoglobin within the cells. Table 4-1 lists different forms of anemia.
		amenorrhea
ab-	away from	abnormal
ad-	toward, near	adrenal glands See Figure 4-1.

TABLE 4-1 | ANEMIAS

aplastic anemia	Bone marrow fails to produce red blood cells (erythrocytes), white blood cells (leukocytes), and clotting cells (platelets).
hemolytic anemia	Red blood cells are destroyed (-LYTIC), and bone marrow cannot compensate for their loss. This condition can be hereditary or acquired (after infection or chemotherapy) or can occur when the immune system acts against normal red blood cells (autoimmune condition).
iron deficiency anemia	Low iron levels lead to low hemoglobin concentration or deficiency of red blood cells.
pernicious anemia	The mucous membrane of the stomach fails to produce a substance (intrinsic factor) that is necessary for the absorption of vitamin B_{12} and the proper formation of red blood cells.
sickle cell anemia	Erythrocytes assume an abnormal crescent or sickle shape; this "sickling" is due to the inheritance of an abnormal type of hemoglobin. The sickle-shaped cells clump together, causing clots that

block blood vessels.




FIGURE 4-1 Adrenal

glands. These two endocrine glands are above each kidney. (Modified from Chabner D-E: The Language of Medicine, ed 11, St. Louis, 2017, Elsevier.)

ana-	up, apart	analysis 📜
ante-	before, forward	antepartum
anti-	against	antibody Protein made by white blood cells—literally, a "body" working "against" foreign substances. antigen Antigens are foreign substances, such as bacteria and viruses. When antigens enter the body, they stimulate white blood cells to produce antibodies that act against
		the antigens.



Analysis of urine

A **urinalysis** (urine + analysis) is the separation of urine to determine its components. The following chart shows typical urinalysis findings:

following chart shows typical armanysis infamigs.		
Test	Normal	Abnormal
1. Color	light yellow	red (hematuria)
2. Clarity	clear	cloudy (infection)
3. pH (chemical nature)	slightly acidic	alkaline (infection)
4. Protein	very slight	proteinuria (renal disease)
5. Sugar	none	glycosuria (diabetes mellitus)

antibiotic _____

Antibiotics are produced **outside** the body by microorganisms and primitive plants called molds. Examples are penicillin and erythromycin. As disease-fighting medications, they are taken by mouth or through intravenous injection, or applied topically to be absorbed through the skin.

bi- two, both bilateral_____

brady- slow bradycardia_____

con- with, together <u>congenital</u> _____

A congenital anomaly is an irregularity (anomaly) present at birth. Examples are webbed fingers and toes and heart defects. See Figure 4-2.

dia
through

complete,

through

feces (stools) are loose and watery. Normal water

reabsorption through the walls of the colon is impaired.



FIGURE 4-2 Webbed toes. The foot on the left (pale) shows "webbing" of the toes (syndactyly). On the right, another person's foot (darker) has normal toes. (*From Chabner D-E:* The Language of Medicine, *ed 11, St. Louis, 2017, Elsevier.*)




FIGURE 4-3 Ectopic pregnancy. The fallopian tube (ectopic tubal pregnancy) is the most common site for ectopic pregnancies (95%), but they can also occur on the ovary or on the surface of the peritoneum. Normal implantation takes place on the inner lining (endometrium) of the uterus.

dys-	bad, painful, difficult,	dyspnea
	abnormal	dysphagia
		dysplasia 🔼
		dysmenorrhea
		dysuria
		Dysuria is often a symptom of a urinary tract infection (UTI).
ec-	out, outside	ectopic pregnancy
		Figure 4-3 shows an ectopic tubal pregnancy.



-Plasia, -phagia, and -phasia

Don't confuse these very different suffixes: **-plasia** (**PLAY**-zhah) means formation, **-phagia** (**FAY**-jah) means eating or swallowing, and **-phasia** (**FAY**-ze-ah) means speech.

TABLE 4-2 TYPES OF ENDOSCOPY PROCEDURES*

28 (1988) 4354. Salita (1986) 44. (1986) 1986	
arthroscopy	Visual examination of a joint
bronchoscopy	Visual examination of the bronchial tubes
colonoscopy	Visual examination of the colon (large intestine)
cystoscopy	Visual examination of the urinary bladder
esophagogastroscopy	Visual examination of the esophagus and stomach
hysteroscopy	Visual examination of the uterus
laparoscopy	Visual examination of the abdomen
laryngoscopy	Visual examination of the larynx (voice box)
mediastinoscopy	Visual examination of the mediastinum
sigmoidoscopy	Visual examination of the sigmoid colon (the lower, S-shaped part of the large intestine)

^{*}For images of these procedures, visit the Evolve website for this book (http://evolve.elsevier.com/Chabner/medtermshort).

endo- within, in, inner

endoscopy ____

Table 4-2 lists types of endoscopy procedures.

endocrine glands

The adrenal glands are endocrine glands. Table 4-3 lists the major endocrine glands and the hormones that they secrete.

TABLE 4-3 MAJOR ENDOCRINE GLANDS AND SELECTED HORMONES

GLAND	HORMONES
adrenal glands	Adrenaline (epinephrine)
ovaries	Estrogen Progesterone
pancreas	Insulin
parathyroid glands	Parathyroid hormone (PTH)
pituitary gland	Adrenocorticotropic hormone (ACTH) Follicle-stimulating hormone (FSH) Growth hormone (GH) Thyroid-stimulating hormone (TSH)
testes	Testosterone
thyroid gland	Thyroxine (T4)




FIGURE 4-4 Epidural and subdural hematomas. The dura mater is the outermost of the three meninges (membranes) around the brain and spinal cord.

epi-	above, upon	epidural hematoma
		epidermis The three layers of the skin, from outermost to innermost, are the epidermis, dermis, and subcutaneous layer. See Appendix 1, Body Systems, page 215.
ex-	out	excision
extra-	outside of	extrahepatic
hemi-	half	hemigastrectomy
		hemiplegia

hyper- excessive, too much, above

hyperthyroidism _____

Figure 4-5 shows position of the thyroid gland in the neck.

hyperplasia _

Cells increase in number. The prostate gland is enlarged in benign prostatic hyperplasia (BPH).

hypertrophy_

Cells increase in size, not in number. The opposite of hypertrophy is **atrophy** (cells shrink in size). See Figure 4-6.

hypertension

Risk factors that contribute to high blood pressure are increasing age, smoking, obesity, heredity, and a stressful lifestyle.

hyperglycemia __

May also be a sign of **diabetes mellitus**. Insulin either is not secreted or is improperly utilized so that sugar accumulates in the bloodstream and spills over into the urine (glycosuria).




FIGURE 4-5 Thyroid gland, located in the front of the trachea in the neck. The thyroid gland produces too much hormone in hyperthyroidism.




FIGURE 4-6 Differences between normal cells, hyperplasia, hypertrophy, and atrophy.

hypo-	deficient, too	hypoglycemia
	little, below	Overproduction of insulin or an overdose (from outside the body—exogenously) of insulin can lead to hypoglycemia, as glucose is removed from the blood at an increased rate.
in-	in, into	incision
inter-	between	intervertebral
intra-	within	intrauterine
		intravenous



FIGURE 4-7 Intravenous set up for anesthesia administration.




FIGURE 4-8 Metastasis. Note the difference between a primary breast cancer and breast cancer that has metastasized to the lung.

mal- bad

malignant 💌 _____

meta- change, beyond

metastasis _

This term literally means a "change of place" (-STASIS). It is the spread of a cancerous tumor from its original place to a secondary location in the body. See Figure 4-8.

metacarpals _

The carpal bones are the wrist bones, and the metacarpals are the hand bones, which are beyond the wrist. See the x-ray image of the hand in Figure 4-9.



Malignant versus benign

The root IGN comes from the Latin *ignis*, meaning "fire." A malignant tumor is a cancerous growth that spreads like a "wildfire" from its original location to other organs. A benign tumor (BEN- means "good") is a noncancerous growth that does not spread.



FIGURE 4-9 Metacarpals. This x-ray image of a hand shows metacarpals, carpals (wrist bones), and phalanges (finger bones).

neo-	new	neoplasm
		neoplastic
		neonatal
		often cared for in the neonatal intensive care unit (NICU—pronunciation is NIK -u). See Figure 4-10.



Intensive care units

Note the pronunciations and meanings of other hospital intensive care units:

MICU (MIK-u) medical intensive care unit

MSICU (M-SIK-u) medical/surgical intensive care unit

PACU (PAK-U) post anesthesia care unit

PICU (PIK-u) pediatric or psychiatric intensive care unit

SICU (SIK-u) surgical intensive care unit





FIGURE 4-10 Neonates in the neonatal intensive care unit (NICU).

A, Benjamin Oliver Chabner, born May 22, 2001, at 32 weeks (8 weeks premature). **B**, Samuel August "Gus" Thompson, born August 13, 2001, at 36 weeks. Gus needed an endotracheal tube through which he received surfactant, a substance necessary to inflate his lungs. Both children are healthy and a delight to their grandmother. See the dedication page for a current photo!

para- beside, near, along the side of

parathyroid glands

Figure 4-11 shows the position of the parathyroid glands on the back side of the thyroid gland. The parathyroid glands are endocrine glands that regulate the amount of calcium in bones and in the blood.

paralysis

This term came from the Greek paralytikos, meaning "one whose side was loose or weak," as after a stroke. Now it means a loss of movement in any part of the body caused by a break in the connection between nerve and muscle.

paraplegia

-PLEGIA means paralysis, and this term originally meant paralysis of any limb or side of the body. Since the nineteenth century, however, it has indicated paralysis of the lower half of the body.

peri- surrounding

periosteum ____

<u>peri</u>anal




FIGURE 4-11 Parathyroid glands. These are four endocrine glands on the posterior (back side) of the thyroid gland.

poly-	many, much	polyuria 🔼
		polyneuropathy
		polydipsia
		Symptoms of diabetes mellitus are polyuria and polydipsia.
post-	after, behind	postpartum
		postmortem
pre-	before	precancerous
		An example of a precancerous lesion is a polyp (benign growth), commonly found in the colon. Polyps are often removed via colonoscopy, because they may eventually become malignant.
		prenatal



Polyuria and diuretics

Polyuria is the excretion of abnormally large quantity of urine. Diuretics (DI- from DIA-, meaning "complete") are drugs that promote polyuria. They are used in the treatment of hypertension to lower blood pressure by removing excess fluid from the body.




FIGURE 4-12 Uterine prolapse. Prolapsed uterus is shown in **B**. Normally, the uterus is tilted forward, above the urinary bladder.

probefore, forward

prolapse

-LAPSE means to slide. Figure 4-12 shows both the normal position of the uterus and its position when prolapsed.

prosbefore, forward

prosthesis

An artificial limb is a prosthesis—literally, something "placed before" (as a replacement). Figure 4-13 shows Amy Palmiero-Winters running with a sports prosthetic leg. Figure 4-14 shows a total hip replacement and a total knee joint replacement. See In Person: Total Knee Replacement on page 149.



FIGURE 4-13 Amy Palmiero-Winters is the first female with a prosthetic leg to finish the Badwater 135, a 135-mile race from Badwater in Death Valley to Mount Whitney, California.




FIGURE 4-14 Total hip joint replacement and total knee joint replacement. A, In total hip joint replacement, a cementless prosthesis allows porous ingrowth of bone. B, In total knee joint replacement, the prosthesis includes a tibial metal retainer and a femoral component. The femoral component is chosen individually for each patient according to the amount of healthy bone present. C, X-ray image of knee replacement. (C, From Mettler FA: Essentials of Radiology, ed 3, Philadelphia, 2014, Saunders.)

quadri-	four	quadriplegia
re-	back, behind	relapse
		Symptoms of disease lessen when the disease goes into remission. resection

retroback, behind retroperitoneal The kidneys are retroperitoneal organs. (See Figure 2-4 on page 52.) subunder, less than subcostal subcutaneous subtotal A subtotal gastrectomy is a partial resection of the stomach.subscapular The scapula is the shoulder bone. Figure 4-15 shows its location. synwith, together syndrome -DROME means running or occurring. A syndrome is a group of symptoms and signs of illness that occur together. Table 4-4 gives examples of syndromes. tachyfast tachycardia tachypnea_




FIGURE 4-15 Scapula (shoulder bone), posterior view. The clavicle is the collarbone, and the humerus is the upper arm bone. (Modified from Chabner D-E: The Language of Medicine, ed 11, St. Louis, 2017, Elsevier.)

TABLE 4-4 SYNDROMES*

SYNDROME	SIGNS AND SYMPTOMS
acquired immunodeficiency syndrome (AIDS)	Severe infections, malignancy (Kaposi sarcoma and lymphoma), fever, malaise (discomfort), and gastrointestinal disturbances. It is caused by a virus that damages lymphocytes (white blood cells).
carpal tunnel syndrome	Pain, tingling, burning, and numbness of the hand and wrist. A nerve leading to the hand is compressed by connective tissue fibers in the wrist.
Down syndrome	Mental retardation, flat face with a short nose, slanted eyes, broad hands and feet, stubby fingers, and protruding lower lip. The syndrome occurs when an extra chromosome is present in each cell of the body.
mitral valve prolapse syndrome	Abnormal sounds (murmurs) heard through a stethoscope placed on the chest. These murmurs indicate that the mitral valve is not closing properly. Chest pain, dyspnea (difficult breathing), and fatigue are other symptoms.
toxic shock syndrome	High fever, vomiting, diarrhea, rash, hypotension (low blood pressure), and shock. It typically is caused by a bacterial infection in the vagina of menstruating women using superabsorbent tampons.

^{*}See the Evolve website for additional information about syndromes (http://evolve.elsevier.com/Chabner/medtermshort).

trans-	across, through	transabdominal
		In a transurethral resection of the prostate gland (TURP), pieces of the prostate gland are removed through the urethra. This procedure relieves symptoms of benign prostatic hyperplasia (BPH). See Figure 1-13 page 20.
tri-	three	tricuspid valve -CUSPID means "pointed end," as of a spear. The tricuspid valve is on the right side of the heart, while the mitral (bicuspid) valve is on the left side of the heart. Figure 4-16 shows the location of both valves and indicates the pathway of blood through the heart.
ultra-	beyond	ultrasonography
uni-	one	unilateral




FIGURE 4-16 Tricuspid and mitral valves of the heart. Blood enters the *right atrium* of the heart (1) from the big veins (venae cavae) and passes through the *tricuspid valve* to the *right ventricle* (2). Blood then travels to the *lungs* (3), where it loses carbon dioxide (a gaseous waste) and picks up oxygen. Blood returns to the heart into the *left atrium* (4) and passes through the *mitral valve* to the *left ventricle* (5). It is then pumped from the left ventricle out of the heart into the largest artery, the *aorta* (6), which carries the blood to all parts of the body.




FIGURE 4-17 A, Ultrasonogram showing my grandson Samuel August "Gus" Thompson as a 19-week-old fetus. **B**, Three-dimensional sonogram. (**A**, Courtesy Dr. Elizabeth Chabner Thompson. **B**, From Hagen-Ansert SL: Textbook of Diagnostic Ultrasonography, ed 6, St. Louis, 2006, Mosby.)



IN PERSON: TOTAL KNEE REPLACEMENT (TKR)

I had endured many years of diminishing mobility in my right leg, alleviated somewhat by occasional cortisone shots and two arthroscopic surgeries. While stitching the second arthroscopic wound, my orthopedist said, "Nothing more to be done with this one. ... next stop: total knee replacement!" He was right! My TKR procedure was inevitable and indeed very radical.



It involved major trauma to all the supporting muscles, tendons, nerves, and blood vessels. Hence a long period of recuperation was involved. I took advantage of the extra day that was offered to me at MGH (bless Medicare!) for a total hospitalization of five days, during which I had to learn how to perform the most basic functions in new ways. I found, after many trials, that a walker is preferable to crutches. Both are hard on the hands, but the walker is more stable, and the attachable basket is a boon.

For those who are contemplating TKR, the question of where to do the rehab is crucial. If, as I did, you have the conditions to recover at home, that is preferable. The necessary conditions are, first, a partner or caregiver who is available 24/7 for the first few days and who doesn't decide to take a prolonged vacation after that.... The second relates to the physical conditions at home. Preferably the living area should all be on one level; although climbing stairs becomes one of the protocols of physical therapy, it takes a while to get to that point, and one is not very steady until that time. Easy access to bathrooms and to other living areas is crucial. The third necessary condition is the availability of the physical therapist. Living in the summer and fall months in rural New Hampshire, I was fortunate to qualify for the services of the local VNA [Visiting Nurse Association], and a marvelous physical therapist visited me three times a week for about six weeks. In between visits, I worked hard to win her approval, and although it seemed at first like tackling Everest to lift my leg even one inch off the floor, let alone walk, within about six weeks I could drive, even if I was getting around outside with crutches; within two months I had regained good mobility, and six months later I was as good as new, and ever so grateful. ...

Although I consider this procedure to be nothing short of miraculous, like any major elective surgery, one should not undertake it unless the pain of daily life outweighs its joys. ... when the doctors ask you about the pain, on a scale of 1 to 10, take them seriously. Don't undergo this surgery until it hovers around 8 or 9 ... and then—well, enjoy the results!

Sidra DeKoven Ezrahi is a professor emeritus of Comparative Literature at the Hebrew University and is a Guggenheim Fellow. She divides her time between Jerusalem, Israel, and Wilmot, New Hampshire.

1. anti-_



EXERCISES AND ANSWERS

Give meanings for the following prefixes.

Complete these exercises and check your answers. An important part of your success in learning medical terminology is checking your answers carefully with the Answers to Exercises beginning on page 158. Don't forget to wRite, Review, and Repeat!

2.	ana-			
3.	ad			
	bi			
	brady-			
	ab			
	a-, an-			
	ante			
	con-			
	dia-			
	Complete the following			
	analysis	antigen	bradycardia	
	anemia	apnea	diarrhea	
	antibiotic	atrophy		
	antibody	bilateral		
1.	A patient with hearing loss			condition.
	A patient with hearing loss When airways collapse or a	s in both ears has a/an _		
		s in both ears has a/an _ are blocked during sleep		
2.	When airways collapse or a	s in both ears has a/an _ are blocked during sleep occur.	, a condition called	sleep
 3. 	When airways collapse or a	s in both ears has a/an _ are blocked during sleep occur. te blood cells in response	, a condition called	sleep

4. A foreign substance, such as	a bacterium or virus, is a/an
5. Decrease in hemoglobin in the	he blood to below the normal range produces a
condition known as	
6. A condition of frequent loose	, watery stools that seem to "flow through" the body is
called	
7. The separation of substances	s into their component parts is known as
8. A medication produced from	molds or synthesized in a laboratory to destroy
micro-organisms is a/an	·
9. A condition in which the hea	art rate is less than 60 beats per minute is
0. Having an arm in a cast and	d not using it can cause
2. Lack of menstrual flow:	
4. Glands located near the kidner	eys: glands
5. An irregularity appearing wit	th birth: anomaly
3. Separation of waste materials	s from the blood when the kidneys fail:
D Give meanings for the foll	owing prefixes.
1. ec	6. dys
2. epi	7. endo
3. hemi	8. ex
4. hyper	9. extra
5. hypo	10. in

Œ	Complete the following so	entences using the r	nedical terms listed below.	
	dysmenorrhea	dysuria	extrahepatic	
	dysphagia dysplasia	endoscopy epidermis	incision	
	dyspnea	excision		
2.	Cutting into a part of the b	oody is a/an	·	
3.	Any abnormal development	in tissues or organs	is	
4.	Cutting out of a part of the	body is a/an		
5.	Painful burning sensation u	apon urination is	·	
6.	6. Painful breathing that may be caused by anxiety, strenuous exercise, or certain			
	heart conditions is			
7.	7. The outer layer of skin is the			
8.	8. Pertaining to outside the liver is			
9.	Difficulty in swallowing is o	called	··································	
10.	Visual examination (via an	endoscope) of what is	s within an organ is	
			·	
G	Complete the following m	edical terms using t	ne meanings provided.	
1.	High blood pressure is		tension.	
2.	A mass of blood above the m	nembrane surroundir	ng the brain is a/an	
	dural hemat			
3.	A pregnancy that is out of it	ts normal place is a/a	ntopic pregnancy.	
4.	A condition of excessive (too	much) blood sugar i	semia.	
5.	A condition of deficient (too	little) blood sugar is	emia.	
6.	Glands that secrete hormon	es within the body a	ce crine glands	

7.	Increase in development (individual co	ells increase in size) often caused	by overuse
	of a muscle or organ is hyper		
8.	Paralysis of half of the body related to	o a stroke is	plegia.
9.	Excessive secretion from a gland in fr	ont of the trachea is hyper	
10.	Increased formation (numbers of cells	s) is hyper	
G	Give meanings for the following pre	fixes.	
1.	intra-	6. inter	
2.	mal-	7. meta	
3.	para-	8. neo-	
4.	peri-	9. post	
5.	poly-	10. pre	
	Give meanings for the following me		
	intervertebral		
2.	metastasis		
3.	metacarpals		
4.	intravenous		
5.	postmortem		
6.	periosteum		
7.	precancerous		
8.	neonatal		
9.	paraplegia		
10.	malignant		

154 PREFIXES

		ntences that follow by selo vords in each sentence sho	_
	adrenal glands dyspnea extracranial intrauterine	neoplasm parathyroid glands perianal	polyneuropathy polyuria postpartum
1.		polydipsia of the skull is a/an	lesion
2.	Four small glands in the	neck region near (posterior	to) another endocrine gland
	are the	·	
3.	Common symptoms of dia	betes are much urination,	or,
	and much thirst, or	·	
4.	People who experience ass	chma often have difficult b	reathing, which is called
5.	Bleeding can occur from c	racks or sores surroundin	g the opening to the rectum.
	These are	fissures.	
6.	Two glands each located n	ear (above) a kidney are _	
7.	A new growth, which can	be malignant or benign, is	a/an
8.	Disease of many nerves is	s known as a/an	·································
			is a/an
	condition.		
10.	Women may experience m	oodiness and sad feelings a	fter birth, a condition known
	as	depression.	

J	Give meanings for the fol	lowing prefixes.			
	pro-		. re		
2.	quadri-		. pros-		
			. retro-		
	tachy-		. syn		
5.	trans-		. ultra		
6.	uni		. tri		
K	Select from the list of ter sentences.	ms below to cor	mplete each of the following		
	prolapse prosthesis quadriplegia relapse	remission resection subtotal syndrome	tachypnea tricuspid ultrasonography unilateral		
1.	Removal or cutting out of an organ is a/an				
2.	Test that shows the structure of organs using sound waves beyond the normal				
	range of hearing is				
3.	An artificial part of the body is a/an				
4.	Recurrence of symptoms of an illness is a/an				
5.	. Recovery and disappearance of symptoms is a/an				
6.	Rapid breathing is				
7.	If the spinal cord is severed	d in the cervical	region, paralysis of all four limbs,		
	known as		_, will result.		
8.	The valve has three parts and is on the right side				
	of the heart, between the upper and lower chambers.				
9.	If a patient has a/an		gastrectomy, less than the		
	complete stomach is remov	ed.			
.0.	Pain, tingling, burning, and numbness of the hand are symptoms of carpal tunnel				

156 PREFIXES

	Define the following term	ns that describe par	ts of the body.
1.	subscapular		
2.	transabdominal		
3.	retroperitoneal		
4.	subcutaneous		
4	Select from the terms lis		ete the sentences that follow.
	anema aphasia paralysis	prolapse relapse remission	tachycardia transurethral
1.	After her ninth child, musc	les in Ms. Smith's ut	erine wall weakened, causing her
	uterus to fall and		through her vagina.
2.	After Mr. Jones' heart attac	ek, his cardiologist no	oticed a rapid heart rhythm, or
3.	A cerebrovascular accident speech, or		e of the brain can cause a loss of
4.		on in Sharon's diet le	d to a condition of low hemoglobin
5.	The operation to remove pa	rt of Bill's enlarged p	prostate gland involved placing a
	catheter through his ureth	ra and removing pie	ces of the gland. The surgery, called
	a TURP, or	resection	n of the prostate gland, improved
			the base of the urinary bladder in
	males (see Figure 4-18).		




FIGURE 4-18 Prostate gland.

- Circle the correct meaning in bold in each of the following statements.
 - 1. Dys- and mal- both mean (outside, good, bad).
- 2. Hypo- and sub- both mean (under, above, outside).
- 3. Epi- and hyper- both mean (inside, beneath, above).
- 4. Con- and syn- both mean (apart, near, with).
- 5. Ultra- and meta- both mean (new, beyond, without).
- 6. Ante-, pre-, and pro- all mean (before, surrounding, between).
- 7. Ec- and extra- both mean (within, many, outside).
- 8. Endo-, intra-, and in- all mean (painful, within, through).
- 9. Post-, re-, and retro- all mean (behind, slow, together).
- 10. Uni- means (one, two, three).
- 11. Tri- means (one, two, three).
- 12. Bi- means (one, two, three).

- O Circle the boldface term that best completes the meaning of the sentences in the following medical vignettes.
- 1. As part of her (intravenous, postpartum, prenatal) care, Beatrix underwent (ultrasonography, endoscopy, urinalysis) to determine the age, size, and development of her fetus.
- 2. Ellen's pregnancy test was positive, but she had excruciating pelvic pain. After a careful pelvic exam and ultrasound scan, the doctors diagnosed a/an (epidural, ectopic, subscapular) pregnancy. She then underwent emergency surgery to remove the implanted tissue from the fallopian tube.
- 3. After noticing a suspicious-looking mole on her upper arm, Carole was diagnosed with (malignant, benign, subtotal) melanoma. This type of skin cancer is a/an (intrauterine, extrahepatic, neoplastic) process and has a high likelihood of (paralysis, dysplasia, metastasis) to other areas of the body.
- 4. Carole's daughter, Annabelle, found a mole on her back and quickly had it checked by her physician. Fortunately, after a biopsy, the pathologic examination revealed a **(transabdominal, precancerous, perianal)** nevus (mole) that was considered **(chronic, unilateral, benign)**. In the future, Annabelle will need close follow-up for other suspicious lesions.
- 5. Milton's blood pressure was 160/110 mm Hg. Normal blood pressure is 120/80 mm Hg. To reduce Milton's risk of stroke, his physician prescribed medication to treat his (**bradycardia**, **hypertension**, **dyspnea**).

ANSWERS TO EXERCISES 1. against 5. slow 8. before, forward 2. up, apart 6. away from 9. with, together 3. toward, near 7. no, not, without 10. through, complete 4. two, both 1. bilateral 5. anemia 8. antibiotic 2. apnea 6. diarrhea 9. bradycardia 3. antibody 7. analysis 10. atrophy 4. antigen 1. aphasia 3. antepartum or prenatal 5. congenital 2. amenorrhea 4. adrenal 6. dialysis 1. out, outside 6. bad, painful, difficult, abnormal 2. above, upon 7. within, in, inner 3. half 8. out 4. excessive, too much, above 9. outside of 5. deficient, too little, below 10. in, into 1. dysmenorrhea 5. dvsuria 8. extrahepatic 2. incision 6. dyspnea 9. dysphagia 3. dysplasia 7. epidermis 10. endoscopy 4. excision

B						
	2. 3.	hypertension epidural hematoma ectopic hyperglycemia	6.	hypoglycemia endocrine hypertrophy	9.	hemi plegia hyper thyroidism hyper plasia
@	2.	within bad beside, near, along the side of	5. 6.	surrounding many, much between change, beyond	9. 10.	new after, behind before
()	 3. 4. 5. 	pertaining to between the v (backbones) change of place or beyond c (spread of a cancerous tumo secondary location) beyond the wrist bones (car hand bones pertaining to within a vein after death membrane surrounding a be	ont or t pal	rol o a 8. s); 9.	before maligna dysplastic nevi malignant mel- pertaining to n is a newborn)	new birth (a neonate ralysis of the lower
	2. 3.	extracranial parathyroid glands polyuria; polydipsia dyspnea	6.	perianal adrenal glands neoplasm	9.	polyneuropathy intrauterine postpartum
0	2. 3.	before, forward four under, less than fast	6. 7.	across, through one back, behind before, forward	10. 11.	back, behind with, together beyond three
C	2.	resection ultrasonography prosthesis; literally, something "put forward"	5. 6.	relapse remission tachypnea quadriplegia	9.	tricuspid subtotal syndrome
•		pertaining to under the sca (shoulder bone) pertaining to across or thro abdomen		. 4.	pertaining to u	ehind the peritoneum under the skin etween the vertebrae
W O		prolapse tachycardia		aphasia anemia	5.	transurethral
D	2. 3.	bad under above with	6. 7.	beyond before outside within	10. 11.	behind one three two
O	2.	prenatal, ultrasonography ectopic malignant, neoplastic, meta	sta	5.	precancerous, hypertension	benign



The terms that you have learned in this chapter are presented here with their pronunciations. The capitalized letters in **BOLDFACE** represent the accented syllable. Pronounce each word out loud; then write its meaning in the space provided. All terms are defined in the **Mini-Dictionary**, beginning on page 349, and on the audio section of the Evolve website (http://evolve.elsevier.com/medtermshort).

Term	Pronunciation	Meaning
abnormal	ab-NOR-mal	
adrenal glands	ah- DRE -nal glanz	
analysis		
anemia		
antepartum		
antibiotic		
antibody		
antigen		
aphasia	a- FAY -ze-ah	
apnea	AP-ne-ah	
atrophy		
benign	be-NIN	
bilateral		
bradycardia		
congenital anomaly		
dialysis		
liarrhea		
lysphagia	dis- FAY -jah	
lysplasia	dis- PLAY -zhah	
lyspnea	DISP -ne-ah <i>or</i> disp- NE -ah	
lysuria	dis-U-re-ah	

ectopic pregnancy	ek-TOP-ik PREG-nan-se
endocrine glands	EN-do-krin glanz
endoscopy	en- DOS -ko-pe
epidural hematoma	ep-ih- DUR -al he-mah- TO -mah
excision	ek- SIZH -un
extrahepatic	eks-tra-heh- PAT -ik
hemigastrectomy	heh-me-gast-REK-to-me
hemiplegia	heh-me- PLE -jah
hyperglycemia	hi-per-gli- SE -me-ah
hyperplasia	hi-per- PLA -zhah
hypertension	hi-per-TEN-shun
hyperthyroidism	hi-per- THI -royd-izm
hypertrophy	hi- PER -tro-fe
hypoglycemia	hi-po-gli- SE -me-ah
incision	in-SIZH-un
intervertebral	in-ter-VER-teh-bral
intrauterine	in-trah- U -ter-in
intravenous	in-trah- VE -nus
malignant	mah-LIG-nant
metacarpal	met-ah- KAR -pal
metastasis	meh-TAS-tah-sis
neonatal	ne-o-NA-tal
neoplastic	ne-o- PLAS -tik
paralysis	pah-RAL-ih-sis
paraplegia	par-ah- PLE -jah
parathyroid glands	par-ah- THI -royd glanz
perianal	per-e- A -nal
periosteum	per-e-OS-te-um

polydipsia	pol-e-DIP-se-
polyneuropathy	pol-e-noo-ROP-ah-the
polyuria	pol-e- UR -e-ah
postmortem	post-MOR-tem
postpartum	post-PAR-tum
precancerous	pre-KAN-ser-us
prolapse	pro-LAPS
prosthesis	pros-THE-sis
quadriplegia	quah-drih- PLE -jah
relapse	re-LAPS
remission	re-MISH-un
resection	re- SEK -shun
retroperitoneal	reh-tro-per-ih-to- NE -al
subcostal	sub- KOS -tal
subcutaneous	sub-ku- TA -ne-us
subdural hematoma	sub- DUR -al he-mah- TO -mah
subscapular	sub- SKAP -u-lar
subtotal	SUB-to-tal
syndrome	SIN-drom
tachycardia	tak-eh- KAR -de-ah
tachypnea	tak-ip- NE -ah
transabdominal	trans-ab- DOM -ih-nal
transurethral	trans-u-RE-thral
tricuspid valve	tri-KUS-pid valv
ultrasonography	ul-trah-son- OG -rah-fe
unilateral	u-nih- LAT -er-al
urinalysis	u-rih- NAL -ih-sis



PRACTICAL APPLICATIONS

MATCHING

antibiotics

Match the abnormal condition in Column I with the organ, lesion, or body part in Column II that may be involved in or cause the condition. Answers are found on page 165.

COLUMN I	COLUMN II
1. aphasia	 A. urinary bladder
2. dysphagia	 B. colon
3. diarrhea	 C. uterine cervix
4. quadriplegia	 D. left-sided brain lesion
5. hyperglycemia	 E. pancreas
6. dysuria	 F. lungs
7. paraplegia	 G. heart
8. bradycardia	 H. cervical spinal cord lesion
9. dyspnea	 I. esophagus
10. dysplasia	 J. lumbar spinal cord lesion

DISEASE DESCRIPTION: HYPERTHYROIDISM

From the list below, select terms to complete the sentences in the paragraphs that follow.

hypoplastic

exophthalmos

	bradycardia	hyperplastic	neoplastic
	dyspnea	hypersecretion	tachycardia
1.	Hyperthyroidism, also know	n as thyrotoxicosis or Gr	aves disease, is marked by an
	excess of thyroid hormones.	There is much evidence:	for a hereditary factor in the
	development of this condition	n, and some researchers	consider it to be an
	autoimmune disorder caused	l by tl	hat bind to the surface of
	thyroid gland cells and stime	ulate	of hormones (T3 and T4—
	triiodothyronine and thyroxi	ne). On histologic exami	nation, the enlarged gland is
	composed of	follicles lined with h	yperactive cells.

164 PREFIXES

2.	Signs and symptoms of hyperthyroidism include restlessness, insomnia, weight loss,
	sweating, and rapid heartbeat, or Abnormal protrusion of the
	eyes, known as, is another clinical sign. The patient typically
	also has an enlarged thyroid gland, called a/an

WHAT'S YOUR DIAGNOSIS? CASE STUDY

A 22-year-old sexually active female presents to the ED [emergency department] with history of temperature of 104° F for 2 days, vomiting, diarrhea, and a red spotty rash over her chest and abdomen. She reports that she remembered not removing a tampon from her last menstrual cycle until a week after she had stopped menstruating. Other complaints include dysmenorrhea and dysuria.

Physical examination does not reveal an acute abdomen [sudden, severe abdominal pain] or any RLQ (right lower quadrant) tenderness. Blood test is negative for HCG [human chorionic gonadotropin or pregnancy test]; CBC [complete blood count] reveals elevated white blood cell count; blood cultures are positive for staphylococci.

The patient's fever and dehydration do not subside with initial emergency care, and she is subsequently admitted to the hospital. She is seen by a physician from ID [infectious disease], who confirms that the retained tampon has resulted in the above conditions. Her condition improves with IV fluids and antibiotics.

Using the information presented in this case study, what's your diagnosis? Answer is found on page 165.

- A. Dehydration
- B. Fever
- C. Toxic shock syndrome (TSS) with $Staphylococcus\ aureus$
- D. Rash
- E. Nausea/vomiting

ANSWERS TO PRACTICAL APPLICATIONS

MATCHING

1. D 2. I 3. B 4. H 5. E6. A

7. J 8. G 9. F 10. C

DISEASE DESCRIPTION: HYPERTHYROIDISM

1. antibodies, hypersecretion, hyperplastic

2. tachycardia, exophthalmos, goiter

WHAT'S YOUR DIAGNOSIS?

Answer: C. Toxic shock syndrome (TSS) with Staphylococcus aureus



PICTURE SHOW

Answer the questions that follow each image. Correct answers are given on page 168.



 $(Image\ from\ iStock.com/\ Johnny\ Greigi.)$

- 1. This man is walking with the assistance of a:
 - a. polyneuropathy
 - b. anastomosis

- c. prothesis
- d. metastasis




(From Zitelli BJ, Davis HW: Campbell's Operative Orthopaedics ed 4, St. Louis, 2008, Saunders.)

- 1. This image shows the feet of a child with a condition called: (HINT: the combining form for toes is DACTYL/O):
 - a. syndactyly
 - b. condactyly

- c. transdactyly
- d. polydactyly
- 2. This condition occurs as a/an:
 - a. neoplastic anomaly
 - b. congenital anomaly

- c. hypertensive anomaly
- d. ectopic pregnancy





(Modified from Sorrentino SA: Mosby's Textbook for Nursing Assistants, ed 5, St. Louis, 2000, Mosby.)

- 1. This equipment permits nutrients to enter the bloodstream and is used for:
 - a. hemodialysis
 - b. intrauterine feeding

- c. intravenous feeding
- d. peritoneal dialysis
- 2. Which term describes a condition or procedure that would be likely to make this equipment necessary?
 - a. metacarpalgia
 - b. hemigastrectomy
 - c. polyneuropathy

- d. epidural hematoma
- e. ultrasonography





(From Elkin MK, Perry AG, Potter PA: Nursing Interventions and Clinical Skills, ed 2, St. Louis, 2000, Mosby.)

- 1. The image shows a woman using a device that helps her maintain adequate blood oxygen levels while sleeping. This method is called:
 - a. airway prosthesis
 - b. nasogastric intubation
 - c. bronchoscopy

- d. continuous positive airway pressure
 - (CPAP)
- 2. The condition that may require use of such a device during sleep is:
 - a. bradycardia
 - b. aphasia

- c. apnea
- d. dysphagia





(From Weinstein WM, Hawkey CJ, Bosch J: Clinical Gastroenterology and Hepatology, St. Louis, 2005, Mosby.)

- 1. The arrows in this image show abnormal, precancerous, neoplastic lesions in the colon. They are:
 - a. polyps
 - b. fibroids

- d. metastases
- 2. This image was obtained using:
 - a. intrauterine ultrasonography
 - b. electrocardiography

c. transabdominal ultrasonography

c. prolapsed mitral valves

d. endoscopy

ANSWERS TO PICTURE SHOW

- A 1. c
- **B** 1. d
 - 3 1. d 2. b
- C 1. c 2. b
- **D** 1. d 2. c
- **1**. a 2. d



Write the meaning of each of the following word parts, and remember to check your answers with the Answers to Review on page 172.

PREFIXES

Pre	efix	Meaning	Prefix	Meaning
1.	a-, an		20. inter	
2.	ab		21. intra	
3.	ad		22. mal	
4.	ana-		23. meta	
5.	ante-		24. neo	
6.	anti-		25. para	
7.	bi		26. peri	
8.	brady-		27. post	
9.	con-		28. pre	
10.	dia-		29. pro-, pros	
11.	dys-		30. quadri	
12.	ec		31. re-, retro	
13.	endo-		32. sub-	
14.	epi-		33. syn	
15.	ex-, extra-		34. tachy	
16.	hemi-		35. trans	
17.	hyper-		36. tri	
18.	hypo-		37. ultra	
19.	in		38. uni-	

COMBINING FORMS

Combining Form	Meaning	Combining Form	Meaning
1. abdomin/o		16. neur/o	
2. an/o		17. norm/o	
3. bi/o		18. oste/o	
4. cardi/o		19. peritone/o	
5. carp/o		20. plas/o	
6. cis/o		21. ren/o	
7. cost/o		22. scapul/o	
8. crani/o		23. son/o	
9. cutane/o		24. thyroid/o	
10. dur/o		25. top/o	
11. gen/o		26. troph/o	
12. glyc/o		27. urethr/o	
13. hemat/o		28. uter/o	
14. later/o		29. ven/o	
15. nat/i		30. vertebr/o	

SUFFIXES

Suf	ffix	Meaning	Suffix	Meaning
1.	-al		20partum	
2.	-ation		21pathy	
3.	-cision		22phagia	
4.	-crine		23phasia	
5.	-dipsia		24plasia	
6.	-emia		25plasm	
7.	-gen		26plegia	
8.	-graphy		27pnea	
9.	-ia		28rrhea	
10.	-ic		29scopy	
11.	-ine		30section	
12.	-ism		31stasis	
13.	-lapse		32tension	
14.	-lysis		33thesis	
15.	-meter		34tic	
16.	-mission		35trophy	
17.	-mortem		36um	
18.	-oma		37uria	
19.	-ous		38у	

ANSWERS TO REVIEW

PREFIXES

1.	no.	not.	with	out.
	110,	1100,	AATOTIC	Jul

- 2. away from
- 3. toward
- 4. up, apart
- 5. before, forward
- 6. against
- 7. two
- 8. slow
- 9. with, together
- 10. through, complete
- 11. bad, painful, difficult, abnormal
- 12. out, outside
- 13. within, in, inner

- 14. above, upon
- 15. out, outside
- 16. half
- 17. excessive, above
- 18. below, under
- 19. in. into
- 20. between
- 21. within
- 22. bad
- 23. change, beyond
- 24. new
- 25. beside, near, along the side of
- 26. surrounding

- 27. after, behind
- 28. before
- 29. before, forward
- 30. four
- 31. back, behind
- 32. under, less than
- 33. with, together
- 34. fast
- 35. across, through
- 36. three
- 37. beyond
- 38. one

COMBINING FORMS

- 1. abdomen
- 2. anus
- 3. life
- 4. heart
- 5. wrist bones
- 6. to cut
- 7. ribs
- 8. skull
- 9. skin
- 10. dura mater

- 11. to produce
- 12. sugar
- 13. blood
- 14. side
- 15. birth
- 16. nerve
- 17. rule, order
- 18. bone
- 19. peritoneum
- 20. formation, growth

- 21. kidnev
- 22. shoulder blade (bone)
- 23. sound
- 24. thyroid gland
- 25. to put, place
- 26. development, nourishment
- 27. urethra
- 28. uterus
- 29. vein
- 30. vertebra (backbone)

SUFFIXES

- 1. pertaining to
- 2. process, condition
- 3. process of cutting
- 4. secretion
- 5. condition of thirst
- 6. blood condition
- 7. to produce
- 8. process of recording
- 9. condition
- 10. pertaining to
- 11. pertaining to
- 12. condition, process
- 13. to fall, slide
- 14. loosening, breakdown, separation, destruction

- 15. to measure
- 16. to send
- 17. death
- 18. tumor
- 19. pertaining to
- 20. birth
- 21. disease condition
- 22. to eat. swallow
- 23. to speak
- 24. formation
- 25. formation
- 26. paralysis
- 27. breathing
- 28. flow, discharge

- 29. process of visual examination
- 30. incision
- 31. to stand, place, stop, control
- 32. pressure
- 33. to put, place
- 34. pertaining to
- 35. nourishment; development
- 36. structure
- 37. urine condition
- 38. process, condition



TERMINOLOGY CHECKUP

V	What is the difference between antigens, antibodies, and antibioti
•	vinus is the difference between antigens, antibodies, and antibodi
-	
_	
_	
	Explain the difference between a primary malignant tumor in the and a breast cancer metastasis to the lung.
_	
_	
V	What is the difference between a remission and a relapse of a disea
-	
_	
-	
	Define the term paralysis . Give meanings for the following terms: nemiplegia , quadriplegia , and paraplegia .
_	
-	
V	What is a syndrome ? Name three syndromes.
,	The to a system of the system
-	

ANSWERS TO TERMINOLOGY CHECKUP

- Antigens are foreign substances (bacteria, viruses, fungi) that stimulate white blood cells to make antibodies, which destroy the antigens.
 Antibiotics, however, are medications produced *outside* the body to kill or inhibit the growth of antigens such as bacteria and other microorganisms.
- 2. A **primary malignant tumor** in the lung originates and grows in the lung. It is composed of lung cancer cells. A **breast cancer metastasis** in the lung originated in the breast and now has traveled to the lung. It is composed of breast cancer cells. A pathology report of the biopsy will reveal this distinction.
- 3. A **remission** is the *lessening or absence of disease symptoms* during an illness. Patients who have no signs or symptoms of illness are described as being "in remission."

 A **relapse** is the *return of disease symptoms* (-LAPSE meaning to fall or

A **relapse** is the **return of disease symptoms** (-LAPSE meaning to fall or slide) after a period of time.

- 4. **Paralysis** is the *loss of muscle function*. It can be caused by a cerebrovascular accident (stroke) or nerve damage in any part of the body. The suffix **-plegia** means *paralysis*. For example, *hemiplegia* (hemi means half) is paralysis of one side of the body, as occurs with a stroke. *Quadriplegia* is paralysis of all four (QUADRI- means four) limbs of the body when spinal nerves in the neck are damaged. *Paraplegia* is paralysis of the lower part of the body when there is damage to lower regions of the spinal cord.
- 5. A **syndrome** is a group of signs and symptoms that occur together indicating a particular condition, the cause of which is not always known. Examples are: **mitral valve prolapse syndrome, carpal tunnel syndrome,** and **acquired immunodeficiency syndrome** (AIDS).

Medical Specialists and Case Reports

Chapter	Sections
---------	-----------------

Introduction	176
Medical Specialists	176
Combining Forms and Vocabulary	179
Case Reports	184
In Person: Living With Crohn's	195
Exercises and Answers	196
Pronunciation of Terms	204
Practical Applications	207
Review	211
Terminology CheckUp	213

CHAPTER OBJECTIVES

- · To describe the training process of physicians
- · To identify medical specialists and describe their specialties
- To identify combining forms used in terms that describe specialists
- To decipher medical terminology as written in case reports

This chapter reviews many of the terms you have learned in previous chapters and adds others related to medical specialists. In the following section, the training of physicians is described, and specialists are listed with their specialties. Next, on page 179, useful combining forms are presented with terminology to increase your medical vocabulary. Finally, short case reports beginning on page 184 illustrate the use of the medical language in context. As you read these reports, congratulate yourself on your understanding of medical terminology!

MEDICAL SPECIALISTS

Doctors complete 4 years of medical school and then pass national medical board examinations to receive an MD degree (MD stands for Latin Medicinae Doctor, "teacher [doctor] of medicine"). They may then begin postgraduate training, which lasts at least 3 years, and in some cases, longer. This postgraduate training is known as residency training. Examples of residency programs are:

Anesthesiology	Administration of	fagents	canable of	hringing	about a	loss of
Thicsulcatology	ramming a autom of	agento	capable of	bringing	about a	1000 01

sensation

Dermatology Diagnosis and treatment of skin disorders

Emergency medicine Care of patients that requires sudden and immediate action Family practice

Primary care of all members of the family on a continuing

basis

Internal medicine Diagnosis and treatment of usually complex, nonsurgical

disorders in adults

Ophthalmology Diagnosis and treatment of eye disorders Pathology Diagnosis of the cause and nature of disease **Pediatrics** Diagnosis and treatment of children's disorders **Psychiatry** Diagnosis and treatment of disorders of the mind

Radiology Diagnosis using x-ray studies, including ultrasound and

magnetic resonance imaging (MRI)

Surgery Treatment by manual (SURG- means hand) or operative

methods

Examinations are administered after the completion of each residency program to certify the doctor's competency in that specialty area.

A physician may then choose to specialize further by doing fellowship training. Fellowship programs (lasting 2 to 5 years) train doctors in clinical (patient care) and research (laboratory) skills. For example, an internist (specialist in internal medicine) may choose fellowship training in internal medicine specialties such as neurology, nephrology, endocrinology, and oncology. A surgeon interested in further specialization may do fellowship training in thoracic surgery, neurosurgery, or plastic surgery. On completion of training and examinations, the doctor is then recognized as a specialist in that area of medical practice.

Medical specialists with explanations of their specialties are listed below:

	1	
Medical Specialist	Area of Practice	
allergist	Treatment of hypersensitivity reactions	
anesthesiologist	Administration of agents to prevent pain and unpleasant	
	awareness during surgical and other procedures	
cardiologist	Treatment of heart disease	
cardiovascular surgeon	Surgery on the heart and blood vessels	
colorectal surgeon	Surgery on the colon and rectum	
dermatologist	Treatment of skin disorders	
emergency practitioner	Immediate evaluation and treatment of acute injury and illness in a hospital setting	
endocrinologist	Treatment of endocrine gland disorders	
family practitioner	Primary care treatment for families on a continuing basis	
gastroenterologist	Treatment of stomach and intestinal disorders	
geriatrician	Treatment of diseases of old age	
gynecologist	Surgery and treatment for diseases of the female	
	reproductive system	
hematologist	Treatment of blood disorders	
hospitalist	General medical care of hospitalized patients	
infectious disease	Treatment of diseases caused by micro-organisms	
specialist	(bacteria, viruses, fungi, others)	
internist	Adult comprehensive care in office of hospital setting	
nephrologist	Treatment of kidney diseases	
neurologist	Treatment of nerve disorders	
neurosurgeon	Surgery on the brain, spinal cord, and nerves	
obstetrician	Treatment of pregnant women; delivery of babies	
oncologist	Diagnosis and treatment of malignant and benign tumors	
ophthalmologist	Surgical and medical treatment of eye disorders	
orthopedist	Surgical treatment of bone, muscle, and joint conditions	
otolaryngologist	Surgical treatment of ear, nose, and throat disorders	
pathologist	Diagnosis of disease by analysis of cells	
pediatrician	Treatment of diseases of children	
physiatrist	Treatment to restore function after injury or illness; physical medicine and rehabilitation specialist	
psychiatrist	Treatment of mental disorders	
pulmonologist	Treatment of lung diseases	
radiologist	Examination of x-ray images for diagnosis; interpretation of ultrasound, MRI, and nuclear medicine studies	
radiation oncologist	Treatment of disease with high-energy radiation	
rheumatologist	Treatment of systemic diseases affecting joints and muscles	
thoracic surgeon	Surgery on chest organs	
urologist	Surgery on the urinary tract and for treatment of male	
WI 0108100	reproductive disorders	

allergist

Here are two groups of matching exercises for practice with this new terminology. Answers are found on page 204.

A	Match the medical specialists with the procedures and tests that they perform
	Write the name of the specialist on the line provided.

cardiovascular surgeon

gynecologist

anesthesiologist cardiologist	endocrinologist gastroenterologist	hematologist ophthalmologist
Procedure/Test	Medica	l Specialist
1. Esophagoscopy and colonos		
2. Blood cell counts; bone man	rrow biopsy	
3. Ultrasound examination of angioplasty	the heart;	
4. Skin testing to determine s to antigens	ensitivity	
5. Serum (blood) level of horn	nones	
6. Vision tests; retinoscopy		
7. Coronary artery bypass gra	afting (CABG)	
8. Catheter and IV line insert sedation during surgery	ion for	
9. Pap smear (microscopic exa of cells from the cervix and hysterectomy		
B Match the medical special Write the name of the sp	alists with the proced ecialist on the line pr	ures and tests that they perform. ovided.
neurologist	pathologist	radiologist
nephrologist orthopedist	psychiatrist pulmonologist	radiation oncologist urologist
Procedure/Test	Medical	Specialist
1. Nephrectomy; cystectomy; p	rostatectomy	
2. Personality and mental fun	ction tests	

3.	Use of high-energy beams (photon and proton) to kill tumor cells
4.	Fixation of bone fracture; arthroscopic surgery
5.	Breathing function (spirometry) tests
6.	Microscopic examination of biopsy samples; autopsies
7.	CT scan; MRI; ultrasound examination
8.	Kidney function tests; dialysis
9.	Spinal and cranial nerve reflex tests



COMBINING FORMS AND VOCABULARY

The combining forms below should be familiar because they are found in the listed terms describing medical specialists. A medical term is included to illustrate the use of the combining form. Write the meaning of the medical term in the space provided. You can always check your answers with the *Mini-Dictionary* beginning on page 349.

Combining Form	Meaning	Medical Term	Meaning
cardi/o	heart	cardiomegaly	
col/o	colon (large intestine)	colitis 🔼	
dermat/o	skin	dermatitis	
endocrin/o	endocrine glands	endocrinology	
enter/o	intestines	enteritis	



Ulcerative Colitis and Crohn Disease (Crohn's)

Both of these conditions are types of **inflammatory bowel disease (IBD)**, with similar signs and symptoms, such as abdominal pain, diarrhea, and bleeding from the rectum. While **ulcerative colitis** is confined to the colon, **Crohn's** commonly affects the last part of the small intestine and may involve other areas of the gastrointestinal tract. Lesions can be identified, but causes of both types of IBD are unknown. See *In Person: Living with Crohn's* on page 195.

esthesi/o	sensation	anesthesiology
gastr/o	stomach	gastroscopy
ger/o	old age	geriatrics
gynec/o	woman, female	gynecology
hemat/o	blood	hematoma
iatr/o	treatment	iatrogenicIATR/O means treatment by a physician or with medicines. An iatrogenic condition is produced (-GENIC) adversely by a treatment.
laryng/o	voice box	laryngeal
lymph/o	lymph	lymphadenopathy Lymph "glands" are actually lymph nodes, located all over the body but especially in axillary (armpit), inguinal (groin), cervical (neck), and mediastinal (area between the lungs) regions. Lymphadenopathy often refers to the presence of malignant cells in lymph nodes.
nephr/o	kidney	nephrostomy A catheter (tube) is inserted into the kidney for drainage of fluid. See Figure 5-1.




FIGURE 5-1 Nephrostomy.

neur/o	nerve	neuralgia
nos/o	disease	nosocomial
obstetr/o	midwife	obstetric
odont/o	tooth	orthodontist \(\sum_{\text{orthodont}} \) ORTH/O means straight.
onc/o	tumor	oncogenic
ophthalm/o	eye	ophthalmologist
opt/o	eye	optometrist An optometrist examines (METR/O means to measure) eyes and prescribes corrective lenses but cannot treat eye diseases.
optic/o	eye	optician
orth/o	straight	orthopedist PED/O comes from paidos, the Greek word for "child." In the past, orthopedists were concerned with straightening bone deformities in children. Today, they treat bone, muscle, and joint disorders in adults as well.
ot/o	ear	otitis
path/o	disease	pathology



Dental Specialists

The following are other specialists in dental medicine:

Dental	Specialist	Area
periodo	ntist	Gums

periodontist endodontist Area of Expertise

Gums (PERI- means surrounding)
Root canal therapy (the root canal is the inner part of a tooth

containing blood vessels and nerves)

pedodontist prosthodontist Children (PED/O means child)
Replacement of missing teeth with artificial appliances (PROSTH/O = artificial replacement)



FIGURE 5-2 Radiation therapy. The patient is positioned to receive radiation therapy. (Figure from stanley45/E+/Getty Images.)

ped/o child pediatrics _____ psychosis _____ psych/o mind pulmon/o lung pulmonary _____ radi/o radiotherapy_ x-rays Radiotherapy is also called radiation therapy. See Figure 5-2. rect/o rectum rectocele -CELE means a hernia or protrusion. The walls of the rectum weaken and bulge forward toward the

vagina. See Figure 5-3.




FIGURE 5-3 Rectocele. (Modified from Chabner D-E: The Language of Medicine, ed 11, St. Louis, 2017, Elsevier.)




FIGURE 5-4 Differences between a normal joint and one affected by rheumatoid arthritis.

rheumat/o flow, fluid

rheumatology _

Joints can fill with fluid when diseased—hence, RHEUMAT/O indicates a problem with a swollen joint. Rheumatoid arthritis

is a chronic inflammatory disease of joints and connective tissues that leads to deformation of joints. See Figures 5-4 and 5-5.



Rheumatoid Arthritis and Osteoarthritis

Rheumatoid arthritis first appears when patients (often women) are young, and it has an autoimmune component (antibodies are found that destroy joint tissue). Osteoarthritis most often appears in older patients (both men and women) and is marked by degenerative changes that cause destruction of the joint space (see Chapter 1, page 13). Knee and hip replacements may be helpful treatments for patients with osteoarthritis.

FIGURE 5-5 Advanced rheumatoid arthritis of the hands. Notice the soft tissue swelling and deformed joints—fingers, knuckles, and

deformed joints—fingers, knuckles, and wrist. Atrophy of muscles and tendons (connecting muscles to bones) allows one joint surface to slip past the other (subluxation). (From Currie G, Douglas G: The Flesh and Bones of Medicine, St. Louis, Mosby, 2011.)



rhin/o	nose	rhinorrhea
thorac/o	chest	thoracotomy
ur/o	urinary tract	urology
vascul/o	blood vessels	vasculitis

CASE REPORTS

Here are short case reports related to medical *specialties*. Many of the terms will be familiar to you; others are explained in the *Mini-Dictionary* (beginning on page 349). For every case report, write the meaning of the **boldface** terms in the spaces provided.

CASE 1

Cardiology

Mr. Rose was admitted to the cardiac care unit (CCU) with **angina** and a history of **hypertension**.

A **coronary angiogram** (Figure 5-6, A) showed **spasm** of the right coronary artery (closed arrow), causing **acute myocardial ischemia**. The electrocardiogram (ECG) showed **ventricular arrhythmias** as well.

Nitroglycerin was administered, and within minutes, the angiogram showed reversal of the spasm (Figure 5-6, *B*). The ECG recorded reversal of the lifethreatening arrhythmias as well. To prevent further ischemia and **myocardial infarction**, Mr. Rose's treatment will include **antiarrhythmic**, **diuretic**, and **anticoagulant** drugs. In the future, he may need an additional procedure to place a stent in his coronary artery to keep it open.



FIGURE 5-6 A, Coronary angiogram showing spasm of the right coronary artery (arrow). B, Angiogram showing reversal of the spasm (arrow). (A and B, From Zipes DP, et al: Braunwald's Heart Disease: A Textbook of Cardiovascular Medicine, ed 7, Philadelphia, 2005, Saunders.)

CASE 1	Cardiology (Continued)	
acute myocardial ischen	nia	
angina		
antiarrhythmic		
anticoagulant		
ventricular arrnythmias	S	

Gynecology

Ms. Sessions has had **dysmenorrhea** and **menorrhagia** for several months. She is also **anemic.** Because of the presence of a **large fibroid**, as seen on a pelvic **ultrasound** image (**sonogram**) (see Figure 5-7, A), a **hysterectomy** was recommended. After it was removed, the uterus was opened to reveal multiple fibroids (**leiomyomas**) bulging into the uterine cavity and displaying a firm, white appearance. See Figure 5-7, B.




FIGURE 5-7 A, Pelvic sonogram. B, Fibroids (leiomyomas). These are benign tumors of the uterus. (A, From Salem S: The uterus and adnexa. In Rumack CM, Wilson SR, Charboneau JW, editors: Diagnostic Ultrasound, ed 2, St. Louis, 1998, Mosby. B, From Cotran RS, Kumar V, Collins T: Robbins' Pathologic Basis of Disease, ed 6, Philadelphia, 1999, Saunders.)

anemic
dysmenorrhea
fibroids
hysterectomy
leiomyomas
menorrhagia
sonogram
ultrasound

John Smith, a 26-year-old law student, was admitted to the hospital after experiencing several months of **fatigue**, low-grade fevers, chest pain, and night sweats. A chest **MRI** scan (see Figure 5-8) revealed large **mediastinal** masses, as shown by arrows. **Needle biopsy** confirmed a diagnosis of **Hodgkin lymphoma**. There was no evidence of **lymphadenopathy** or **hepatic** involvement. Treatment included **chemotherapy** followed by **radiotherapy** to the chest. Mr. Smith's **prognosis** is good.



FIGURE 5-8 Magnetic resonance imaging of the upper body. (From Chabner D-E: The Language of Medicine, ed 11, St. Louis, 2017, Elsevier.)

cnemotherapy
diagnosis
fatigue
hepatic
Hodgkin lymphoma
lymphadenopathy
mediastinal
MRI
needle biopsy
prognosis
radiotherapy

Urology

Scott Jones has a history of lower back pain, associated with **hematuria** and **dysuria**. An abdominal x-ray film (Figure 5-9, *A*) shows a **renal calculus** (black arrow) in the right upper quadrant. His doctor tells him that renal calculi should be suspected any time a calcification is seen within the renal outline or along the expected course of the **ureter** (dotted lines).

Treatment with shock wave **lithotripsy** (Figure 5-9, *B*) is expected to crush the stone and relieve his **symptoms**.




FIGURE 5-9 A, An abdominal x-ray image showing a **renal calculus** (arrow). **B, Lithotripsy**. (A, From Mettler FA: Essentials of Radiology, ed 2, Philadelphia, 2005, Saunders. B, From Rakel D: Integrative Medicine, ed 2, Philadelphia, 2007, Saunders.)

dysuria	
hematuria	
lithotripsy	
renal calculus	
symptoms	
ureter	

abdominal

Gastroenterology

Mr. Pepper suffers from **dyspepsia**, acid reflux, and sharp **abdominal** pain. A recent episode of **hematemesis** has left him very weak and **anemic**. **Gastroscopy** and an **upper GI series** with **barium** revealed the presence of a large **ulcer**. Figure 5-10 is a photograph of a peptic ulcer located in the stomach. Mr. Pepper will be admitted to the hospital and treated with medication to reduce gastric acid output and with antibiotics to control a bacterium (*Helicobacter*, or *H. pylori*) known to cause ulcers. He will also be scheduled for a partial **gastrectomy**.



FIGURE 5-10 Peptic (gastric) ulcer. (From Lewis SM,
Heitkemper MM, Dirksen SR:
Medical-Surgical Nursing:
Assessment and Management of
Clinical Problems, ed 5, St. Louis,
2004, Mosby.)

abuoliiilai
anemic
barium
dyspepsia
gastrectomy
gastroscopy
nematemesis
ulcer
ıpper GI series

ē

Radiology

Evaluation of David Green's **posteroanterior** chest x-ray film (Figure 5-11, *A*, arrows) shows an ill-defined mass near the right **hilum**. The **lateral** view (Figure 5-11, *B*, arrows) also shows the mass, and its shaggy outline is very suggestive of **carcinoma**. Further evaluation by **CT scan** (Figure 5-11, C) clearly shows the mass in relation to the **mediastinal** structures such as the **pulmonary artery** (PA) and **aorta** (Ao).

Impression: Lung cancer.




FIGURE 5-11 A, Posteroanterior chest x-ray view shows an ill-defined mass (arrows). B, Lateral chest x-ray view clearly shows the mass to be posterior to the hilum.

C, Computed tomography image clearly shows the mass (arrow) in relation to the mediastinal structures. (**A-C**, From Mettler FA: Essentials of Radiology, ed 2, Philadelphia, 2005, Saunders.)

CASE 6	Radiology (Continued)
aorta	
posteroanterior	
pulmonary artery	

Endocrinology

A 36-year-old woman known to have **type 1 diabetes mellitus** was brought to the emergency department after being found collapsed at home. She had experienced 3 days of extreme weakness, **polyuria**, and **polydipsia**. It was discovered that a few days before her admission, she had discontinued use of her external **insulin pump** (see Figure 5-12).



FIGURE 5-12 External insulin pump.

The device on the patient's right side is an insulin sensor which continuously monitors insulin levels and communicates with the insulin pump. (Provided by Medtronic.)

insulin pump	
polydipsia	
polyuria	
type 1 diabetes mellitus	

Orthopedics

A 20-year-old male patient was admitted to the hospital after a motorcycle accident. He was found to have **fractures** of the right **fibula** (see Figure 5-13, A), right **femur**, and **pelvis** and **intra-abdominal** injuries. He was taken to surgery, and internal **fixation** of the right femur was performed. A cast was applied to the femur for immobilization, and the fibula healed on its own with **callus** formation (Figure 5-13, B).



FIGURE 5-13 A, Fracture of the fibula. B, Callus formation, 6 weeks later. (Courtesy Dr. Barbara Weissman, Brigham and Women's Hospital, Boston, Massachusetts. A and B, From Cotran RS, Kumar V, Collins T: Robbins' Pathologic Basis of Disease, ed 6, Philadelphia, 1999, Saunders.)

callus
femur
fibula
fixation
fracture
intra-abdominal
pelvis

Nephrology

A 52-year-old woman with **chronic renal failure** secondary to long-standing **hypertension** has been maintained on **hemodialysis** for the past 18 months. An **arteriovenous fistula** (Figure 5-14) was created surgically to provide long-term vascular access for hemodialysis. For the past 3 weeks, during the dialysis sessions, she has become moderately **hypotensive**, with symptoms of dizziness. Consequently, we have decided to withhold her **antihypertensive** medications before dialysis.




FIGURE 5-14 Arteriovenous fistula created for hemodialysis. (From Chabner D-E: The Language of Medicine, ed 11, St. Louis, 2017, Elsevier.)

antihypertensive	
arteriovenous fistula	
chronic	
hemodialysis	
hypertension	
hypotensive	
renal failure	

ē

Neurology

Ms. Kindrick is admitted with severe, throbbing **unilateral frontal cephalgia** that has lasted for 2 days. Light makes her cringe, and she has **nausea**. Before the onset of these symptoms, she saw zigzag lines for about 20 minutes and a **scotoma** (see Figure 5-15). Diagnosis is **acute migraine** with **aura**. A **vasoconstrictor** is prescribed, and Ms. Kindrick's condition is improving. [Migraine headaches are thought to be caused by sudden **dilation** of blood vessels.]



FIGURE 5-15 Scotoma. This abnormal area of the visual field is both "positive" (consisting of bright flickering imagery) and "negative" (displaying a relatively dark area that obscures the visual field). It is called a scintillating scotoma. (From Yanoff M, Duker JS: Ophthalmology, ed 2, St. Louis, 2004, Mosby.)


acute
aura
cephalgia
dilation
frontal
migraine
nausea
scotoma
unilateral
vasoconstrictor



IN PERSON: LIVING WITH CROHN'S

When a friend told me she was felled by the flu yesterday, I was jealous. To someone with a chronic illness, like me, having something acute always seems luxurious. Lie in bed, read glossy magazines, take over-the-counter meds, sleep it off, and in a matter of days you're okay. I have Crohn disease, a chronic inflammation of the small intestine, which is characterized by flare-ups and remission. During flare-ups, I've experienced fever, diarrhea, vomiting, pa

flare-ups, I've experienced fever, diarrhea, vomiting, pain, and intestinal obstruction. Even in remission I am never "okay."



I do often think about the past. What would my life be like if our family doctor hadn't told my parents that my constant episodes of diarrhea—which occurred since I was a child—were caused by "nerves?" By the time I was 21, my weight had dropped below 100 pounds, and I was twisted in pain after every meal. My dad arranged for me to visit his own doctor, who gave me a small bowel series that showed I had Crohn's, and that a portion of my small intestine was "as narrow as a pencil." By then it was too late for even prednisone (then the drug of choice despite side effects ranging from puffy face to psychosis) to open up the inflamed passage, and I had my first surgery just months after I was diagnosed. Thinking of those times—as well as all the other flare-up times—makes me flinch. While you can never relive pain, you can remember what it felt like. In my case, it was as if a large metal bike lock chain was being forced through my tender gut.

Before that first surgery, I was just out of college and longing to make my mark on the world, but I spent most of my evenings curled up in my small bedroom, listening to the soothing strains of "Make Believe Ballroom Hour" on the radio. Or, because vomiting and diarrhea usually accompanied the pain, I lay with my back pressed against the cold tiles of the bathroom floor. Later on, as a mom with two

young children, I would lie on the couch watching life swirl around me, feeling guilty that I could not take part.

There was a silver lining to those flare-ups, and that is the tender affection of those around me: husband, family, and friends. When you have Crohn's, no one knows you have it until things get unbearable. It's not the kind of illness you discuss, but when you have pain and fever, you can kind of approximate those times of being felled by the flu. Yet you know that it will take more than a dose of Nyquil or a night's sleep to get "better." You know you'll face another course of medications—often untried ones—or that you will likely end up in the hospital undergoing yet another surgery.

Nancy J. Brandwein is a writer, editor, and food columnist.



EXERCISES AND ANSWERS

Complete these exercises and check your answers. An important part of your success in learning medical terminology is checking your answers carefully with the Answers to Exercises beginning on page 203.

A

Match each of the listed residency programs to its description that follows.

anesthesiology dermatology emergency medicine family practice internal medicine ophthalmology pathology pediatrics psychiatry radiology surgery

1.	Treatment by operation or manual (nand) methods
2.	Diagnosis and treatment of often complex medical disorders in adult patients

3.	Diagnosis and treatment of disorders of the mind	

4. Primary care of all family members on a continuing basis _____

5. Diagnosis and treatment of skin disorders _____

6. Diagnosis and treatment of eye disorders _____

7. Diagnosis of disease using x-rays _____

8. Diagnosis and treatment of children's disorders _____

9. Care of patients with illness that requires immediate action _____

10. Administration of agents that produce loss of sensation/awareness _____

11. Diagnosis of disease by examining cells and tissues _____

1.	kidney diseases: n	
2.	tumors: o	
3.	broken bones: o	
4.	female diseases: g	
5.	eye disorders: o	
6.	heart disorders: c	
7.	nerve disorders: n	
8.	lung disorders: p	
9.	mental disorders: p	
10.	stomach and intestinal disorders: g	<u> </u>
_		
C	Match the medical specialists in (Column I to their area of practice in Column II.
Co	olumn I	Column II
1.	urologist	A. operates on the large intestine
2.	thoracic surgeon	B. treats blood disorders
3.	radiation oncologist	C. treats thyroid and pituitary gland disorders
4.	colorectal surgeon	D. rehabilitates after spinal injuries
5.	endocrinologist	E. treats disorders of childhood
6.	obstetrician	F. operates on the urinary tract
7.	radiologist	G. treats disorders of the skin
8.	pediatrician	H. delivers babies
9.	hematologist	I. operates on the chest
10.	dermatologist	J. examines x-ray images to diagnose disease
11	physiatrist	K. treats tumors using high-energy radiation

B Name the physician who treats the following problems (first letters are given).

D	Complete each of the sent	tences that follow us	sing a term from the list below.				
	clinical geriatrician hospitalist infectious disease specialist	oncologist ophthalmologist optician optometrist	pathologist research surgeon orthopedist				
1.	A doctor who diagnoses and a/an		are caused by micro-organisms is				
2.	A doctor who performs bone	surgery is a/an					
3.	A doctor who takes care of p	oatients practices	medicine				
4.	A medical professional who	grinds lenses and fill	s prescriptions for eye glasses is				
	a/an						
5.	5. A doctor who reads biopsy samples and performs autopsies is a/an						
6.	. A doctor who treats cancerous tumors is a/an						
7.	7. A medical professional (nonphysician) who examines eyes, prescribes eyeglasses,						
	and treats eye disorders is a/an						
8.	A doctor who operates on pa	tients is a/an					
9.	A doctor who does experime	nts with test tubes a	nd laboratory equipment is				
	interested in		medicine.				
10.	A doctor who specializes in s	surgery and medical	treatment of disorders of the eye				
	is a/an						
11.	A doctor who specializes in t	the treatment of older	r people is a/an				
12	A physician who cares for he	osnitalizad nationts i	a olon				

Which medical specialist would you consult for the following medical conditions? The first letter of the specialist is given.

1.	Arthritis:	r
2.	Otitis media:	0
3.	Anemia:	h
4.	Urinary bladder displacement:	u
5.	Chronic bronchitis:	p
6.	Cerebrovascular accident:	n
7.	Breast cancer:	0
8.	Coronary artery blockages (bypass surgery):	c
9.	Dislocated shoulder bone:	0
10.	Thyroid gland enlargement:	e
11.	Kidney disease:	n
12.	Acne (skin disorder):	d
13.	Hay fever (hypersensitivity reaction):	a
l4.	Viral and bacterial diseases:	i
	Rehabilitation after herniated disk:	p

200 MEDICAL SPECIALISTS AND CASE REPORTS

U	Give the meaning for each of the following medical terms.
1.	neuralgia
2.	pathology
3.	cardiomegaly
4.	nephrostomy
	thoracotomy
	laryngeal
7.	otitis
	colitis
9.	pulmonary
	iatrogenic
	gastroscopy
	radiotherapy
	anesthesiology
	enteritis
	nosocomial

Use the following combining forms and suffixes to make the medical terms called for.

Combining For	ms	Suffixes				
den/o ol/o aryng/o	onc/o ophthalm/o ot/o	-algia -ectomy -genic	-pathy -scopy -stomy			
ymph/o nephr/o neur/o	path/o psych/o thorac/o	-itis -logy -osis	-therapy -tomy			
1. Inflammati	on of the ear:					
2. Removal of	a nerve:					
3. Incision of	the chest:					
4. Study of tu	mors:					
6. Inflammati	on of the voice box:					
7. Opening of	7. Opening of the large intestine to the outside of the body:					
8. Visual exa	mination of the eye:					
9. Abnormal o	condition of the mind: _					
0. Inflammati	ion of the kidney:					
1. Removal of	the large intestine:					
3. Treatment	3. Treatment of the mind:					
4. Pertaining	to producing tumors: _					
5. Disease of	. Disease of lymph glands (nodes):					

- Circle the bold term that best completes the meaning of the sentences in the following medical vignettes.
- 1. Dr. Butler is a physician who operates on hearts. He trained as a (**neurologic**, **cardiovascular**, **pulmonary**) surgeon. Often, his procedures require that Dr. Smith, a/an (**gynecologic**, **ophthalmic**, **thoracic**) surgeon, assist him when the surgical problem involves the chest and lungs.

- 2. Pauline noticed a rash over most of her body. First she saw Dr. Cole, her (family practitioner, oncologist, radiologist), who performs her yearly physicals. Dr. Cole, who is not a/an (endocrinologist, orthopedist, dermatologist) by training, referred her to a skin specialist to make the proper diagnosis and treat the rash.
- 3. Dr. Liu is a/an (internist, obstetrician, pediatrician) as well as a/an (nephrologist, urologist, gynecologist) and can take care of her female patients before, during, and after their pregnancies.
- 4. After her sixth pregnancy, Sally developed an abnormal condition at the lower end of her colon. She went to a/an (gastroenterologist, hematologist, optometrist), who made the diagnosis of protrusion of the rectum into the vagina. She then consulted colorectal and gynecologic surgeons to make an appropriate treatment plan for her condition, known as a (vasculitis, rectocele, colostomy).
- 5. In the cancer clinic, patients often see a medical (oncologist, orthopedist, rheumatologist), who prescribes and monitors chemotherapy, and a/an (pulmonologist, radiation oncologist, radiologist), a physician who prescribes and supervises the use of (drugs, surgery, radiation) to treat tumors with high-energy beams.
- 6. During a lengthy hospitalization, Janet developed a cough and fever (unrelated to any treatment or procedure she received). Her surgeon ordered a chest x-ray, which showed a/an (oncogenic, nosocomial, iatrogenic) pneumonia. A/an (anesthesiologist, neurologist, infectious disease specialist) was called in to diagnose and treat the hospital-acquired disease condition.
- 7. Sam had noticed bright red rectal bleeding for several days when he finally saw his family practitioner. This physician referred him to a/an (endocrinologist, urologist, gastroenterologist). A (laparoscopy, colonoscopy, bronchoscopy) was scheduled, which revealed a large pedunculated (on a stalk) polyp (benign growth) in the descending colon. See Figure 5-16. The polyp was resected and sent to the (pathology, hematology, infectious disease) department for evaluation. Fortunately, it was a noncancerous or (malignant, metastatic, benign) lesion. Sam will need follow-up (laparotomy, endoscopy, laparoscopy) in a year.




FIGURE 5-16 Pedunculated polyp in the descending colon. It arises from the mucosal surface of the colon and is projecting into the lumen of the colon. (From Lewis SM, Heitkemper MM, Dirksen SR: Medical-Surgical Nursing: Assessment and Management of Clinical Problems, ed 5, St. Louis, 2004, Mosby.)

NS	SWERS TO EXERC	ISE	S		
1.	surgery	5.	dermatology	9.	emergency medicine
	internal medicine		ophthalmology		anesthesiology
3.	psychiatry		radiology		pathology
4.	family practice		pediatrics		1
1.	nephrologist	5.	ophthalmologist	7.	neurologist
	oncologist		cardiologist (internist)		pulmonary specialist
	orthopedist		or cardiovascular		psychiatrist
4.	gynecologist		surgeon (surgeon)	10.	gastroenterologist
1.	F	5.	C	9.	В
2.	I	6.	Н	10.	
3.	K	7.		11.	
4.	A	8.	E		
1.	infectious disease speciali	st	7. optometr	rist	
	orthopedist		8. surgeon		
	clinical		9. research		
4.	optician		10. ophthaln	nologis	st
5.	pathologist		11. geriatrici		
6.	oncologist		12. hospitali		
1.	rheumatologist	7.	oncologist	12.	dermatologist
	otolaryngologist		cardiovascular		allergist
	hematologist		surgeon		infectious disease
	urologist	9.	orthopedist		specialist
5.	pulmonary specialist	10.	endocrinologist	15.	physiatrist
	neurologist	11.	nephrologist		
1.	nerve pain	8.	inflammation of the	12.	treatment of disease
2.	study of disease		colon		using high-energy
3.	enlargement of the	9.	pertaining to the lungs		radiation
	heart	10.	pertaining to an	13.	study of loss of
4.	opening from the		abnormal condition		sensation or feeling
	kidney to the outside		that is produced by	14.	inflammation of the
_	of the body		treatment		intestines (usually
	incision of the chest	11.	process of visual	1.5	small intestine)
6.	pertaining to the voice		examination of the	15.	pertaining to a disease
7	box inflammation of the ear		stomach (using an endoscope)		acquired in the hospital
1.	imiammation of the ear		endoscope)		
	otitis		laryngitis		colectomy
	neurectomy		colostomy		otalgia psychotherapy
	thoracotomy		ophthalmoscopy		oncogenic
	oncology pathogenic		psychosis nephritis		lymphadenopathy
		4	mantus antanala mint	6	nagagamial infactions
	cardiovascular, thoracic family practitioner,	4.	gastroenterologist, rectocele	0.	nosocomial, infectious disease specialist
۵.	dermatologist	5.	oncologist, radiation	7.	gastroenterologist,
3	obstetrician, gynecologist	٠.	oncologist, radiation		colonoscopy, pathology,
	, 6,				benign, endoscopy

MEDICAL SPECIALISTS MATCHING EXERCISES (ON PAGES 178-179)

VAU

- 1. gastroenterologist
- 2. hematologist
- 3. cardiologist

- 4. allergist
- 5. endocrinologist
- 6. ophthalmologist
- 7. cardiovascular surgeon
- 8. anesthesiologist
- 9. gynecologist

- B
- 1. urologist
- 2. psychiatrist
- 3. radiation oncologist
- orthopedist
 pulmonologist
- 6. pathologist

- 7. radiologist
- nephrologist
 neurologist



PRONUNCIATION OF TERMS

The terms that you have learned in this chapter are presented here with their pronunciations. The capitalized letters in **BOLDFACE** represent the accented syllable. Pronounce each word out loud; then write the meaning in the space provided. Meanings of all terms can be checked with the **Mini-Dictionary** beginning on page 349 and on the audio section of the Evolve website (http://evolve.elsevier.com/Chabner/medtermshort).

Term	Pronunciation	Meaning
anesthesiology	an-es-the-ze- OL -o-je	
cardiologist	kar-de- OL -o-jist	
cardiovascular surgeon	kar-de-o- VAS -ku-lar SUR -jun	
clinical	KLIN-ih-kal	
colitis	ko-LI-tis	
colorectal surgeon	ko-lo- REK -tal SUR -jun	
dermatologist	der-mah- TOL -o-jist	
dermatology	der-mah- TOL -o-je	
emergency medicine	e-MER-jen-se MED-ih-sin	
endocrinologist	en-do-krih- NOL -o-jist	
enteritis	en-teh- RI -tis	
family practitioner	FAM-ih-le prak-TIH-shun-er	
gastroenterologist	gas-tro-en-ter- OL -o-jist	
gastroscopy	gas-TROS-ko-pe	

geriatric	jer-e- AH -trik
geriatrician	jer-e-ah-TRISH-un
gynecologist	gi-neh-KOL-o-jist
gynecology	gi-neh-KOL-o-je
hematologist	he-mah-TOL-o-jist
hematoma	he-mah-TO-mah
hospitalist	HOS-pih-tah-list
iatrogenic	i-ah-tro- JEN -ik
infectious disease	in- FEK -shus dih- ZEZ
internal medicine	in-TER-nal MED-ih-sin
laryngitis	lah-rin- JI -tis
lymphadenopathy	limf-ah-deh-NOP-ah-the
nephrologist	neh-FROL-o-jist
nephrostomy	neh-FROS-to-me
neuralgia	nu- RAL -jah
neurologist	nu-ROL-o-jist
neurosurgeon	nu-ro-SUR-jun
nosocomial	nos-o- KO -me-al
obstetrician	ob-steh- TRISH -an
obstetrics	ob-STET-riks
oncogenic	ong-ko- JEN -ik
oncologist	ong-KOL-o-jist
ophthalmologist	of-thal-MOL-o-jist
ophthalmology	of-thal-MOL-o-je
ontician	op-TISH-an



PRACTICAL APPLICATIONS

ALLIED HEALTH SPECIALISTS

This section provides three groups of exercises on allied health specialists and their job descriptions. Answers are on page 210. **Appendix 5, Health Professions Resource** beginning on page 339 lists health professions with education requirements, national association information, and certificate and licensing requirements.

- Match each allied health specialist to the appropriate job description. Write your answer on the blank line.
 - audiologist
 - blood bank technologist
 - chiropractor
 - clinical laboratory technician
 - dental assistant.

- dental hygienist
- diagnostic medical sonographer
- dietitian/nutritionist
- nurse anesthetist
- nurse practitioner

	1
1.	Treats health problems associated with the muscular, nervous, and skeletal
	systems, especially the spine
2.	Examines, diagnoses, and treats patients under the direct supervision of a
	physician
3.	Works with people who have hearing problems by using testing devices to measure hearing loss
4.	Provides preventive dental care and teaches the practice of good oral hygiene
5.	Collects, types, and prepares blood and its components for transfusions
6.	Aids in the delivery of anesthesia during surgery
7.	Assists a dentist with dental procedures
8.	Performs diagnostic ultrasound procedures
9.	Plans nutrition programs and supervises the preparation and serving of meals
10.	Performs tests to examine and analyze body fluids, tissues, and cells

or hospital attendants _

В	Select from the list of specialists to match the job description.
	 ECG technician emergency medical technician/ paramedic health information management professional home health aide licensed practical nurse medical assistant medical laboratory technician nuclear medicine technologist nursing aide occupational therapist
1.	Cares for elderly, disabled, and ill persons in their own homes, helping them live
	there instead of in an institution
2.	Performs routine tests and laboratory procedures
3.	Designs, manages, and administers the use of heath care data and information
4.	Operates an electrocardiograph to record ECGs and for Holter monitoring and stress tests
5.	Performs radioactive tests and procedures under the supervision of a nuclear medicine physician, who interprets the results
6.	Gives immediate care to acutely ill or injured persons and transports them to medical facilities
	Helps physicians examine and treat patients and performs tasks to keep offices running smoothly
8.	Cares for the sick, injured, convalescing, and handicapped, under the direct supervision of physicians and registered nurses; provides basic bedside care
9.	Helps individuals with mentally, physically, developmentally, or emotionally disabling conditions to develop, recover, or maintain daily living and working skills_
0.	Helps care for physically or mentally ill, injured, or disabled patients confined to nursing, hospital, or residential care facilities; also known as nursing assistants or hospital attendants.

Match the specialist to the appropriate job description.

- ophthalmic medical technician
- phlebotomist
- physical therapist
- physician assistant
- · radiation therapist

- radiographer/radiologic technologist
- registered nurse
- respiratory therapist
- speech-language pathologist
- surgical technologist

1.	Evaluates, treats, and cares for patients with breathing disorders
2.	Draws and tests blood under the supervision of a medical technologist or
	laboratory manager
3.	Cares for sick and injured people by assessing and recording symptoms, assisting physicians during treatments and examinations, and administering medications
4.	Prepares cancer patients for treatment and administers prescribed doses of
	ionizing radiation to specific areas of the body
5.	Helps ophthalmologists provide medical eye care
6.	Examines, diagnoses, and treats patients under the direct supervision of a
	physician
7.	Assists in operations under the supervision of surgeons or registered nurses
8.	Improves mobility, relieves pain, and prevents or limits permanent physical
	disabilities in patients with injuries or disease
9.	Produces x-ray images of parts of the body for use in diagnosing medical problems
10.	Assesses and treats persons with speech, language, voice, and fluency disorders

ANSWERS TO PRACTICAL APPLICATIONS

Α

- 1. chiropractor
- 2. nurse practitioner
- 3. audiologist
- 4. dental hygienist
- 5. blood bank technologist

В

- 1. home health aide
- 2. medical laboratory technician
- 3. health information management professional
- 4. ECG technician
- 5. nuclear medicine technologist

C

- 1. respiratory therapist
- 2. phlebotomist
- 3. registered nurse
- 4. radiation therapist
- 5. ophthalmic medical technician

- 6. nurse anesthetist
- 7. dental assistant
- 8. diagnostic medical sonographer
- 9. dietitian/nutritionist
- 10. clinical laboratory technician
- 6. emergency medical technician/paramedic
- 7. medical assistant
- 8. licensed practical nurse
- 9. occupational therapist
- 10. nursing aide
- 6. physician assistant
- 7. surgical technologist
- 8. physical therapist
- 9. radiographer/radiologic technologist
- 10. speech-language pathologist



Test your understanding of the combining forms and suffixes used in this chapter by completing this review. Remember to check your responses with the Answers to Review on page 212.

COMBINING FORMS

Combining Form Meaning	Combining Form Meaning
1. aden/o	19. onc/o
2. cardi/o	20. ophthalm/o
3. col/o	21. opt/o, optic/o
4. dermat/o	22. orth/o
5. endocrin/o	23. ot/o
6. enter/o	24. path/o
7. esthesi/o	25. ped/o
8. gastr/o	26. physi/o
9. ger/o	27. psych/o
10. gynec/o	28. pulmon/o
11. hemat/o	29. radi/o
12. iatr/o	30. rect/o
13. laryng/o	31. rheumat/o
14. lymph/o	32. rhin/o
15. nephr/o	33. thorac/o
16. neur/o	34. ur/o
17. nos/o	35. vascul/o
18. obstetr/o	

Ħ

SUFFIXES

Suffix	Meaning	Suffix	Meaning
1algia _		10oma	
2ary		11osis	
3cele		12pathy	
4eal		13rrhea	
5genic _		14scopy	
6ist		15stomy	
7itis		16therapy	
8logy		17tomy	
9megaly			

ANSWERS TO REVIEW

COMBINING FORMS

1.	gland	13. voice box	25.	child
2.	heart	14. lymph		function
3.	colon	15. kidney		mind
4.	skin	16. nerve	28.	lung
5.	endocrine glands	17. disease		x-rays
6.	intestines	18. midwife		rectum
7.	sensation	19. tumor	31.	flow, fluid
8.	stomach	20. eye		nose
9.	old age	21. eye	33.	chest
	woman	22. straight	34.	urinary tract
11.	blood	23. ear		blood vessels
12.	treatment	24. disease		

SUFFIXES

- pain
 pertaining to
 hernia, protrusion
 pertaining to
 nertaining to produce
- 5. pertaining to producing
- 6. specialist

- 7. inflammation
- 8. study of
- 9. enlargement 10. mass, tumor
- 11. abnormal condition
- 12. disease, emotion

- 13. flow
- 14. process of visual examination
- 15. opening
- 16. treatment
- 17. incision



TERMINOLOGY CHECKUP

answers	difference between the following pairs of medical specialists. Write the on the lines provided. Confirm your answers and check the box next to each en you know you've "got" it!
	rthopedist
r	heumatologist
2. n	ephrologist
u	rologist
3. c	ardiologist
c	ardiovascular surgeon
4. p	pulmonologist
O	tolaryngologist
t	horacic surgeon
	neurologist
	neurosurgeon
	pathologist
	oncologist
	nematologist
	adiologistadiation oncologist
	synecologist
	obstetrician
	physiatrist
	psychiatrist

ANSWERS TO TERMINOLOGY CHECKUP

- 1. An **orthopedist** is a surgeon who diagnoses and treats bone, muscle, and joint conditions, whereas a **rheumatologist** is an internal medicine specialist who primarily diagnoses and treats disorders of joints.
- 2. A **nephrologist** is an internal medicine specialist who diagnoses and treats disorders of the kidneys, whereas a **urologist** is a surgeon who operates on the kidneys, urinary tract, and male reproductive organs.
- 3. A **cardiologist** is an internal medicine specialist who diagnoses and treats disorders of the heart, whereas a **cardiovascular surgeon** operates on the heart and blood vessels.
- 4. A **pulmonologist** is an internal medicine specialist who diagnoses and treats diseases of the lungs, whereas an **otolaryngologist** is a surgeon who operates on the ear, nose, throat, head, and neck. A **thoracic surgeon**, however, operates on organs in the chest, such as the heart, lungs, and esophagus.
- 5. A **neurologist** is an internal medicine specialist who diagnoses and treats disorders of the brain, spinal cord, and nerves, whereas a **neurosurgeon** operates on the brain, nerves, and spinal cord.
- 6. A **pathologist** is an internal medicine specialist who examines dead bodies (performs autopsies) and specimens of living cells (biopsies) to determine the correct diagnosis. An **oncologist**, also a specialist in internal medicine, diagnoses and treats malignant tumors. A **hematologist** is a specialist in internal medicine who diagnoses and treats disorders of the blood.
- 7. A **radiologist** is primarily a diagnostic physician who examines images from x-ray, CT, ultrasound, and MRI studies, whereas a **radiation oncologist** treats malignancies with high-energy radiation (photons and protons).
- 8. A **gynecologist** is a surgical specialist who treats diseases of the female reproductive system. An **obstetrician** specializes in the treatment of pregnant women and delivery of infants.
- 9. A **physiatrist** restores function after injury or illness and is also known as a physical medicine and rehabilitation specialist. A **psychiatrist** treats mental disorders.

Body Systems

This appendix contains full-color diagrams of body systems. For each system, the material presented is divided into seven sections. Anatomy shows major organs and structures with labels and combining forms (in parentheses) for each body part. The parts of the body are defined and explained in the *Mini-Dictionary* (beginning on page 349). Terminology reviews combining forms and their meanings and gives examples of medical terminology using each combining form. Pathology explains terms related to common pathological conditions. Laboratory Tests and Diagnostic Procedures presents common tests and procedures, which can be cross-referenced for additional information in *Appendix 2, Diagnostic Tests and Procedures*.


Treatment Procedures explains therapies that treat abnormal conditions in each system. Abbreviations lists selected abbreviations for easy reference. Matching Exercises review the terminology to reinforce your understanding; answers to all exercises are provided, beginning on page 291.

Use this appendix both as a study guide for classroom work and as a reference for your work in the medical field.

Cardiovascular System	216
Digestive System	224
Endocrine System	232
Female Reproductive System	238
Lymphatic System	244
Male Reproductive System	
Musculoskeletal System	
Nervous System	
Respiratory System	
Skin and Sense Organs	
Urinary System	

CARDIOVASCULAR SYSTEM

ANATOMY



Red vessels contain blood that is rich in oxygen. Blue vessels contain blood that is oxygen-poor. Arrows show the path of blood flow from the **tissue capillaries** 1 through **venules** 2 and **veins** 3 toward the **heart** 4, to the **lung capillaries** 5, back to the heart, out of the **aorta** 6 to the **arteries** 7 and **arterioles** 3, and then back to the tissue capillaries.

TERMINOLOGY

Meanings for terminology are found in the Mini-Dictionary, beginning on page 349.

Combining Form	Meaning	Terminology	Meaning
angi/o	vessel	angioplasty	
aort/o	aorta	aortic stenosis	
arteri/o	artery	arteriosclerosis	
arteriol/o	arteriole	arteriolitis	
cardi/o	heart	cardiomyopathy	
		pericardium	
coron/o	heart	coronary arteries	
phleb/o	vein	phlebotomy	
ven/o	vein	intra <u>ven</u> ous	
venul/o	venule	venulitis	

PATHOLOGY

Definitions for additional terms in **boldface** are found in the *Mini-Dictionary*.

Aneurysm: Local widening of an artery caused by weakness in the arterial wall or breakdown of the wall from **atherosclerosis**.

Angina: Chest pain caused by decreased blood flow to heart muscle. Also called angina pectoris (PECT/O means chest).

Arrhythmia: Abnormal heartbeat (rhythm); **fibrillation** and **flutter** are examples. **Atherosclerosis**: Hardening of arteries with a collection of cholesterol-like plaque. **Congestive heart failure:** Inability of the heart to pump its required amount of

blood. Blood accumulates in the lungs, causing pulmonary edema.

Hypertension: High blood pressure. Essential hypertension is high blood pressure with no apparent cause. In secondary hypertension, another illness (kidney disease or an adrenal gland disorder) is the cause of the high blood pressure.

Myocardial infarction: Heart attack. An infarct is an area of dead (necrotic) tissue. Shock: A group of signs and symptoms (paleness of skin, weak and rapid pulse, shallow breathing) indicating poor oxygen supply to tissues and insufficient return of blood to the heart.

LABORATORY TESTS AND DIAGNOSTIC PROCEDURES

Consult *Appendix* 2, beginning on page 295, for pronunciation of terms and additional information.

Angiography: Recording (via x-ray images) blood vessels after the injection of contrast into the bloodstream.

Cardiac catheterization: Introducing a catheter (flexible, tubular instrument) into a coronary blood vessels to measure pressure and flow patterns of blood.

Cardiac enzyme tests: Measurements of enzymes released into the bloodstream after a heart attack (myocardial infarction).

Doppler ultrasound: Measuring blood flow in vessels via sound waves.

Echocardiography: Images of the heart are produced using sound waves.

Electrocardiography: Recording electricity flowing through the heart.

Holter monitoring: Detection of abnormal heart rhythms (**arrhythmias**) that involves having a patient wear a compact version of an electrocardiograph for 24 hours.

Lipid tests: Measurements of cholesterol and triglyceride levels in the blood.

Lipoprotein tests: Measurements of high-density lipoprotein (HDL) and low-density lipoprotein (LDL) in the blood.

Magnetic resonance imaging (MRI): Producing an image, by beaming magnetic waves at the heart, that gives detailed information about congenital heart disease, cardiac masses, and disease within large blood vessels.

MUGA scan: Imaging the motion of heart wall muscles and assessing the function of the heart via a multiple-gated acquisition scan, which uses radioactive chemicals.

Positron emission tomography (**PET**) **scan:** Radioactive chemicals, which release radioactive particles, are injected into the bloodstream and travel to the heart. Cross-sectional images show the flow of blood and the functional activity of the heart muscle.

Stress test: An electrocardiogram plus blood pressure and heart rate measurements shows the heart's response to physical exertion (treadmill test).

Technetium Tc 99m sestamibi scan: A radioactive pharmaceutical (sestamibi "tagged" with technetium-99m) is injected intravenously to show perfusion (flow) of blood in heart muscle. It is taken up in the area of a myocardial infarction, producing "hot spots." In an ETT-MIBI exercise tolerance test, an intravenous radioactive substance is given before the patient reaches maximal heart rate on a treadmill.

Thallium-201 scan: A radioactive test that shows where injected thallium-201 (a radioactive substance) localizes in heart muscle.

TREATMENT PROCEDURES

Cardiac catheter ablation: Flexible tube is threaded through blood vessels into the heart to destroy (ablate) abnormal tissue that causes arrhythmias.

Cardioversion: Brief discharges of electricity passing across the chest to stop a cardiac **arrhythmia**. Also called **defibrillation**.

Coronary artery bypass grafting (CABG): Vessels taken from the patient's legs or chest are connected to coronary arteries to make detours around blockages.

Endarterectomy: Surgical removal of the innermost lining of an artery to remove fatty deposits and clots.

Heart transplantation: A donor heart is transferred to a recipient.

Percutaneous coronary intervention (PCI): A balloon-tipped catheter (a flexible, tubular instrument) is threaded into a coronary artery to compress fatty deposits and open the artery. **Stents** (expandable slotted tubes) create wider openings that make the recurrence of blockages less likely. Also called **balloon angioplasty.**

Thrombolytic therapy: Drugs such as tPA (tissue plasminogen activator) and streptokinase are injected into a patient's bloodstream to dissolve clots that may cause a heart attack.

ABBREVIATIONS

See *Appendix 3*, beginning on page 317, for a more complete list of medical abbreviations.

ACS Acute coronary syndrome (disease changes in coronary arteries

leading to plaque/clot formation and heart attack or other heart

problems)

AED Automated external defibrillator (electronic device that can

diagnose and treat serious arrhythmias)

AMI Acute myocardial infarction (heart attack)

BP Blood pressure

CABG Coronary artery bypass grafting (surgical placement of vessels,

either vein or artery, to detour blocked coronary arteries)

CAD Coronary artery disease CCU Coronary care unit

CHF Congestive heart failure (heart is unable to pump its required

amount of blood)

CPR Cardiopulmonary resuscitation

ECG Electrocardiography
ECHO or Echo Echocardiography
High-density lipoprotein

HTN Hypertension (high blood pressure)
ICD Implantable cardioverter-defibrillator

LDL Low-density lipoprotein (combination of fat and protein; high

cholesterol content and associated with formation of plaque in

arteries)

PCI Percutaneous coronary intervention (placement of a catheter and

stent in a coronary artery to open the artery; balloon angioplasty)

MATCHING EXERCISES

The following exercises will help you review terminology related to the cardiovascular system. Answers begin on page 291.

March the term in Column Lights its meaning in Column II. These terms are illustrated in the disgram on page 216 and are defined in the Mini-Distronary. beginning on page 349.

Column I Column II 1. aorta A. Blood vessels that carry blood to the heart from the body tissues 2. lung capillaries B. Largest artery in the body 3. arteries C. Tiny blood vessels that lie near cells and 4. arterioles through whose walls gases, food, and wastes can pass 5. venules D. Small veins 6. veins E. Small arteries 7. pulmonary circulation F. Blood vessels that carry blood away from the heart 8. systemic circulation G. Passage of blood from the heart to the body tissues and back 9. tissue capillaries H. Hollow muscular organ that pumps blood 10. heart all over the body I. Tiny blood vessels surrounding lung tissue

through which gases pass into and out of

J. Passage of blood from the heart to the

lungs and back to the heart

the blood

(i) Watch the combining form in Column I with its meaning in Column II

Column II 1. phleb/o 2. arteriol/o 3. angi/o 4. venul/o 5. arteri/o 6. coron/o Column II A. Artery B. Vessel C. Heart D. Vein E. Small artery F. Small vein

Match the medical term in Column I with its meaning in Column II.

Column I			Column II	
1.	intravenous		A. Inflammation of small veins	
2.	arteriosclerosis		B. Narrowing of the largest artery	
3.	phlebotomy	_0_	C. Disease of heart muscle	
4.	cardiomyopathy	<u> </u>	D. Pertaining to within a vein	
5.	angioplasty		E. Inflammation of small arteries	
6.	arteriolitis		F. Hardening of arteries	
7.	venulitis	· 1	G. Incision of a vein	
8.	aortic stenosis		H. Surgical repair of blood vessels	
9.	pericardium		I. Pertaining to the heart	
10.	coronary	7	J. Membrane surrounding the heart	

10. Doppler ultrasound

March the pulliplings condition in Column I with its meaning in Column 9

Column I		Column II			
1. hypertension		A. Abnormal heartbeat			
2. atherosclerosis		3. Local widening of an artery			
3. angina	(C. Heart attack			
4. shock	I	O. Chest pain			
5. myocardial infarction	I	E. High blood pressure			
6. arrhythmia	I	F. Inability of the heart to pump its required amount of blood			
7. congestive heart failure	(G. Group of signs and symptoms: pale skin, weak rapid pulse, and shallow respirations			
8. aneurysm	I	H. Hardening of arteries with cholesterol-like plaque			
(3 Match the rest or pr	(E) Match the rest or procedure in Column I with its description in Column II.				
Column I	(Column II			
1. lipid tests	<i>E</i>	A. Sound waves produce images of the heart			
2. MUGA scan	I	3. X-ray images of blood vessels after contrast is injected into the bloodstream			
3. lipoprotein tests	(C. Measurement of HDL and LDL in blood			
4. Holter monitoring		O. Recording electricity through the heart			
5. angiography	<u>B</u> I	E. Measurement of substances in the blood that indicate a heart attack			
6. cardiac enzyme test	t F	7. Sound waves measure blood flow in vessels			
7. electrocardiography		G. Abnormal heart rhythms are detected with a compact ECG over a 24-hour period			
8. echocardiography		H. Radioactive test to detect blood perfusion in			
9. sestamibi scan	,	heart muscle			

I. Measurement of triglyceride and cholesterol

J. Radioactive chemicals and a scanner produce images of the motion of the heart wall

levels in the blood



Match the treatment procedure in Column I with its description in Column II.

Column I


- 1. cardioversion
- 2. thrombolytic therapy
- 3. heart transplantation
- 4. endarterectomy
- 5. CABG
- 6. PCI
- 7. cardiac catheter ablation



- A. Surgery to detour around blockages in coronary arteries
- B. Drugs such as tPA dissolve clots that may cause a heart attack
- C. Balloon-tipped catheter with stent opens coronary arteries
- D. Flexible tube is threaded into the heart; abnormal tissue is destroyed
- E. Brief discharges of electricity stop a cardiac arrhythmia
- F. Removal of innermost lining of an artery to eliminate fatty deposits
- G. Donor heart is transferred to a recipient

DIGESTIVE SYSTEM

ANATOMY



Food enters the body via the mouth and travels through the **pharynx**, **esophagus**, and **stomach** to the small intestine (**duodenum**). The **liver**, **gallbladder**, and **pancreas** make and store chemicals that aid in the digestion of foods. Digested (broken-down) food is absorbed into the bloodstream through the walls of the small intestine (**jejunum** and **ileum**). Any substance that cannot be absorbed continues into the **colon** (large intestine) and leaves the body through the **rectum** and **anus**. (*Modified from Chabner D-E*: The Language of Medicine, *ed 11, St. Louis, 2017, Elsevier.*)

TERMINOLOGY

Meanings for terminology are found in the *Mini-Dictionary*.

Combining Form	Meaning	Terminology	Meaning
an/o	anus	anal	
append/o	appendix	appendectomy	
appendic/o	appendix	appendicitis	
cholecyst/o	gallbladder	cholecystectomy	
col/o	colon	colostomy	
colon/o	colon	colonoscopy	
duoden/o	duodenum	duodenal	
esophag/o	esophagus	esophageal	
gastr/o	stomach	gastralgia	
hepat/o	liver	hepatomegaly	
ile/o	ileum	ileostomy	
jejun/o	jejunum	gastrojejunostomy	
or/o	mouth	<u>or</u> al	
pancreat/o	pancreas	pancreatitis	
pharyng/o	pharynx	pharyngeal	
proct/o	anus and rectum	proctoscopy	
rect/o	rectum	rectocele	
sigmoid/o	sigmoid colon	sigmoidoscopy	
stomat/o	mouth	stomatitis	

PATHOLOGY

Definitions for additional terms in **boldface** are found in the *Mini-Dictionary*.

Cholelithiasis: Abnormal condition of gallstones.

Cirrhosis: Chronic disease of the liver with degeneration of liver cells.

Colonic polyposis: Condition in which **polyps** protrude from the mucous membrane lining the colon.

Diverticulosis: Abnormal condition of small pouches or sacs (**diverticula**) in the wall of the intestine (often the colon). **Diverticulitis** is inflammation and infection within diverticula.

Gastroesophageal reflux disease (GERD): A condition in which contents of the stomach flow back into the esophagus.

Hepatitis: Inflammation of the liver.

Inflammatory bowel disease (IBD): Inflammation of the terminal (last) portion of the ileum (**Crohn disease**) or inflammation of the colon (**ulcerative colitis**).

Irritable bowel syndrome (IBS): Signs and symptoms are cramping, abdominal bloating, constipation, and diarrhea. Although IBS causes distressing symptoms, it does not permanently harm the intestine. Its cause is unknown.

Hepatocellular carcinoma: Cancer (primary) of the liver.

Jaundice: Yellow-orange coloration of the skin and other tissues, from high levels of **bilirubin** in the bloodstream (**hyperbilirubinemia**).

LABORATORY TESTS AND DIAGNOSTIC PROCEDURES

Consult *Appendix 2* for pronunciation of terms and additional information.

Abdominal computed tomography (CT) scan: A series of cross-sectional x-ray images that show abdominal organs.

Abdominal magnetic resonance imaging (MRI): Magnetic and radio waves create images of abdominal organs and tissues in all three planes of the body.

Abdominal ultrasonography: Process of beaming sound waves into the abdomen to produce images of organs, such as the gallbladder. **Endoscopic ultrasonography** is useful to detect enlarged lymph nodes and tumors in the upper abdomen.

Barium tests: X-ray examinations using a liquid barium mixture to locate disorders of the gastrointestinal tract. In a barium enema (lower GI series), barium is injected into the anus and rectum, and x-ray images are taken of the colon. In an upper GI series (barium swallow), barium is taken in through the mouth, and x-ray images reveal the esophagus, stomach, and small intestine.

Cholangiography: X-ray examination of the bile ducts (CHOLANGI/O-) after the injection of contrast material through the liver (percutaneous transhepatic cholangiography) or through a catheter (a flexible, tubular instrument) from the mouth, esophagus, and stomach into the bile ducts (endoscopic retrograde cholangiopancreatography, or ERCP).

Gastrointestinal endoscopy: Visual examination of the gastrointestinal tract with an endoscope. Examples are **esophagoscopy**, **gastroscopy**, **colonoscopy**, and **sigmoidoscopy**.

Hemoccult test: Feces are placed on paper containing the chemical guaiac, which reacts with hidden (occult) blood. This is an important screening test for colon cancer.

Laparoscopy: Visual examination of the abdominal cavity through an endoscope inserted in the abdomen.

Liver function tests (LFTs): Measurements of liver enzymes and other substances in the blood. Enzyme levels increase when the liver is damaged (as in hepatitis). Examples of liver enzymes are ALT, AST, and alkaline phosphatase (alk phos). High bilirubin (blood pigment) levels indicate jaundice caused by liver disease or other problems affecting the liver.

Stool culture: Feces (stools) are placed in a growth medium (culture) to test for microorganisms (such as bacteria).

Virtual colonoscopy: CT scans, MRI, and computers are used to produce two- and three-dimensional images of the colon. Also called **CT colonography**.

TREATMENT PROCEDURES

Anastomosis: Surgical creation of an opening between two gastrointestinal organs. Examples are gastrojejunostomy, cholecystojejunostomy, and choledochoduodenostomy (CHOLEDOCH/O means common bile duct).

Colostomy: Surgical creation of a new opening of the colon to the outside of the body. **Ileostomy:** Surgical creation of a new opening of the ileum to the outside of the body. **Laparoscopic surgery:** Removal of organs or tissues via a laparoscope (instrument

inserted into the abdomen through a small incision). Examples are **laparoscopic cholecystectomy** and **laparoscopic appendectomy**, which are types of **minimally invasive surgery or keyhole surgery**.

ABBREVIATIONS

ALT, AST	Alanine transaminase and aspartate transaminase (liver enzymes measured as part of LFTs)				
BE	Barium enema (barium, a contrast agent, is introduced through the rectum, and x-ray pictures of the colon are taken)				
ERCP	Endoscopic retrograde cholangiopancreatography				
GB	Gallbladder				
GERD	Gastroesophageal reflux disease				
GI	Gastrointestinal				
IBD	Inflammatory bowel disease (Crohn disease and ulcerative colitis)				
IBS	Irritable bowel syndrome				

LFTs Liver function tests (ALT, AST, bilirubin)
NPO Nothing by mouth (Latin, *nil per os*)

TPN Total parenteral nutrition (intravenous solutions are given to maintain

nutrition)

MATCHING EXERCISES

The following exercises will help you review terminology related to the digestive system. Answers begin on page 291.

Mittel the term in Column I with its description in Column II.

Column I	1	Column II
1. mouth	<u> </u>	A. Organ that receives food from the esophagus and sends it to the intestine
2. pharynx	11	B. Third part of the small intestine
3. esophagus	1	C. Throat
4. stomach	1//	D. Second part of the small intestine
5. duodenum	1	E. Large intestine
6. jejunum	1	F. First part of the small intestine
7. ileum		G. Opening that is the beginning of the digestive system
8. colon	1	H. Tube that carries food to the stomach

Match the term in Column : with its description in Column B.

Column I	A	Column II
1. sigmoid colon	<u>\</u>	A. Opening of the colon to the outside of the body
2. rectum	_1,1_	B. Sac that stores bile
3. anus	1	C. S-shaped lower portion of the large intestine
4. appendix	+	D. Organ that makes bile, stores sugar, and produces proteins to clot blood
5. liver		E. Gland that makes both digestive juices and
6. gallbladder		insulin (hormone)
7. common bile duct		F. Small sac that hangs from the beginning of the large intestine
8. pancreas	7 -	G. Tube that carries bile from the liver and gallbladder to the intestine
		H. Final section of the colon

Match the combining form in Column I with its meaning in Column II.

Column I

- 1. gastr/o
- 2. col/o
- 3. proct/o
- 4. cholecyst/o
- 5. pharyng/o
- 6. or/o
- 7. hepat/o
- 8. duoden/o
- 9. ile/o
- 10. pancreat/o

Column II

- A. Mouth
- B. Endocrine and exocrine gland near the stomach
- C. Third part of the small intestine
- D. Stomach
- E. Liver
- F. First part of the small intestine
- G. Large intestine
- H. Anus and rectum
- I. Gallbladder
- J. Throat

Match the term in Column I with its meaning in Column II.

Column I

- 1. hepatomegaly
- 2. cholecystectomy
- 3. proctoscopy
- 4. ileostomy
- 5. stomatitis
- 6. gastrojejunostomy
- 7. pancreatitis
- 8. duodenal
- 9. esophageal
- 10. gastralgia

- A. Pertaining to the tube leading from the throat to the stomach
- B. Pain of the stomach
- C. Enlargement of the liver
- D. Inflammation of the mouth
- E. Pertaining to the first part of the small intestine
- F. Removal of the gallbladder
- G. Visual examination of the anus and rectum
- H. New opening of the third part of the small intestine to the outside of the body
- I. New opening between the stomach and second part of the small intestine
- J. Inflammation of a gland adjacent to the stomach

(a) March the pathologic condition in Column I with its meaning in Column II.

Co	dumn I	
1.	hepatitis	
2.	cirrhosis	-
3.	cholelithiasis	
4.	colonic polyposis	
5.	jaundice	_/
6.	inflammatory bowel disease	
7.	diverticulosis	1.
8.	irritable bowel syndrome	4
9.	hepatocellular carcinoma	
10.	gastroesophageal reflux	_1

- A. Yellow-orange coloration of the skin and other tissues
- B. Abnormal condition of small pouches or sacs in the wall of the intestine
- C. Ulcerative colitis and Crohn disease
- D. Inflammation of the liver
- E. Abnormal condition of gallstones
- F. Chronic disease of the liver with degeneration of liver cells
- G. Small growths protrude from the mucous membrane lining the intestine
- H. Contents of the stomach flow backwards into the esophagus
- I. Signs and symptoms of GI distress, but no lesions found in the GI tract
- J. Primary cancer of the liver

Metch the test or procedure in Column I with its description is Enlarmed.

Column I


- LFTs
 abdominal CT
- 4. stool culture

3. cholangiography

- 5. GI endoscopy
- 6. hemoccult test

7. barium tests


- 8. abdominal MRI
- 9. anastomosis
- 10. laparoscopic surgery



- →B. Minimally invasive surgery of the abdomen
- C. Visual examination of the gastrointestinal tract (colonoscopy)
 - D. Feces are placed in a growth medium and tested for microorganisms
- E. Cholecystojejunostomy
- F. Magnetic waves create images of abdominal organs in three planes of the body
 - G. Measurements of liver enzymes (ALT, AST, alk phos) and other substances
 - H. Feces are tested for blood; stool guaiac test
 - Series of cross-sectional x-ray images show abdominal organs
 - J. X-ray images of the GI tract obtained after introduction of a radiopaque liquid into the rectum or mouth

ENDOCRINE SYSTEM

ANATOMY



Endocrine glands secrete (form and give off) hormones into the bloodstream. The hormones travel throughout the body, affecting organs (including other endocrine glands) and controlling their actions. (Modified from Chabner D-E: The Language of Medicine, ed 11, St. Louis, 2017, Elsevier.)

TERMINOLOGY

Meanings for terminology are found in the Mini-Dictionary.

Combining Form	Meaning	Terminology
adren/o	adrenal gland	adrenopathy
adrenal/o	adrenal gland	adrenalectomy
hypophys/o	pituitary gland	hypophyseal
oophor/o	ovary	oophoritis
ovari/o	ovary	ovarian cyst
orch/o	testis	orchitis
orchi/o	testis; testicle	orchiopexy
orchid/o	testis; testicle	orchidectomy
pancreat/o	pancreas	pancreatectomy
parathyroid/o	parathyroid gland	hyperparathyroidism
pituitary/o	pituitary gland	hypopituitarism
thyroaden/o	thyroid gland	thyroadenitis
thyroid/o	thyroid gland	thyroidectomy

PATHOLOGY

Definitions for additional terms in **boldface** are found in the *Mini-Dictionary*.

Acromegaly: Enlargement of extremities caused by hypersecretion from the anterior portion of the pituitary gland after puberty.

Cushing syndrome: Group of clinical features produced by excess secretion of cortisol from the adrenal cortex. These signs and symptoms include obesity, moonlike facies (fullness of the face), hyperglycemia, and osteoporosis.

Diabetes mellitus: Disorder of the pancreas that causes an increase in blood glucose levels (hyperglycemia). **Type 1 diabetes,** with onset usually in childhood, involves complete deficiency of **insulin** in the body. **Type 2 diabetes,** with onset usually in adulthood, involves some insulin deficiency and resistance of tissues to the action of insulin.

Goiter: Enlargement of the thyroid gland.

Hyperthyroidism: Overactivity of the thyroid gland; also called **Graves disease** or **exophthalmic** (eyeballs bulge outward) **goiter.**

LABORATORY TESTS AND DIAGNOSTIC PROCEDURES

Consult Appendix 2 for pronunciation of terms and additional information.

Computed tomography (CT scan): Cross-sectional x-ray images of the pituitary gland and other endocrine organs.

Exophthalmometry: Measurement of eyeball protrusion (**exophthalmos**) as an indicator of **Graves disease** (**hyperthyroidism**).

Fasting blood sugar (glucose) test: Measurement of glucose levels in a blood sample taken from a fasting patient and in specimens taken 30 minutes, 1 hour, 2 hours, and 3 hours after the ingestion of 75 g of glucose. Delayed return of blood glucose to normal levels indicates **diabetes mellitus.**

Magnetic resonance imaging (MRI): Magnetic waves produce images of the **hypothalamus,** pituitary gland, and other endocrine organs in all three planes of the body.

Radioactive iodine uptake: Measurement of how much of a radioactive element (iodine) is absorbed by the thyroid gland. The radioactive iodine is given by mouth and measured as evidence of thyroid function.

Serum and urine tests: Measurement of hormones, **electrolytes** (such as sodium and potassium), and glucose levels in blood (serum) and urine as indicators of endocrine function.

Thyroid function tests: Measurement of levels of T4 (thyroxine), T3 (triiodothyronine), and TSH (thyroid-stimulating hormone) in the bloodstream.

Thyroid scan: Procedure in which a radioactive compound, injected intravenously, localizes in the thyroid gland. A scanning device produces an image showing the presence of tumors or nodules in the gland.

ABBREVIATIONS

ACTH Adrenocorticotropic hormone (from the pituitary gland)

DM Diabetes mellitus

GH Growth hormone (secreted by the pituitary gland)

GTT Glucose tolerance test (measures the ability to respond to a glucose load;

test for diabetes mellitus)

HbA1c Hemoglobin A1c measures the average amount of glucose in red blood cells. Useful to follow control of glucose in diabetic patients.

K⁺ Potassium (an electrolyte)Na⁺ Sodium (an electrolyte)

RAIU Radioactive iodine uptake (test for thyroid function)
 T3 Triiodothyronine (hormone from the thyroid gland)
 T4 Thyroxine (hormone from the thyroid gland)

TSH Thyroid-stimulating hormone (from the pituitary gland)

MATCHING EXERCISES

The following exercises will help you review terminology related to the endocrine system. Answers begin on page 291.



Match the term in Column I with its location in Column II.

Column I		Column II
1. thyroid gland		A Two paired male glands located in the scrotal sac
2. ovaries	<u>(1)</u>	Scrotal Sac
3. testes	<u>A</u> <u>Y</u> -	B. Organ at the base of the brain in the sella turcica (round depression at the base of the skull)
4. parathyroid glands		SKUII)
5. pituitary gland	<u>B</u>	C Gland in the neck on either side of the trachea
6. pancreas	E	D. Two glands, one above each kidney
7. adrenal glands	D	E. Gland adjacent to the stomach
		F Four glands behind the thyroid gland
		G. Two paired organs in the female abdomen

Mater the combining form in Column I with the secretion or junetrantin Column II.

Column I	(Column II
1. hypophys/o	F	A. Regulates calcium in the blood and bones
2. orchid/o	<u> </u>	3. Secretes epinephrine (adrenaline) and
3. oophor/o	<u></u>	S. Secretes insulin, which allows sugar to
4. thyroaden/o		enter cells
5. pancreat/o	<u> </u>	2. Secretes testosterone
6. adren/o	1) A	E. Secretes growth hormone and hormones that control the thyroid gland, ovaries, and
7. parathyroid/o	M	testes
	7	Secretes estrogen and progesterone
	(G. Secretes thyroxine (T4), which increases metabolism of body cells

(a) Materi the medical term in Column I with its meaning in Column II.

Column I		Column II
1. thyroadenitis		A. Disease of the adrenal glands
2. oophoritis	9	R. Pertaining to the pituitary gland
3. orchiopexy	<u>Q</u>	& Inflammation of the thyroid gland
4. hyperparathyroidism	F	Removal of the thyroid gland
5. thyroidectomy	5	E. Surgical fixation of an undescended testicle
6. adrenopathy	1	K Increased secretion of parathyroid hormone
7. hypophyseal	<u>CY</u>	6. Inflammation of an ovary


Match the pathologic condition in Column I with its description in Column II.

Column I

- 1. diabetes mellitus
- 2. acromegaly
- 3. goiter

Column I

- 4. Cushing syndrome
- 5. hyperthyroidism



Column II

Column II

- A. Enlargement of the thyroid gland
- B. Hypersecretion of cortisone from the adrenal glands
- C. Deficiency of insulin leading to high blood sugar levels
- D. Enlargement of extremities caused by increased growth hormone from the pituitary gland

G. Measures T3, T4, and TSH levels in

the blood


E Overactivity of the thyroid gland

(E) Watch the test or procedure in Column I with its description in Column II.

1. thyroid scan A. Measures blood glucose levels 2. exophthalmometry B. Radioactive compound, injected intravenously, localizes in the thyroid gland; images are produced 3. fasting blood sugar 4. thyroid function testing C. Measures hormones, electrolytes, and sugar in blood and urine 5. CT scan D. Measures localization of an element necessary for making thyroid hormone 6. serum and urine testing Measures eyeball protrusion 7. radioactive iodine uptake F. Cross-sectional x-ray images of endocrine organs


FEMALE REPRODUCTIVE SYSTEM

ANATOMY



An egg cell **(ovum)** is produced in the **ovary** and travels through the **fallopian tube**. If a sperm cell is present and fertilization (the union of the egg and sperm cell) takes place, the resulting cell (embryo) may implant in the lining of the **uterus**. The embryo (later called the fetus) develops in the uterus for nine months and is delivered from the body through the **cervix** and **vagina**. (Modified from Chabner D-E: The Language of Medicine, ed 11, St. Louis, 2017, Elsevier.)

The **breast** contains glandular tissue that produces milk after delivery of an infant. The **areola** is the dark-pigmented area surrounding the **mammary papilla** (breast nipple). There are numerous **lymph nodes** around the breast and in the underarm (axilla). (Modified from Chabner D-E: The Language of Medicine, ed 11, St. Louis, 2017, Elsevier.)



TERMINOLOGY

Meanings for terminology are found in the Mini-Dictionary.

Combining Form	Meaning	Terminology	Meaning
cervic/o	cervix	cervical	
colp/o	vagina	colposcopy	
vagin/o	vagina	vaginitis	
hyster/o	uterus	hysterectomy	
mamm/o	breast	mammogram	
mast/o	breast	mastectomy	
metri/o	uterus	endo <u>metri</u> um	
uter/o	uterus	uterine	
o/o	egg	oocyte	
oophor/o	ovary	oophorectomy	
ovari/o	ovary	ovarian cancer	
salping/o	fallopian tube	salpingectomy	

PATHOLOGY

Definitions for additional terms in **boldface** are found in the *Mini-Dictionary*.

Amenorrhea: Absence of menstrual flow. **Dysmenorrhea:** Painful menstrual flow.

Ectopic pregnancy: Pregnancy (gestation) that is not in the uterus; usually occurs in a fallopian tube.

Endometriosis: Tissue from the inner lining of the uterus (**endometrium**) is found abnormally in other pelvic or abdominal locations (**fallopian tubes, ovaries,** or **peritoneum**).

Fibroids: Benign tumors in the uterus. Also called a **leiomyoma**; LEI/O means smooth (referring to **visceral muscle** within an internal organ).

Menorrhagia: Excessive discharge of blood (-RRHAGIA) from the uterus during menstruation.

Pelvic inflammatory disease: Inflammation (often caused by bacterial infection) in the region of the pelvis. Because the condition primarily affects the fallopian tubes, it is also called **salpingitis.**

LABORATORY TESTS AND DIAGNOSTIC PROCEDURES

Consult Appendix 2 for pronunciation of terms and additional information.

Amniocentesis: Surgical puncture of the amnion (sac surrounding the developing fetus).

Aspiration: Withdrawal of fluid from a cavity or sac. In breast aspiration, a needle is used to remove fluid from cystic lesions in the breast. The fluid is analyzed for the presence of malignant cells.

Colposcopy: Visual examination of the vagina and cervix with a colposcope (a small, magnifying instrument resembling a mounted pair of binoculars).

Conization: Removal of a wedged-shaped section (cone) of the cervix for biopsy.

Hysterosalpingography: X-ray imaging of the uterus and fallopian tubes after injection of a contrast agent into the uterus.

Mammography: X-ray imaging (recording) of the breast.

Pap smear: Insertion of an instrument (spatula) into the vagina to obtain a sample of cells from the cervix (neck of the uterus). Microscopic analysis of the smear indicates the presence of cervical cancer.

Pelvic ultrasonography: Recording (imaging) of sound waves as they impact organs in the region of the hip. In transvaginal ultrasound, a sound probe is placed in the vagina.

Pregnancy test: Measurement of human chorionic gonadotropin (HCG), a hormone in blood and urine that indicates pregnancy.

TREATMENT PROCEDURES

Cauterization: Heat is used to destroy abnormal tissue, for example, in the lining of the **cervix** (lower neck-like region of the uterus).

Cryosurgery: Use of cold temperatures (often liquid nitrogen) to freeze and destroy tissue (such as the lining of the cervix).

Dilation and curettage (D&C): Widening (dilation or dilatation) of the opening of the cervix and scraping (curettage) of the lining of the uterus to remove tissue and stop prolonged or heavy uterine bleeding.

Hysterectomy: Excision of the uterus either through the abdominal wall (abdominal hysterectomy) or through the vagina (vaginal hysterectomy)

Myomectomy: The surgical removal of **fibroid (myoma)** tissue from the uterus. **Uterine artery embolization** may be used instead to shrink the fibroids. Tiny pellets are injected into the uterine artery. The pellets act as emboli to block blood flow to fibrous tissue.

Tubal ligation: Fallopian tubes are tied off (ligated) and cut to prevent pregnancy.

а

ABBREVIATIONS

CS	Cesarean section (fetus is removed through an abdominal incision)
D&C	Dilation and curettage
DUB	Dysfunctional uterine bleeding (not associated with menstruation)
GYN	Gynecology
HRT	Hormone replacement therapy (estrogen and progesterone)
IVF	In vitro fertilization (egg and sperm are combined outside the body in laboratory container; fertilized eggs are injected into the uterus for pregnancy)
OB	Obstetrics (labor and delivery of a fetus)
PID	Pelvic inflammatory disease (salpingitis, oophoritis, endometritis; leading causes are sexually transmitted infections)
STI	Sexually transmitted infection; also called STD (sexually transmitted disease)
TAH-BSO	Total abdominal hysterectomy with bilateral salpingo-oophorectomy (entire uterus and both fallopian tubes and ovaries are removed)

MATCHING EXERCISES

The following exercises will help you review terminology related to the female reproductive system. Answers begin on page 292.

Match the term in Column I with its arrening in Column II.

Column I		Column II
1. ovary	B	A. Muscular passageway from the uterus to the outside of the body
2. cervix		
9. 6-11		B. Neck (lower portion) of the uterus
3. fallopian tube	\ \	C One of two nained argans in the female abdence
4. vagina		C. One of two paired organs in the female abdomen that produce egg cells and hormones
5. uterus	1	D. One of two paired tubes that lead from the ovaries to the uterus
6. breast		
		E. One of two paired organs containing glands that produce milk after childbirth
		F. Muscular organ that holds and provides nourishment for the developing fetus

Match the combining form in Column I with its meaning in Column II

Column I 1. oophor/o 2. colp/o 3. salping/o 4. hyster/o 5. cervic/o

Column II

- A. Uterus
- B. Fallopian tube
- C. Neck of the uterus
- D. Ovary
- E. Vagina
- F. Breast

Match the medical term in Column I with its meaning in Column II.

Column I 1. salpingectomy 2. mammography 3. vaginitis

4. colposcopy

6. cervical

8. mastitis

5. hysterectomy

7. endometrium

6. mast/o



Column II

- A. Visual examination of the vagina
- B. Pertaining to the lower, neck-like region of the uterus
- C. Inflammation of the breast
- D. Removal of a fallopian tube
- E. Inner lining of the uterus
- F. X-ray imaging of the breast
- G. Resection of the uterus
- H. Inflammation of the vagina

Match the pathologic condition in Column I with its meaning in Column II.

Column I

- 1. fibroids
- 2. dysmenorrhea
- 3. endometriosis
- 4. ectopic pregnancy
- 5. amenorrhea
- 6. pelvic inflammatory disease
- 7. menorrhagia

Column II

- A. Absence of menstrual flow
- B. Excessive discharge of blood from the uterus between menstrual periods
- C. Leiomyomas (benign muscle growths) in the uterus
- D. Uterine tissue found in sites (ovary, fallopian tubes) other than in the uterus
- E. Painful menstrual flow
- F. Salpingitis
- G. Embryo develops outside the uterus

Match the test or procedure in Column I with its description in Column II.


Column I Column II 1. pregnancy test A. Endoscopic visual examination of the vagina 2. pelvic ultrasonography B. Withdrawal of fluid from a cavity or sac 3. conization C. Removal of a section of the cervix for biopsy 4. colposcopy D. X-ray imaging of the breast 5. mammography E. X-ray examination of the uterus and fallopian tubes 6. Pap smear F. Sound wave image of organs in the hip 7. hysterosalpingography region 8. aspiration G. Secretions from the vagina and cervix are examined microscopically 9. amniocentesis H. Measurement of HCG levels I. Surgical puncture to remove fluid from the sac surrounding the fetus

Match the treatment procedure in Column I with its description in Column II.

Column I	Column II
 myomectomy cryosurgery 	A. Use of cold temperatures to freeze and destroy tissue
3. cauterization	B. Fallopian tubes are tied to prevent pregnancy
4. tubal ligation	C. Removal of fibroids from the uterus
5. D&C	D. Widening the cervix and scraping the lining of the uterus
	E. Use of heat to destroy abnormal tissue

LYMPHATIC SYSTEM

ANATOMY



Lymph originates in the tissue spaces around cells and travels in **lymph vessels** and through **lymph nodes** to a large vein in the neck, where it enters the bloodstream. Arrows in the figure indicate the direction of lymph flow. Lymph contains white blood cells (lymphocytes), which help the body fight disease. The **spleen** produces lymphocytes and disposes of dying blood cells. The **thymus gland** stimulates the production of lymphocytes. (*Modified from Chabner D-E*: The Language of Medicine, ed 11, St. Louis, 2017, Elsevier.)

TERMINOLOGY

Meanings for terminology are found in the Mini-Dictionary.

Combining Form	Meaning	Terminology	Meaning
lymph/o	lymph fluid	lymphoma	
lymphaden/o	lymph node ("gland")	lymphadenectomy _	
		lymphadenopathy_	
lymphangi/o	lymph vessel	lymphangiectasis _	
splen/o	spleen	splenomegaly	
thym/o	thymus gland	thymoma	

PATHOLOGY

Definitions for additional terms in **boldface** are found in the *Mini-Dictionary*.

Acquired immunodeficiency syndrome (AIDS): Suppression or deficiency of the immune response (destruction of **lymphocytes**) caused by exposure to **human immunodeficiency virus (HIV).**

Lymphoma: Malignant tumor of lymph nodes and lymphatic tissue. **Hodgkin lymphoma** is an example of a lymphoma.

Mononucleosis: Acute infectious disease with enlargement of lymph nodes and increased numbers of **lymphocytes** and **monocytes** in the bloodstream.

Sarcoidosis: Inflammatory disease in which small nodules, or tubercles, form in lymph nodes and other organs. SARC/O means flesh, and -OID means resembling.

LABORATORY TESTS AND DIAGNOSTIC PROCEDURES

Consult *Appendix 2* for pronunciation of terms and additional information.

Computed tomography (CT) scan: X-ray views in the transverse plane for the diagnosis of abnormalities in lymphoid organs (lymph nodes, spleen, and thymus gland).

ELISA (enzyme-linked immunosorbent assay): Test to screen for antibodies to the human immunodeficiency virus (HIV), which causes acquired immunodeficiency syndrome (AIDS).

Western blot test: A blood test to detect the presence of antibodies to specific antigens, such as the **human immunodeficiency virus.** It is regarded as a more precise test than the ELISA.

TREATMENT PROCEDURES

Chemotherapy: Treatment with powerful drugs to kill cancer cells (Hodgkin lymphoma, non-Hodgkin lymphoma, and multiple myeloma) and viruses such as the human immunodeficiency virus.

Radiotherapy (radiation therapy): Treatment with high-dose radiation to destroy malignant lesions in the body.

ABBREVIATIONS

AIDS Acquired immunodeficiency syndrome

ELISA Enzyme-linked immunosorbent assay (test to detect anti-HIV antibodies)

HAART Highly active antiretroviral therapy (for AIDS)

HIV Human immunodeficiency virus IgA, IgD, Immunoglobulins (antibodies)

IgE, IgG, IgM

MAC Mycobacterium avium complex (a group of pathogens that cause lung

disease in patients with depressed immune systems)

PCP Pneumocystis pneumonia (opportunistic infection seen in patients with

AIDS)

MATCHING EXERCISES

The following exercises will help you review terminology related to the lymphatic system. Answers begin on page 292.

A March the term in Golumn Lwith its meaning in Column il.

Column I

- 1. lymph nodes
- 2. thymus
- 3. lymph
- 4. spleen
- 5. lymph vessels

Column II

- A. Blood-forming organ in early life; later a storage organ for red blood cells and a source of lymphocytes
- B. Gland in the mediastinum; produces lymphocytes, which play an important role in immunity
- C. Stationary collections of lymph tissue throughout the body
- D. Clear fluid, present in tissue spaces, that circulates in lymph vessels
- E. Small tubes that carry lymph fluid throughout the body

(E) Match the combining toon in Column ε with its meaning is Column II.

Column I Column II 1. thym/o A. Spleen B. Lymph fluid 2. lymphangi/o C. Thymus gland 3. lymphaden/o D. Lymph vessels E. Lymph nodes (glands) 4. splen/o 5. lymph/o Match the medical term in Column Lwith its manning in Column ii. Column I Column II 1. lymphadenopathy A. Malignant tumor of lymph nodes and lymphatic tissue 2. lymphangiectasis B. Acute infectious disease with enlargement of lymph nodes and increase in lymphocytes and 3. splenomegaly monocytes C. Malignant tumor of a mediastinal lymphocyte-4. lymphoma producing gland 5. lymphadenectomy D. Widening, dilation of lymph vessels E. Enlargement of an abdominal organ that 6. mononucleosis produces lymphocytes 7. thymoma F. Excision of lymph nodes G. Disease of lymph nodes Match the procedure or test in Column Lwith its description in Column 4. Column I Column II A. Treatment with high-dose radiation to destroy 1. ELISA malignant tissue 2. Western blot B. X-ray images in a cross-sectional plane for diagnosis of lymph node abnormalities 3. chemotherapy

cells

4. CT scan

5. radiotherapy


C. Precise blood test to detect antibodies to specific antigens, as in HIV infection

D. Screening test for antibodies to the AIDS virus

E. Treatment with powerful drugs to kill cancer

MALE REPRODUCTIVE SYSTEM

ANATOMY



Sperm cells are produced in the testes (*singular*. **testis**) and travel up into the body, through the **vas deferens**, and around the urinary bladder. The vas deferens unites with the **urethra**, which opens to the outside of the body through the **penis**. The **prostate** and the other glands near the **urethra** produce a fluid (semen) that leaves the body with sperm cells. (*Modified from Chabner D-E*: The Language of Medicine, *ed 11*, *St. Louis*, *2017*, *Elsevier*.)

TERMINOLOGY

Meanings for terminology are found in the Mini-Dictionary.

Combining Form	Meaning	Terminology Meaning
balan/o	penis	balanitis
orch/o	testis	orchitis
orchi/o	testis; pl. testes	orchiectomy
orchid/o	testis	orchidectomy
prostat/o	prostate gland	prostatectomy
scrot/o	scrotum	scrotal
urethr/o	urethra	urethritis
vas/o	vas deferens	vasectomy

PATHOLOGY

Definitions for additional terms in **boldface** are found in the *Mini-Dictionary*.

Benign prostatic hyperplasia: Noncancerous enlargement of the prostate gland. **Cryptorchism:** Condition of undescended testis. The testis is not in the scrotal sac at birth. CRYPT/O means hidden.

Hydrocele: Sac of clear fluid (swelling) in the scrotum. HYDR/O means water, and -CELE indicates a hernia (a bulging or swelling).

 $\label{prostatic carcinoma: Cancer of the prostate gland (prostate cancer).}$

Sexually transmitted infections: These affect both males and females and are spread by sexual or other genital contact. Examples are **chlamydial infection**, **gonorrhea**, **herpes genitalis**, and **syphilis**.

Testicular carcinoma: Malignant tumor of the testis. An example is a **seminoma. Varicocele:** Enlarged, swollen veins near a testicle. VARIC/O means swollen veins.

LABORATORY TESTS AND DIAGNOSTIC PROCEDURES

Consult Appendix 2 for pronunciation of terms and additional information.

Digital rectal examination (DRE): Examination of the prostate gland with finger palpation through the rectum.

Prostate-specific antigen (PSA): Measurement of the amount of PSA in the blood. Higher than normal levels are associated with prostate enlargement and cancer.

Semen analysis: Measurement of the number, shape, and motility of sperm cells.

TREATMENT PROCEDURES

Orchiopexy: Surgical fixation (-PEXY) of an undescended testicle in a young male infant.

Transurethral resection of the prostate gland (TURP): The removal of portions of the prostate gland with an **endoscope** inserted into the urethra.

Photoselective vaporization of the prostate (GreenLight PVP) is a newer technique that uses a laser to treat benign prostatic hyperplasia.

Vasectomy: Procedure in which the vas deferens on each side is cut, a piece is removed, and the free ends are folded and ligated (tied) with sutures. Vasectomy produces sterilization so that sperm are not released with semen.

ABBREVIATIONS

BPH Benign prostatic hyperplasiaDRE Digital rectal examination

GU Genitourinary

PSA Prostate-specific antigen

STI Sexually transmitted infection; also called STD (sexually transmitted disease)

TURP Transurethral resection of the prostate gland

MATCHING EXERCISES

The following exercises will help you review terminology related to the male reproductive system. Answers begin on page 292.



Match the t	i in Column I with its meaning in Column II.	
Column I	Column II	
1. scrotum	A. One of two paired male organs in the scrotum tha	t
2. penis	produces sperm cells and male hormones	
3. vas deferens	B. External male organ, containing the urethra, through which both urine and semen (sperm cells	
4. testis	and fluid) leave the body	
5. prostate	C. Sac on the outside of the body that contains the testes	
	D. One of two tubes that carry sperm cells from the testes to the outside of the body	
	E. Male organ that surrounds the base of the urinary	y

sperm

bladder and produces fluid that leaves the body with

Match the combining form in Column I with its meaning in Column II

Column I Column II 1. prostat/o A. Tube leading from the urinary bladder to the outside of the body 2. vas/o B. Gland that produces fluid portion of semen 3. orch/o C. Penis 4. scrot/o D. Testis 5. balan/o E. Tube carrying sperm cells from the testis to the 6. urethr/o ejaculatory duct and urethra F. Sac containing the testes

@ Match the medical term in Column I with its meaning in Column II.


Column I		Column II
1. urethritis		A. Resection of the prostate gland
2. scrotal		B. Inflammation of the penis
3. vasectomy	1	C. Inflammation of a testis
4. orchitis		D. Inflammation of the urethra
5. prostatectomy	7	E. Pertaining to the sac containing the testes
6. orchidectomy	3	F. Resection of a piece of each vas deferens
7. balanitis		G. Excision of a testicle

March the pathologic condition in Culumn I with its meaning in Column 9.

Column I	Co	olumn II
1. varicocele	A.	Undescended testicle
2. benign prostatic hyperplasia	B.	Malignant tumor of the prostate gland
3. hydrocele	C.	Hernia (collection of fluid) in the scrotal sac
4. testicular carcinoma	D.	Malignant tumor; one type is a seminoma
5. prostatic carcinoma	E.	Swollen, twisted veins near the testis
6. cryptorchism	F.	Nonmalignant enlargement of the prostate gland
Match the test or pro	posauce in Col	unm I with its steecaption in Column II.
Column I	Co	olumn II
1. orchiopexy	<u>A</u> .	Measurement of the number, shape, and
2. vasectomy	, P	motility of sperm cells Maggures blood levels of prostate analife
3. TURP	ь.	Measures blood levels of prostate-specific antigen
4. DRE	C.	Examination of the prostate gland with finger palpation through the rectum
5. semen analysis		Removal of portions of the prostate gland
6. PSA test		with an endoscope inserted into the urethra
	E.	Surgical fixation of an undescended testicle
	F.	Two tubes that carry sperm from the testicles are cut and tied off


MUSCULOSKELETAL SYSTEM

ANATOMY




Bones are connected to muscles that contract to move the body. Joints are the spaces between bones. Near the joints are ligaments that connect bones to other bones and tendons that connect bones to muscles. (Modified from Chabner D-E: The Language of Medicine, ed 11, St. Louis, 2017, Elsevier.)

For your reference, included here are anterior and posterior views of superficial muscles in the body.



The anterior superficial muscles. (Modified from Miller-Keane Encyclopedia & Dictionary of Medicine, Nursing, & Allied Health, ed 7, Philadelphia, 2003, Saunders.)



The posterior superficial muscles. (Modified from Miller-Keane Encyclopedia & Dictionary of Medicine, Nursing, & Allied Health, ed 7, Philadelphia, 2003, Saunders.)

TERMINOLOGY

Meanings for terminology are found in the Mini-Dictionary.

Combining Form	Meaning	Terminology	Meaning
arthr/o	joint	arthroscopy	
chondr/o	cartilage	chondroma	
cost/o	rib	costochondritis	
crani/o	skull	craniotomy	
ligament/o	ligament	ligamentous	
muscul/o	muscle	muscular	
my/o	muscle	myosarcoma	
myos/o	muscle	myositis	
myel/o	bone marrow	myelodysplasia	
oste/o	bone	osteomyelitis	
pelv/o	pelvis, hipbone	pelvic	
spondyl/o	vertebra	spondylosis	
vertebr/o	vertebra	intervertebral	
ten/o	tendon	tenorrhaphy	
tendin/o	tendon	tendinitis	

PATHOLOGY

Definitions for additional terms in **boldface** are found in the *Mini-Dictionary*.

Ankylosing spondylitis: Chronic, progressive **arthritis** with stiffening (**ankylosis**) of joints, primarily of the spine and hip.

Carpal tunnel syndrome: Compression of the median nerve as it passes between the ligament and the bones and tendons of the wrist.

Gouty arthritis: Inflammation of joints caused by excessive uric acid. Also called gout.

Muscular dystrophy: An inherited disorder characterized by progressive weakness and degeneration of muscle fibers.

Osteoporosis: Decrease in bone density with thinning and weakening of bone. -POROSIS means condition of containing passages or spaces.

Rheumatoid arthritis: Chronic inflammation of joints; pain, swelling, and stiffening, especially in the small joints of the hands and feet. RHEUMAT/O means flowing, descriptive of the swelling in joints.

LABORATORY TESTS AND DIAGNOSTIC PROCEDURES

Consult Appendix 2 for pronunciation of terms and additional information.

Antinuclear antibody (ANA) test: Test in which a sample of plasma is tested for the presence of antibodies found in patients with systemic lupus erythematosus.

Arthrocentesis: Surgical puncture to remove fluid from a joint.

Arthrography: X-ray imaging of a joint.

Arthroscopy: Visual examination of a joint with an arthroscope.

Bone density test: Low-energy x-rays are used to image bones in the spinal column, pelvis, and wrist to detect areas of bone deficiency. Also called bone density scanning, dual-energy x-ray absorptiometry (DEXA), or bone densitometry.

Bone scan: Procedure in which a radioactive substance is injected intravenously and its uptake in bones is measured with a special scanning device.

Calcium level: Measurement of the amount of calcium in a sample of blood (serum). This test is important in evaluating diseases of bone.

Electromyography (**EMG**): Recording of the electrical activity of muscle tissue. This test reveals the strength of muscles.

Erythrocyte sedimentation rate (ESR): Measurement of the rate at which red blood cells fall to the bottom of a test tube. High sedimentation rates are associated with inflammatory diseases such as **rheumatoid arthritis.**

Muscle biopsy: The removal of muscle tissue for microscopic examination.

Uric acid test: Measurement of the amount of uric acid (nitrogenous waste) in a sample of blood. High uric acid levels are associated with gouty arthritis.

TREATMENT PROCEDURES

Arthroplasty: Surgical repair of a joint. Total hip arthroplasty is the replacement of the head of the femur (thigh bone) and acetabulum (cup-shaped portion of the hip socket) with artificial parts (**prostheses**) that are cemented into the bone.

Laminectomy: Removal of a piece of backbone (lamina) to relieve pressure on nerves from a herniated disc.

Microscopic discectomy: Surgical removal of a herniated intervertebral disc with an incision that is 1 to 2 inches long and visualization of the surgical field with an operating microscope.

Vertebroplasty: Surgical repair of vertebrae. Special cement is injected into backbones to strengthen them and to relieve pain caused by compression fractures.

ABBREVIATIONS

ACL Anterior cruciate ligament (of the knee)

ANA Antinuclear antibody C1-C7 Cervical vertebrae

Ca Calcium

DEXA Dual-energy x-ray absorptiometry

DJD Degenerative joint diseaseDOMS Delayed-onset muscle soreness

EMG Electromyography

ESR Erythrocyte sedimentation rate

IM IntramuscularL1-L5 Lumbar vertebrae

NSAID Nonsteroidal anti-inflammatory drug (prescribed to treat joint and

muscle pain)

PT Physical therapy
ROM Range of motion
T1-T12 Thoracic vertebrae

MATCHING EXERCISES

The following exercises will help you review terminology related to the musculoskeletal system. Answers begin on page 293.

Match the term in Column I with its description in Column II.

		The transfer person of the certain of
Column I	1	Column II
1. cranium	1+	A. Finger bones
2. clavicle	E	B. Thigh bone
3. humerus		C. Kneecap
4. radius	1	D. Lower arm bone on the thumb side
5. ulna	- (-	E. Collarbone
6. carpals	R	F. Tailbone
7. metacarpals		G. Breastbone
8. phalanges	<u>A</u>	H. Skull
9. scapula		I. Ankle bones
10. sternum	. (7	J. Lower arm bone (little finger side)
11. tarsals	<u>+</u>	K. Upper arm bone
12. metatarsals		L. Smaller of the lower leg bones
13. fibula		M. Hip bone
14. tibia	,)	N. Lower part of the backbone near the hip
15. patella	<u> </u>	O. Bones surrounding the chest cavity
16. sacrum		P. Larger of the lower leg bones
17. coccyx	-	Q. Hand bones
18. pelvis	1/1	R. Wrist bones
19. femur		S. Foot bones
20. ribs	(i)	T. Shoulder bone

8. myosarcoma

9. craniotomy

March the combining form in Golumn I with its meaning in Golumn II.

Column I Column II A. Backbone 1. crani/o 2. arthr/o B. Cartilage 3. oste/o C. Joint 4. cost/o D. Skull 5. pelv/o E. Rib 6. my/o F. Muscle 7. ten/o G. Hip bone 8. chondr/o H. Bone 9. spondyl/o Connects muscles to bones 10. ligament/o J. Connects bones to other bones Match the medical term in Column I with he meaning in Column II Column I Column II 1. myelodysplasia A. Incision of the skull 2. intervertebral B. Inflammation of cartilage attached to ribs 3. osteomyelitis C. Suture of a tendon 4. arthroscopy D. Inflammation of bone and bone marrow 5. costochondritis E. Pertaining to between the backbones 6. chondroma F. Benign tumor of cartilage tissue 7. tenorrhaphy G. Abnormal growth of bone marrow cells

H. Malignant tumor of muscle tissue

I. Visual examination of a joint

Match the pathologic condition in Column I with its meaning in Column II

Column I

- 1. gouty arthritis
- 2. carpal tunnel syndrome
- 3. rheumatoid arthritis
- 4. osteoporosis
- 5. ankylosing spondylitis
- 6. muscular dystrophy

Column II

- A. Chronic, progressive arthritis with stiffening of joints between the backbones
- B. Compression of the median nerve in the wrist
- C. High levels of uric acid with inflammation of joints
- D. Weakness and degeneration of muscle fibers; congenital condition
- E. Chronic inflammation of joints, especially small bones in the hands and feet
- F. Decrease in bone density with thinning and weakening of bone

(S) March the rest by procedure in Column I with its description in Column II.

Column I

- 1. arthrocentesis
- 2. serum calcium
- 3. electromyography
- 4. bone scan
- 5. ESR
- 6. ANA test
- 7. muscle biopsy
- 8. uric acid test
- 9. arthroscopy
- 10. arthrography

Column II

- A. Recording the strength of muscle contraction
- B. Measures sedimentation rate of red blood cells; indicates inflammation
- C) Plasma is tested for antibodies that are present in patients with systemic lupus erythematosus
- D. Removal of muscle tissue for microscopic analysis
- E. Surgical puncture to remove fluid from a joint
- F. Radioactive substance is injected intravenously and uptake is measured in bone tissue
- G. Measurement of an element in the blood that is necessary for normal bone formation
- H. X-ray imaging of a joint
- Measurement of the amount of a substance in blood that is associated with gouty arthritis
- J. Visual examination of a joint using an endoscope

(I) Waith the treatment procedure in Column I with its also caption in Column it.

Column I


- 1. laminectomy
- 2. microscopic discectomy
- 3. arthroplasty
- 4. vertebroplasty

Column II

- A. Surgical repair of a joint
- B. Surgical repair of a backbone
- C. Removal of a herniated disc using a tiny incision and an operating microscope
- D. Surgical removal of a portion of a vertebra to allow visualization and removal of a portion of a disk

NERVOUS SYSTEM

ANATOMY



The central nervous system consists of the brain and the spinal cord. The peripheral nervous system includes the nerves that carry messages to and from the brain and spinal cord. Spinal nerves carry messages to and from the spinal cord, and the cranial nerves (not pictured) carry messages to and from the brain.

TERMINOLOGY

Meanings for terminology are found in the *Mini-Dictionary*.

Combining Form	Meaning	Terminology	Meaning
cerebell/o	cerebellum	cerebellar	
cerebr/o	cerebrum	cerebral	
encephal/o	brain	encephalitis	
medull/o	medulla oblongata	medullary	
myel/o	spinal cord	myelitis	
neur/o	nerve	neuropathy	

PATHOLOGY

Definitions for additional terms in **boldface** are found in the *Mini-Dictionary*.

Alzheimer disease: Brain disorder marked by deterioration of mental capacity (irreversible dementia).

Cerebrovascular accident: Damage to the blood vessels of the cerebrum, leading to loss of blood supply to brain tissue; a **stroke**.

Concussion: Traumatic brain injury that can cause bruising, damage to blood vessels, and injury to nerves. Loss of consciousness may occur.

Epilepsy: Chronic brain disorder characterized by recurrent seizures.

Glioblastoma: Malignant brain tumor arising from **glial cells**. BLAST means immature.

Hemiplegia: Paralysis (-PLEGIA) that affects the right or the left half of the body. **Meningitis:** Inflammation of the **meninges** (membranes surrounding the brain and spinal cord).

Multiple sclerosis: Destruction of the **myelin sheath** on nerve cells in the central nervous system (brain and spinal cord), with replacement by plaques of sclerotic (hard) tissue.

Paraplegia: Paralysis that affects the lower portion of the body. From a Greek word meaning "to strike" (-PLEGIA) on one side (PARA-). This term was previously used to describe hemiplegia.

Syncope: Fainting; sudden and temporary loss of consciousness as a result of inadequate flow of blood to the brain.

LABORATORY TESTS AND DIAGNOSTIC PROCEDURES

Consult *Appendix 2* for pronunciation of terms and additional information.

Cerebral angiography: X-ray imaging of the blood vessels in the brain after the injection of contrast material into an artery.

Cerebrospinal fluid (CSF) analysis: Chemical tests (for sodium, chloride, protein, and glucose), cell counts, cultures, and bacterial smears on samples of CSF to detect diseases of the brain or meninges. A lumbar puncture is used to remove CSF for analysis.

Computed tomography (CT) scan: Cross-sectional x-ray images of the brain and spinal cord (with and without contrast).

Electroencephalography (**EEG**): Recording of the electrical activity within the brain.

Lumbar puncture (**LP**): Introduction of hollow needle into a space surrounding the spinal cord to withdraw cerebrospinal fluid (CSF) for analysis. Pressure of CSF is measured and contrast may be injected for imaging (myelography). Also known as a "spinal tap."

Magnetic resonance imaging (MRI): Magnetic waves and radiofrequency waves are used to create images of the brain and spinal cord.

Positron emission tomography (**PET**) **scan:** Uptake of radioactive material into the brain shows how the brain uses glucose and gives information about brain function.

TREATMENT PROCEDURES

Stereotactic radiosurgery: This is a nonsurgical type of radiation therapy used to treat abnormalities and small tumors of the brain. Also called Cyberknife[®] or stereotactic radiotherapy, this treatment can deliver precisely targeted radiation in fewer high-dose treatments than traditional therapy.

Transcutaneous electrical nerve stimulation (TENS): A battery-powered device delivers stimulation to nerves to relieve acute and chronic pain.

ABBREVIATIONS

AD	Alzheimer disease
CNS	Central nervous system
CSF	Cerebrospinal fluid
CVA	Cerebrovascular accident (stroke)
EEG	Electroencephalography
LP	Lumbar puncture
MS	Multiple sclerosis

TENS Transcutaneous electrical nerve stimulation

Transient ischemic attack (temporary interference with blood supply to the brain); "mini-stroke."

MATCHING EXERCISES

The following exercises will help you review terminology related to the nervous system. Answers begin on page 293.

Match the term in Column I with its description in Column II.

Column I Column II 1. cerebrum A. Lower part of the brain, nearest to the spinal cord; it controls breathing and heart beat 2. spinal cord B. Collection of nerves that are within the 3. cerebellum spinal cavity, surrounded by backbones 4. medulla oblongata C. Largest part of the brain; controls body movements, thought, reasoning, vision, 5. spinal nerves hearing, speech D. Nerves that transmit messages to and from the spinal cord E. Lower back part of the brain that controls muscular coordination and balance

Match the combining form in Column I with its meaning in Column II

Column I	1	Column II
1. cerebell/o	15	A. Nerve
2. medull/o	2	B. Cerebellum
3. myel/o		C. Brain
4. cerebr/o	<u> </u>	D. Spinal cord
5. encephal/o		E. Medulla oblongata
6. neur/o	/)	F. Cerebrum

Match the medical term in Column I with its meaning in Column II.

Column I

- 1. myelitis
- 2. cerebral
- 3. medullary
- 4. encephalitis
- 5. neuropathy
- 6. cerebellar

Column II

- A. Disease of nerves
- B. Pertaining to the largest part of the brain
- C. Pertaining to the posterior portion of the brain that controls equilibrium
- D. Inflammation of the spinal cord
- E. Inflammation of the brain
- F. Pertaining to the lower part of the brain closest to the spinal cord

Match the pathologic condition in Column I with its meaning in Column II.

Column I

- 1. cerebrovascular accident
- 2. multiple sclerosis
- 3. concussion
- 4. syncope
- 5. epilepsy
- 6. meningitis
- 7. glioblastoma
- 8. paraplegia
- 9. hemiplegia
- 10. Alzheimer disease

Column II

- A. Inflammation of the membrane surrounding the brain and spinal cord.
- B. Brain disorder marked by deterioration in mental activity (dementia)
- C. Fainting
- D. Paralysis on one side of the body
- E. Damage to blood vessels in the brain; a stroke
- F. Destruction of myelin sheath around nerve cells in the CNS
- G. Blunt injury to the brain severe enough to cause loss of consciousness
- H. Paralysis of the lower portion of the body
- I. Malignant tumor of the brain
- J. Chronic brain disorder with seizure activity

(E) Martch the rest or precedenc in Calimni I with its description in Calimni II

Column I


- 1. lumbar puncture
- 2. CSF analysis
- 3. cerebral angiography
- 4. electroencephalogram
- 5. PET scan
- 6. MRI
- 7. stereotactic radiosurgery
- 8. CT scan
- 9. TENS

Column II

- A Uptake of radioactive material in the brain shows how the brain uses glucose
- **Chemical tests, cell counts, cultures, and smears of fluid surrounding the brain and spinal cord
- C. Record of the electrical activity in the brain
- Procedure to remove cerebrospinal fluid; measurement of pressure and injection of contrast
- E. X-ray image of blood vessels in the brain after injection of contrast
- F. A battery-powered device delivers stimulation to nerves to relieve acute and chronic pain
- Cross-sectional x-ray images of the brain and spinal cord
- M. Magnetic and radiofrequency waves create images of the brain and spinal cord tissue
- I. / Nonsurgical type of radiation therapy used to treat abnormalities and small tumors of the brain; also called Cyberknife®

RESPIRATORY SYSTEM

ANATOMY



Air enters the **nose** and travels to the **pharynx** (throat). From the pharynx, air passes through the **epiglottis** and **larynx** (voice box) into the **trachea** (windpipe). The trachea splits into two tubes, the **bronchial tubes** that carry air into the lungs. The bronchial tubes divide into smaller tubes, called **bronchioles**, that end in **small alveoli**, or **air sacs**. The thin walls of these sacs allow oxygen to pass through them into tiny capillaries containing red blood cells. Red blood cells transport the oxygen to all parts of the body. In a similar manner, gaseous waste (carbon dioxide) leaves the blood by entering the alveoli and traveling out of the body through bronchioles, bronchial tubes, trachea, larynx, pharynx, and the nose. (Modified from Chabner D-E: The Language of Medicine, ed 11, St. Louis, 2017, Elsevier.)

TERMINOLOGY

Meanings for terminology are found in the *Mini-Dictionary*.

Combining Form	Meaning	Terminology Meaning
adenoid/o	adenoid	adenoidectomy
alveol/o	alveoli (air sacs)	alveolar
bronch/o	bronchial tube	bronchoscopy
		bronchitis
bronchiol/o	bronchiole	bronchiolitis
cyan/o	blue	cyanosis
epiglott/o	epiglottis	epiglottitis
laryng/o	larynx	laryngeal
nas/o	nose	nasal
rhin/o	nose	rhinorrhea
pharyng/o	pharynx	pharyngitis
phren/o	diaphragm	phrenic
pneumon/o	lung	pneumonectomy
pulmon/o	lung	pulmonary
tonsill/o	tonsils	tonsillitis
trache/o	trachea	tracheitis
		tracheostomy

PATHOLOGY

Definitions for additional terms in **boldface** are found in the *Mini-Dictionary*.

Asphyxia: Deficiency of oxygen in the blood and increase in carbon dioxide in blood and tissues. Major sign is a complete absence of breathing, leading to loss of consciousness or death.

Asthma: Spasm and narrowing of bronchi, leading to bronchial airway obstruction.

Atelectasis: Collapsed lung (ATEL/O means incomplete, and -ECTASIS indicates dilation or expansion).

Emphysema: Hyperinflation of air sacs with destruction of alveolar walls.

Along with **chronic bronchitis**, emphysema is a type of **chronic obstructive pulmonary disease (COPD).**

Hemoptysis: Spitting up of blood.

Hemothorax: Blood from the respiratory tract in the pleural cavity (space between the **pleural membranes**).

Pneumoconiosis: Abnormal condition of dust (CONI/O) in the lungs.

Pneumonia: Abnormal condition of the lungs marked by inflammation and collection of infected material in air sacs (pus or products of the inflammatory reaction).

Tuberculosis: Infectious and inflammatory disease caused by bacteria (bacilli). The lungs and other organs are affected. Signs and symptoms are cough, weight loss, night sweats, **hemoptysis**, and pleuritic pain.

LABORATORY TESTS AND DIAGNOSTIC PROCEDURES

Consult *Appendix 2* reference for pronunciation of terms and additional information.

Bronchoscopy: Visual examination of the bronchial tubes with an endoscope.

Chest x-ray film: X-ray image of the chest in an AP (anteroposterior), PA (posteroanterior), or lateral (side) view.

Computed tomography (CT) scan: Cross-sectional x-ray images of the chest.

Laryngoscopy: Visual examination of the larynx via the placement of a flexible tube (laryngoscope) through the nose or mouth and into the larynx.

Magnetic resonance imaging (MRI): Magnetic waves and radiofrequency waves create images of the chest in three planes of the body.

Pulmonary angiography: X-ray images are taken of the blood vessels in the lung after injection of contrast into a blood vessel. This procedure has been largely replaced by computed tomography (CT of the lungs).

Pulmonary function test (PFT): Measurement of the ventilation (breathing capability) of the lungs. A **spirometer** measures the air taken into and breathed out of the lungs.

Sputum test: Examination of mucus coughed up from a patient's lungs to detect infection.

Tuberculin test: Agents are applied to the skin with punctures or injection and the reaction is noted. Redness and swelling result in people sensitive to the test substance and indicate previous or current infection with **tuberculosis**.

Ventilation-perfusion scan: A nuclear medicine test that uses radioactive material (radiopharmaceutical) to examine airflow (ventilation) and blood flow (perfusion) in the lungs.

TREATMENT PROCEDURES

Endotracheal intubation: Tube is placed through the nose or mouth into the trachea to establish an airway during surgery and for placement on a respirator (a machine that moves air into and out of the lungs).

Thoracentesis: Needle is inserted through the skin between the ribs and into the pleural space to drain a **pleural effusion.**

Thoracotomy: Incision of the chest to remove a lung (**pneumonectomy**) or a portion of a lung (**lobectomy**).

Tracheostomy: Creation of an opening into the trachea through the neck and the insertion of a tube to create an airway.

ABBREVIATIONS

ABG Arterial blood gas

ARDS Acute respiratory distress syndrome

CO₂ Carbon dioxide (gas expelled from the lungs)

COPD Chronic obstructive pulmonary disease (chronic bronchitis and

emphysema)

CPAP Continuous positive airway pressure (machine used to keep airway

open)

CPR Cardiopulmonary resuscitation (technique to restore breathing and

heart rate)

CXR Chest x-ray (film or image)

Oxygen (gas entering the bloodstream through the lungs)

MDI Metered-dose inhaler (that delivers specific amount of medication to the

lungs)

PE Pulmonary embolism (blockage of vessels in the lung by a blood clot)
PEEP Positive end-expiratory pressure (method of mechanical ventilation)
PFT Pulmonary function test (measurement of the least think the least the least the least the least think the least the least think the least the least think the least the l

FT Pulmonary function test (measurement of the breathing capability of the

lung)

SOB Shortness of breath

URI Upper respiratory infection

VATS Video-assisted thoracic surgery (using small incisions and an endoscope)

VQ Ventilation-perfusion scan (also called VQ scan)

MATCHING EXERCISES

The following exercises will help you review terminology related to the respiratory system. Answers begin on page 293.

Match the torm in Column I with the desirgation in Column II.

Column I	
1. nose	<u></u>
2. epiglott	is D
3. larynx	1
4. pharyn	x <u>A</u>
5. lung	J
6. diaphra	igm <u>C</u>
7. trachea	3
8. bronchi	al tube H
9. bronchi	ole <u>E</u>
10. air sac	6

Column II

- A. Throat
- B. Windpipe
- C. Muscle that separates the chest from the abdomen
- D. Flap of cartilage over the "mouth" of the trachea
- E. Small bronchial tube
- F. Structure on the face that filters/warms air entering the body
- G. Thin-walled sac through which gases can pass into and out of the bloodstream
- H. One of two tubes that carry air from the windpipe to the lungs
- I. Voice box
- J. One of two paired organs in the chest through which oxygen enters and carbon dioxide leaves the bloodstream

Match the combining form in Column I with its meaning in Column II.

Column I Column II 1. pharyng/o A. Diaphragm 2. bronch/o B. Air sac C. Windpipe 3. bronchiol/o D. Nose 4. nas/o or rhin/o E. Throat 5. laryng/o F. Voice box 6. phren/o G. Tube that carries air from the windpipe to 7. trache/o the lung 8. epiglott/o H. Lung I. Small bronchus 9. alveol/o J. Epiglottis 10. pneumon/o

Match the medical term in Column I with its meaning in Column II

Column I	1	Column II
1. pulmonary		A. Discharge from the nose
2. rhinorrhea	17	B. Pertaining to an air sac
3. pneumonectomy	1	C. Inflammation of the throat
4. bronchoscopy	<u></u>	D. Pertaining to a lung
5. laryngeal	1	E. New opening of the windpipe to the outside of the body
6. pharyngitis		F. Pertaining to the nose
7. phrenic		G. Visual examination of the bronchus
8. tracheostomy		H. Resection of a lung
9. alveolar	2	I. Pertaining to the voice box
10. nasal		J. Pertaining to the diaphragm

I. Spasm and narrowing of bronchial tubes

leading to airway obstruction

Match the pathologic condition in Column I with its meaning in Column II.

Column I Column II 1. atelectasis A. Collapsed lung 2. hemothorax B. Condition of dust particles in the lung 3. asphyxia C. Spitting up blood 4. emphysema D. Infectious disease caused by bacilli; lungs and other organs are affected 5. asthma E. Inflammation and infection of alveoli 6. hemoptysis F. Blood in the pleural space 7. tuberculosis G. Extreme decrease in oxygen and increase in 8. pneumonia carbon dioxide in the blood H. Hyperinflation of air sacs and destruction of 9. pneumoconiosis alveolar walls

4. thoracotomy

Match the test or procedure in Column Levith its description in Column II.

Column I Column II 1. pulmonary angiography A. Radiographic image in AP, PA, or lateral view 2. laryngoscopy B. Material expelled by coughing is analyzed 3. ventilation-perfusion scans C. Visual examination of bronchial tubes 4. PFTs D. After administration of radioactive ACBE material (by injection or inhalation), 5. chest x-ray images reveal distribution in lung tissue 6. bronchoscopy E. Magnetic waves produce images of the chest in three planes 7. sputum test F. Measurements of the ventilation 8. MRI capability of the lung using a spirometer 9. tuberculin test G. X-ray images of blood vessels in the lung 10. chest CT scan H. Visual examination of the voice box I. Cross-sectional x-ray images of the chest J. Agents are applied to the skin with punctures, and reaction is noted Malch the treatment procedure in Column Livida its description in Column II. Column I Column II 1. tracheostomy A. A tube is placed through the nose or mouth into the windpipe to establish an 2. thoracentesis airway 3. endotracheal intubation B. Creation of an opening into the windpipe through the neck and insertion of a tube

to create an airway


a portion of a lung

C. Incision of the chest to remove a lung or


D. Insertion of a needle through the skin between the ribs and into the pleural space to drain a pleural effusion


SKIN AND SENSE ORGANS

ANATOMY




SKIN (derm/o, dermat/o, cutane/o)





(ophthalm/o, ocul/o)



The skin and sense organs receive messages (touch sensations, light waves, sound waves) from the environment and send them to the brain via nerves. These messages are interpreted in the brain, making sight, hearing, and tactile (touch) perception of the environment possible. (Modified from Chabner D-E: The Language of Medicine, ed 11, St. Louis, 2017, Elsevier.)

TERMINOLOGY

Meanings for terminology are found in the *Mini-Dictionary*.

Combining Form	Meaning	Terminology Meaning
cutane/o	skin	sub <u>cutane</u> ous
derm/o	skin	epi <u>derm</u> is
dermat/o	skin	dermatology
onych/o	nail	onycholysis
ungu/o	nail	sub <u>ungu</u> al
pil/o	hair	pilosebaceous
trich/o	hair	trichotillomania
ocul/o	eye	ocular
ophthalm/o	eye	ophthalmoscope
p <mark>hak/o</mark>	lens of the eye	aphakia
retin/o	retina	retinopathy
aur/o	ear	aural discharge
ot/o	ear	otitis
myring/o	eardrum	myringotomy
tympan/o	eardrum	tympan oplasty

PATHOLOGY

Definitions for additional terms in **boldface** are found in the *Mini-Dictionary*.

Alopecia: Absence of hair from areas where it normally grows; baldness.

Cataract: Clouding (opacity) of the lens of the eye, causing impairment of vision or blindness.

Conjunctivitis: Inflammation of the conjunctiva.

Glaucoma: Increase in pressure (fluid accumulation) within the chamber at the front of the eye.

Melanoma: Malignant tumor of pigmented cells (MELAN/O means black) that arises from a nevus (benign mole) in the skin.

Nevus: Pigmented lesion in or on the skin; a mole.

Stye *or* **sty:** Pus-filled (purulent) infection of glands near the eyelid (most often caused by bacteria). Also called **hordeolum.**

Tinnitus: Abnormal noise (ringing, buzzing, roaring) sound in the ears.

LABORATORY TESTS AND DIAGNOSTIC PROCEDURES

Consult *Appendix 2* for pronunciation of terms and additional information.

Allergy test: Procedure in which allergy-causing substances are placed on the skin and a reaction is noted. In the patch test, a patch with a suspected allergen is placed on the skin. The scratch test involves making several scratches and inserting a small amount of allergen in the scratches.

Bacterial and fungal tests: Procedures in which samples from skin lesions are taken to determine the presence of bacterial infection or fungal growth.

Fluorescein angiography: Fluorescein (a contrast substance) is injected intravenously and the movement of blood in the back of the eye is observed by ophthalmoscopy. It is used to detect diabetic or hypertensive retinopathy and also degeneration of the macular (central) area of the retina.

Ophthalmoscopy: Visual examination of the interior of the eye.

Otoscopy: Visual examination of the interior of the ear (to the eardrum).

Skin biopsy: Procedure in which samples of skin lesions are removed and sent to the pathology laboratory for microscopic examination.

Slit-lamp microscopy: Examination of the anterior eye structures (such as the cornea) using an instrument that projects intense light through a narrow opening for optimal visualization.

Tuning fork test: Procedure in which a vibration source (tuning fork) is placed in front of the opening to the ear to test air conduction of sound waves. The tuning fork is also placed on the mastoid bone behind the ear to test bone conduction of sound waves.

ABBREVIATIONS

ENT Ears, nose, throat

HEENT Head, eyes, ears, nose, throat

PERRLA Pupils equal, round, reactive to light and accommodation

VA Visual acuity (clarity of vision)

VF Visual field

MATCHING EXERCISES

The following exercises will help you review terminology related to the skin and sense organs. Answers begin on page 294.

Match the term in Column I with its description in Column II.

0.1	Outroom II
Column I	Column II
1. epidermis	 A. Oil-producing gland in the skin
2. sebaceous gland	 B. Gland in the skin that produces a watery, salt-containing fluid
3. dermis	 C. Innermost layer of the skin, composed of fatty tissue
4. subcutaneous tissue	 D. Middle layer of the skin, containing hair follicles, connective tissue, blood vessels, and glands
5. sweat gland	 E. Outer layer of the skin

📵 Match the term in Column I with its description in Column II.

Column I		Column II Haha, colonel Sanders
1. retina	6	A. White, outer coat of the eyeball
2. conjunctiva	KK	B. Membrane that separates the outer and middle
3. pupil	F	parts of the ear
4. lens	CE	C. Transparent structure behind the pupil that bends light rays so that they focus on the back of the eye
5. cornea		D. Nerve that carries messages from the inner ear to
6. sclera	À	the brain
7. iris		E. Transparent layer over the front of the eye that bends
8. eardrum	B	light so that it is focused on the back of the eye
9. auditory	5	F. Black center of the eye through which light enters
canal		G. Layer of sensitive cells (rods and cones) at the back
10. auditory	D	of the eye
nerve		H. Nerve at the back of the eye that transmits light
11. optic nerve	<u>H</u>	waves to the brain
		I. Colored, pigmented portion of the eye
		J. Passageway leading into the ear from the outside of the body
		K. Thin, protective membrane over the front of the eve

C Match the combining form in Column I with its meaning in Column II.

Column I		Column II
1. derm/o	<u>C</u>	A. Eye
2. phak/o	6	B. Hair
3. retin/o	0	C. Skin
4. myring/o	F	D. Posterior, sensitive cell layer of the eye
5. aur/o	11	E. Nail
6. ophthalm/o	A	F. Eardrum
7. ungu/o	E	G. Lens of the eye
8. pil/o	B	H. Ear

Match the medical term in Column I with its meaning in Column II

Column I	Column II	
1. ocular	A. Disease of the rod and cone (sensitive cells at the back o	
2. otitis	Sensitive tens at the back o	i the eye)
3. subcutaneous	B. Pertaining to under the nail	
_	C. Absence of the lens of the ev	re
4. myringotomy	D. Inflammation of the ear	
5. aphakia		
6. epidermis	E. Pertaining to the eye	
	F. Pertaining to under the skin	L
7. retinopathy _	G. Incision of the eardrum	
8. ophthalmoscope	H. Outer layer of the skin	
9. tympanoplasty	<u>) </u>	
10. subungual	B I. Instrument to visually exam	ine the eye
io. sasangaan _	J. Surgical repair of the eardru	ım

🕒 Moreh ma parkologic soudition in Culumn Lwith its meaning in Column H.


Column I		Column II
1. melanoma	<u>F</u>	A. Clouding of the lens of the eye, causing impairment of vision
2. glaucoma3. conjunctivitis	<u>D</u>	B. Absence of hair from areas where it normally grows
		C. Pigmented lesion on the skin; mole
4. tinnitus5. cataract	E A	D. Increase in pressure within the chamber at the front of the eye
6. nevus	<u>C</u>	E. Abnormal noise (ringing, buzzing) or sound in the ears
7. alopecia	<u>B</u>	F. Malignant tumor of pigmented cells in the skin
		G. Inflammation of the mucous membrane lining the inner surface of the eyelid
Whatch line has o	i proceinire in C	Column I with its discription in Column II
Column I 1. skin biopsy	_	Column II A. Samples from skin lesions are examined to
1. skin biopsy		
		A. Samples from skin lesions are examined to
 skin biopsy slit-lamp microscopy 		A. Samples from skin lesions are examined to detect presence of microorganisms
 skin biopsy slit-lamp 		A. Samples from skin lesions are examined to detect presence of microorganismsB. Visual examination of the interior of the eye
 skin biopsy slit-lamp microscopy tuning fork tests fluorescein angiography otoscopy 		 A. Samples from skin lesions are examined to detect presence of microorganisms B. Visual examination of the interior of the eye C. Patch test; scratch test D. Skin lesions are removed and sent to pathology laboratory for microscopic examination E. Dye is injected intravenously, and movement of blood through blood vessels in the back of
 skin biopsy slit-lamp microscopy tuning fork tests fluorescein angiography 		 A. Samples from skin lesions are examined to detect presence of microorganisms B. Visual examination of the interior of the eye C. Patch test; scratch test D. Skin lesions are removed and sent to pathology laboratory for microscopic examination E. Dye is injected intravenously, and movement of blood through blood vessels in the back of the eye is observed with an ophthalmoscope
 skin biopsy slit-lamp microscopy tuning fork tests fluorescein angiography otoscopy 		 A. Samples from skin lesions are examined to detect presence of microorganisms B. Visual examination of the interior of the eye C. Patch test; scratch test D. Skin lesions are removed and sent to pathology laboratory for microscopic examination E. Dye is injected intravenously, and movement of blood through blood vessels in the back of

H. A vibration source is placed in front of the opening of the ear to test air conduction of

sound waves

URINARY SYSTEM

ANATOMY (FEMALE URINARY TRACT)



Urine is formed as waste materials, such as urea, are filtered from the blood into the tubules of the **kidney**. Urea is a nitrogenous waste product formed as proteins are used in cells. Urine passes from the kidney tubules into the central collecting section of the kidney, the **renal pelvis**. Each renal pelvis leads directly to a **ureter**, which takes the urine to the **urinary bladder**. The bladder releases urine to the **urethra**, and urine leaves the body. (Modified from Chabner D-E: The Language of Medicine, ed 11, St. Louis, 2017, Elsevier.)

TERMINOLOGY

Meanings for terminology are found in the *Mini-Dictionary*.

Combining Form	Meaning	Terminology Meaning
cyst/o	urinary bladder	cystoscopy
vesic/o	urinary bladder	intra <u>vesic</u> al
nephr/o	kidney	nephritis
ren/o	kidney	renal
pyel/o	renal pelvis	pyelogram
ureter/o	ureter	ureterectomy
urethr/o	urethra	urethritis

PATHOLOGY

Definitions for additional terms in **boldface** are found in the *Mini-Dictionary*.

Albuminuria: Abnormal condition of protein (albumin) in the urine.

Anuria: Abnormal condition of no urine production.

Dysuria: Painful urination.

Glycosuria: Abnormal condition of glucose in the urine. **Hematuria:** Abnormal condition of blood in the urine.

Nephrolithiasis: Abnormal condition of stones in the kidney.

Renal failure: Condition in which the kidneys stop functioning and do not produce

urine

Uremia: Condition of high levels of urea (nitrogenous waste material) in the blood.

LABORATORY TESTS AND DIAGNOSTIC PROCEDURES

Consult Appendix 2 for pronunciation of terms and additional information.

Blood urea nitrogen (BUN): Measures the amount of urea (nitrogenous waste) in the blood.

Cystoscopy: Visual examination of the urinary bladder with a cystoscope (endoscope). **Kidneys, ureters, bladder (KUB):** X-ray images of the kidneys and urinary tract

made without the use of contrast material.

Retrograde pyelogram (**RP**): Contrast material is injected through a catheter (a flexible, tubular instrument) into the urethra and bladder, and x-ray images are taken of the urethra, bladder, and ureters.

Voiding cystourethrogram (VCUG): X-ray films of the bladder and urethra taken after the bladder is filled with a contrast material and while the patient is expelling urine. Also called **cystogram.**

Urography: X-ray imaging of the urinary tract after injection of contrast material; pyelography.

TREATMENT PROCEDURES

Dialysis: Waste materials (**urea**, **creatinine**, and **uric acid**) are separated from the blood by a machine (**hemodialysis**). Alternatively, in peritoneal dialysis, an intraabdominal catheter (a flexible tubular instrument), delivers a special fluid into the abdominal, cavity. After several hours, the fluid containing waste materials that have seeped into it from the blood is drained.

Lithotripsy: Shock waves are beamed into a patient to crush urinary tract stones. The stone fragments then pass out of the body with urine. Also called **extracorporeal shock wave lithotripsy (ESWL).**

Renal transplantation: A donor kidney is transferred to a recipient, whose kidneys have both failed.

Urinary catheterization: A catheter (a flexible tubular instrument) is passed through the urethra and into the urinary bladder for short-term or long-term drainage of urine.

ABBREVIATIONS

ARF Acute renal failure

BUN Blood urea nitrogen (measures kidney function)
CAPD Continuous ambulatory peritoneal dialysis

CKD Chronic kidney disease (rising BUN and serum creatinine levels affect

many body systems)

GFR Glomerular filtration rate (measured to document stages of kidney disease)

HD Hemodialysis

KUB Kidneys, ureters, bladder (series of x-ray images made without contrast)

RP Retrograde pyelogram

UA Urinalysis

UTI Urinary tract infection
VCUG Voiding cystourethrogram

MATCHING EXERCISES

The following exercises will help you review terminology related to the urinary system. Answers begin on page 294.

Match the term in Column I with its description in Column II.

Column II 1. urinary bladder 2. kidney 3. renal pelvis 4. ureter D. One of two tubes that carry urine from the kidney to the urinary bladder

Match the combining form in Column I with its meaning in Column II.

		eolom i wan as meaning at comment.
Column I		Column II
1. ureter/o		A. Urinary bladder
2. urethr/o		B. Tube leading from the urinary bladder to the
3. pyel/o		outside of the body
4. cyst/o, vesic/o	· ·	C. Kidney
,	7	D. Tube leading from the kidney to the urinary
5. nephr/o, ren/o		bladder
		E. Renal pelvis (central collecting basin of the kidney)

E. Muscular sac that holds urine and releases it to leave the body through the urethra

Watch the modical term in Column I with its meaning in Column II.

Column I Column II 1. pyelogram A. X-ray record of the renal pelvis 2. urethritis B. Visual examination of the urinary bladder 3. nephritis C. Resection of a ureter 4. intravesical D. Pertaining to within the urinary bladder 5. cystoscopy E. Inflammation of the kidney 6. ureterectomy F. Pertaining to the kidney 7. renal G. Inflammation of the urethra

Match the pathologic condition in Column I with its maining in Column it.

Column I		Column II
1. dysuria	19	A. Kidneys stop functioning and fail to produce urine
2. hematuria		
0 '	Ť	B. Abnormal condition of protein in urine
3. uremia	+1	C. Blood in the urine
4. renal failure	<u>/</u>	
	1-	D. No urine production
5. nephrolithiasis	F.	E. H. I. land of our sin the bloodstreem
6. albuminuria	,	E. High levels of urea in the bloodstream
o. albummana	T	F. Sugar in the urine
7. glycosuria		
•		G. Painful urination
8. anuria	<u> </u>	H. Abnormal condition of kidney stones

E Match the test or procedure in Column I with its description in Column II.

INDIII SAI

Column I



- 2. dialysis
- 3. VCUG
 - 4. lithotripsy
 - 5. renal transplantation
 - 6. cystoscopy
- 7. BUN
- 8. retrograde pyelogram
 - 9. urinary catheterization

Column II

- A. Measurement of amount of nitrogenous wastes in the blood
- B. Visual examination of the urinary bladder
- C, X-ray images of the kidneys and urinary tract without contrast
- D. Tube is passed through the urethra into the urinary bladder for short- or longterm drainage of urine
- E. Shock waves are beamed into the patient to crush stones in the kidney or ureter
- F. Nitrogenous waste materials are separated from the blood by a machine
- G. After the bladder is filled with contrast, x-ray images are taken of the bladder as the patient is expelling urine
- H. Contrast material is injected via a catheter into the bladder, and x-ray images are taken of the ureters, bladder, and urethra
- A kidney from a donor is surgically implanted in a patient whose kidneys have failed

ANSWERS TO MATCHING EXERCISES

CARDIOVASCULAR SYSTEM

	1. B	3. F	5. D	7. J	9. C
	2. I	4. E	6. A	8. G	10. H

DIGESTIVE SYSTEM

0	1.	G	3.	H	5.	F	7.	В
Total State of the	2.	C	4	A	6.	D	8	\mathbf{E}

ENDOCRINE SYSTEM

_						
FEMALE RE	PRODUCTIVE S	SYSTEM				
1. C	2. B	3. D	4. A	5. F	6. E	
0 1. D	2. E	3. B	4. A	5. C	6. F	
1. D 2. F	3. H 4. A	5. G 6. B	7. E 8. C			
1. C 2. E	3. D 4. G	5. A 6. F	7. B			
1. H 2. F	3. C 4. A	5. D 6. G	7. E 8. B	9. I		
1. C	2. A	3. E	4. B	5. D		
LYMPHATIC	SYSTEM					
(a) 1. C	2. B	3. D	4. A	5. E		
1. C	2. D	3. E	4. A	5. B		
1. G 2. D	3. E 4. A	5. F 6. B	7. C			
1. D	2. C	3. E	4. B	5. A		
MALE REPR	ODUCTIVE SYS	STEM				
(1) 1. C	2. B	3. D	4. A	5. E		
1 . B	2. E	3. D	4. F	5. C	6. A	
1. D 2. E	3. F 4. C	5. A 6. G	7. B			
① 1. E	2. F	3. C	4. D	5. B	6. A	
1. E	2. F	3. D	4. C	5. A	6. B	

MUSCULOSKELETAL SYSTEM						
1. H 2. E 3. K 4. D	5. J 6. R 7. Q 8. A	9. T 10. G 11. I 12. S	13. L 14. P 15. C 16. N	17. F 18. M 19. B 20. O		
1. D 2. C	3. H 4. E	5. G 6. F	7. I 8. B	9. A 10. J		
1. G 2. E	3. D 4. I	5. B 6. F	7. C 8. H	9. A		
1. C	2. B	3. E	4. F	5. A	6. D	
1. E 2. G	3. A 4. F	5. B 6. C	7. D 8. I	9. J 10. H		
() 1. D	2. C	3. A	4. B			
NERVOUS SY	STEM					
1. C	2. B	3. E	4. A	5. D		
① 1. B	2. E	3. D	4. F	5. C	6. A	
() 1. D	2. B	3. F	4. E	5. A	6. C	
1. E 2. F	3. G 4. C	5. J 6. A	7. I 8. H	9. D 10. B		
1. D 2. B	3. E 4. C	5. A 6. H	7. I 8. G	9. F		
RESPIRATOR	Y SYSTEM					
1. F 2. D	3. I 4. A	5. J 6. C	7. B 8. H	9. E 10. G		
1. E 2. G	3. I 4. D	5. F 6. A	7. C 8. J	9. B 10. H		
O 1. D 2. A	3. H 4. G	5. I 6. C	7. J 8. E	9. B 10. F		
1. A 2. F	3. G 4. H	5. I 6. C	7. D 8. E	9. B		
1. G 2. H	3. D 4. F	5. A 6. C	7. B 8. E	9. J 10. I		
1. B	2. D	3. A	4. C			

SKIN AND SENSE ORGANS

- (A) 1. E
- 2. A
- 3. D
- 4. C
- 5. B

- B 1. G
- 3. F
- 5. E

- 2. K
- 4. C
- 6. A
- 7. I
- 9. J 10. D

11. H

- (1. C
- 3. D
- 5. H
- 8. B

- 2. G
- 4. F
- 6. A
- 7. E 8. B

- 1. E 2. D
- 3. F 4. G
- 5. C 6. H
- 7. A 8. I
- 9. J 10. B

- 1. F 2. D
- 3. G 4. E
- 5. A 6. C
- 7. B

- 1. D 2. G
- 3. H 4. E
- 5. F 6. C
- 7. A 8. B

URINARY SYSTEM

- 1. E
- 2. C
- 3. B
- 4. D
- 5. A 5. C

1. D

1. A

2. G

2. B

3. G

4. E

- 3. E
- 4. A 7. F

- 3. E 4. D
- 5. B 6. C

1. G

1. C

2. F

- 3. E 2. C 4. A
- 5. H

5. I

6. B

- 6. B
 - 8. D
 - 7. A 8. H

7. F

9. D

Diagnostic Tests and Procedures

This resource contains a color-coded list of common diagnostic tests and procedures. Below is information related to the types of tests/procedures.

· Radiology, Ultrasound, and Imaging Procedures

In many procedures, a *contrast* substance (sometimes referred to as a *dye*) is introduced into the bloodstream, the gastrointestinal tract, or spinal cord so that a body part can be viewed while x-ray pictures are taken. The contrast substance (often containing barium or iodine) blocks the transmission of the x-ray and appears dense on the x-ray image. It outlines the body part that it fills.

The suffix -GRAPHY, meaning process of recording, is used in many terms describing imaging procedures. The suffix -GRAM, meaning a record, also is used and describes the actual image that is produced by this procedure.

• Nuclear Medicine: Radionuclide Scans

In these diagnostic tests, radioactive material (*radionuclide* or *radioisotope*) is injected intravenously or inhaled and then detected with a scanning device in the organ in which it accumulates. X-rays, ultrasound waves, or magnetic waves are not used.

• Clinical Procedures

These procedures are performed on patients to establish a correct diagnosis of an abnormal condition. In some instances, the procedure also may be used to treat the condition.

• Laboratory Tests

These tests are performed on samples of a patient's blood, *plasma* (fluid portion of the blood), *serum* (plasma minus clotting proteins and produced after blood has clotted), urine, feces, *sputum* (mucus coughed up from the lungs), *cerebrospinal fluid* (fluid within the spaces around the spinal cord and brain), and skin.

In the pronunciation of each term, the syllable that gets the accent is in CAPITAL LETTERS.

Italicized terms indicate important additional terminology.

Terms in SMALL CAPITAL LETTERS are defined elsewhere in this section.

Definitions of medical terms in this section are also on the Student Evolve Resource.



Abdominocentesis (ab-dom-in-o-sen-TE-sis): See PARACENTESIS.

Acid phosphatase test (AH-sid FOS-fah-tays): Measurement of the amount of an enzyme called *acid phosphatase* in serum. Enzyme levels are elevated in metastatic prostate cancer. Moderate elevations occur in bone disease and metastatic breast cancer.

Alanine transaminase (ALT) test (AL-ah-neen tranz-AM-ih-nays): Measurement of the amount of the enzyme called *alanine transaminase* in serum. The enzyme is normally present in blood but accumulates in blood with damage to liver cells. Formerly called SGPT.

Albumin test (al-BU-min): Measurement of the amount of albumin (a large protein found in blood and tissues) in both serum and urine. A decreased albumin level in serum indicates malnutrition or liver disease or may occur with extensive loss of protein in the urine or intestines, or from the skin, as in a burn. The presence of albumin in the urine (albuminuria) indicates malfunction of the kidney.

Alkaline phosphatase test (AL-kah-lin FOS-fah-tase): Measurement of the amount of *alkaline phosphatase* (an enzyme found in cells) in serum. Levels are elevated in liver diseases (such as hepatitis and hepatoma) and in bone disease and cancer metastatic to bone or liver. On laboratory reports, usually abbreviated as *alk phos* or *ALK PHOS*.

Allergy test (AL-er-je test): A small quantity of suspected allergic substance is applied to the skin or injected under the skin, and any reaction is noted.

Alpha-fetoprotein test (al-fah-fe-to-PRO-teen): Determination of the presence of a protein called alpha-fetoprotein in serum. The protein normally is present in the serum of the fetus, infant, and pregnant woman. In fetuses with abnormalities of the brain and spinal cord, the protein leaks into the amniotic fluid surrounding the fetus, so it is an indicator of a spinal tube defect (spina bifida) or anencephaly (lack of brain development). High levels are found in patients with cancer of the liver and other malignant diseases (testicular and ovarian cancers). Serum levels monitor the effectiveness of cancer treatment. Elevated levels are also seen in benign liver diseases such as cirrhosis and viral hepatitis. On laboratory reports, usually abbreviated *AFP*.

Amniocentesis (am-ne-o-sen-TE-sis): Surgical puncture to remove fluid from the sac (amnion) that surrounds the fetus in the uterus. The fluid contains cells from the fetus that can be examined with a microscope for chromosomal analysis. Levels of chemicals in amniotic fluid also can detect defects in the fetus.

ANA test: See ANTINUCLEAR ANTIBODY TEST.

Angiography (an-je-OG-rah-fe) or **angiogram** (AN-je-o-gram): X-ray imaging of blood vessels. A contrast substance is injected into a blood vessel (vein or artery), and x-ray images are taken of the vessel. In *cerebral angiography*, x-ray images show blood vessels in the brain. In *coronary angiography*, x-rays detect abnormalities in vessels that bring blood to the heart. Angiograms can detect blockage by clots, cholesterol plaques, tumors, or aneurysms (ballooning or dilating of the vessel wall). Angiography is performed frequently to view arteries and is often used interchangeably with *arteriography*. It is also used to view veins (*venography*), to detect blood clots or pulmonary emboli.

Antinuclear antibody test (an-tih-NU-kle-ar AN-tih-bod-e test): A sample of plasma is tested for the presence of antibodies that are found in patients with systemic lupus erythematosus. On laboratory reports, usually abbreviated *ANA*.

Arteriography (ar-teer-e-OG-rah-fe) or **arteriogram** (ar-TEER-e-oh-gram): X-ray recording of an artery and its branches after injection of a contrast substance into an artery. *Coronary arteriography* is the visualization of arteries that travel across the outer surface of the heart and bring blood to the heart muscle.

Arthrocentesis (ar-thro-sen-TE-sis): Puncture to remove fluid from a joint. This usually is done through the skin with a *percutaneous* needle.

Arthrography (arth-ROG-rah-fe): X-ray examination of the inside of a joint with a contrast medium.

Aspartate transaminase (AST) test: Measurement of the enzyme *aspartate transaminase* in serum. The enzyme normally is present in blood but accumulates when there is damage to the heart or to liver cells. Formerly called *SGOT*.

Aspiration (as-pih-RA-shun): Withdrawal of fluid from a cavity or sac by suction through a needle or tube. The term *aspiration pneumonia* refers to an infection caused by inhalation of food or an object into the lungs.

Audiometry (aw-de-OM-eh-tre): Test using sound waves of various frequencies (e.g., 500 Hz), up to 8000 Hz, to quantify the extent and type of hearing loss. An *audiogram* is the record produced by this test.

Auscultation (aw-skul-TA-shun): Process of listening for sounds produced within the body. This is most often performed with the aid of a stethoscope to determine the condition of the heart and lungs and blood vessels or to detect the fetal heartbeat.



Bacterial and fungal tests (bak-TER-e-al and FUNG-al tests): Samples from skin lesions or other sites (e.g., blood, bone marrow, sputum) are cultured in a laboratory or analyzed microscopically to diagnose bacterial or fungal conditions.

Barium enema: See LOWER GASTROINTESTINAL EXAMINATION and BARIUM TESTS.

Barium swallow: See ESOPHAGOGRAPHY, BARIUM TESTS, and UPPER GASTROINTESTINAL EXAMINATION.

Radiology, Ultrasound, and Imaging Procedures

Nuclear Medicine—Radionuclide Scans

[■] Clinical Procedures

Laboratory Tests

- Barium tests (BAH-re-um tests): X-ray examinations with a liquid barium mixture that is swallowed or given by enema to outline the surface of the gastrointestinal tract. These studies may locate disorders in the esophagus (esophagogram), duodenum, small intestine (small bowel follow-through), or colon (barium enema). Taken before or during the examination, barium causes the intestinal tract to stand out in silhouette when viewed through a fluoroscope (see FLUOROSCOPY) or seen on an x-ray image. The barium swallow is used to examine the upper gastrointestinal tract, and the barium enema is for examination of the lower gastrointestinal tract. These tests are complemented by ENDOSCOPY (see page 304).
- Bence Jones protein test (bens jonz PRO-teen): Measurement of the Bence Jones protein in serum or urine. Bence Jones protein is a fragment of a normal serum protein, an immunoglobulin, produced in greatly excessive amounts by cancerous bone marrow cells (myeloma cells). Normally it is not found in either blood or urine, but in *multiple myeloma* (a malignant condition of bone marrow), high levels of Bence Jones protein may be detected in urine.
- **Bilirubin test** (bil-ih-RU-bin): Measurement of the amount of bilirubin, an orange-brown pigment, in serum and urine. Bilirubin is derived from breakdown of hemoglobin, the oxygen-carrying protein in red blood cells. Its presence in high concentration in serum and urine causes *jaundice* (yellow coloration of the skin) and may indicate disease of the liver, obstruction of bile ducts, or a type of anemia due to excessive destruction of red blood cells.
- **Biopsy** (BI-op-se): Removal of a piece of tissue from the body for subsequent examination under a microscope. The procedure is performed with a surgical knife or by needle aspiration, or *core biopsy*, or via an endoscopic approach (using a special forceps-like instrument inserted through a hollow flexible tube.) *Excisional biopsy* means that the entire tissue to be examined is removed. An *incisional biopsy* is the removal of only a small amount of tissue, and a *needle* or *core biopsy* indicates that tissue is pierced with a hollow needle and fluid and/or cells are withdrawn by aspiration for microscopic examination.
- Blood chemistry profile: A comprehensive blood test that is a biochemical examination of various substances in the blood using a computerized laboratory analyzer. Tests include measurements of albumin (liver and kidney), alkaline phosphatase (liver and bone), AST (liver and heart muscle) and ALT (liver), bilirubin (liver), calcium (bones), creatinine (kidney), electrolytes (acid-base balance), globulin (liver and immune disorders), lipids (such as cholesterol and triglycerides), phosphorus (bones), and urea (kidney). Also called *sequential multiple analysis* (SMA). SMA-6, SMA-12, and SMA-18 indicate the number of blood tests performed.
- **Blood culture** (blud KUL-chur): Test to determine whether infection is present in the bloodstream. A sample of blood is added to a special medium (food) that promotes the growth of microorganisms. The medium is then examined by a medical technologist for evidence of bacteria or other microbes.
- Blood Differential test (blud dih-fer-EN-shul): See WHITE BLOOD CELL (WBC) COUNT.
- Blood urea nitrogen (BUN) test (blud u-RE-ah NI-tro-jen): Measurement of the amount of urea (nitrogen-containing waste material) in serum. A high level of serum urea indicates poor kidney function because it is the kidney's job to remove

urea from the bloodstream and filter it into urine. On laboratory reports, usually abbreviated *BUN*. Urea is a product of the breakdown of proteins.

Bone density test (bone DEN-sih-te test): Low-energy x-rays are used for this study, which measures bone thickness and reveals areas of bone deficiency (osteopenia) and osteoporosis (bones become thinner, more fragile, and likely to break). This study is most often performed on the lower spine or hips. Also called bone densitometry or DEXA (dual-energy x-ray absorptiometry).

Bone marrow biopsy (bone MAH-ro BI-op-se): Removal of a small amount of bone marrow via a needle biopsy. The cells are then examined with a microscope. The liquid content of the marrow cavity is withdrawn by *aspiration* and examined separately from the rest of the biopsy sample. Often the hip bone (iliac crest) is used, and the biopsy is helpful in determining the number and type of blood cells in the bone marrow.

Bone scan: A radioactive substance (usually a TECHNETIUM isotope) is injected intravenously, and its uptake in bones is detected with a scanning device. Tumors in bone can be detected by increased uptake of the radioactive material in the areas of the lesions.

Brain scan: A radioactive substance is injected intravenously. It collects in any lesion that disturbs the natural barrier that exists between blood vessels and normal brain tissue (blood–brain barrier), allowing the radioactive substance to enter the brain tissue. A scanning device detects the presence of the radioactive substance and thus can identify an area of tumor, abscess, or hematoma. This procedure has largely been replaced by COMPUTED TOMOGRAPHY or MAGNETIC RESONANCE IMAGING.

Bronchoscopy (brong-KOS-ko-pe): Visual examination of the bronchial passages through a flexible tube (endoscope) inserted into the airway. The lining of the bronchial tubes can be seen, and tissue may be removed for biopsy. The tube is usually inserted through the mouth or nose but can also be directly inserted into the airway during mediastinoscopy. Sedation is required for this procedure.



CA-125 test: Blood test measuring CA-125, a protein released into the bloodstream by ovarian cancer cells. Measurement of CA-125 determines response to treatment.

Calcium test (KAL-se-um): Measurement of the amount of calcium in serum, plasma, or whole blood. Low blood levels cause abnormal functioning of nerves and muscles, and high blood levels may be due to loss of calcium from bones, excessive intake of calcium, disease of the parathyroid glands, or cancer. On laboratory reports, usually given as the symbol Ca.

Carbon dioxide test (KAR-bon di-OK-side): Blood test that measures all forms of carbon dioxide (gas produced by cells and eliminated by the lungs) in blood. On laboratory reports, abbreviated CO_2 .

Radiology, Ultrasound, and Imaging Procedures

Nuclear Medicine—Radionuclide Scans

[■] Clinical Procedures

Laboratory Tests

- **Carcinoembryonic antigen test** (kar-sih-no-em-bree-ON-ik AN-ti-jen): A plasma test for a protein normally found in the blood of human fetuses and produced in healthy adults in only a very small amount. High levels of this antigen may be a sign of one of a variety of cancers, especially colon or pancreatic cancer. This test monitors the response of patients to cancer treatment. On laboratory reports, usually abbreviated *CEA*.
- Cardiac catheterization (KAR-de-ak kath-eh-ter-ih-ZA-shun): Procedure in which a catheter (tube) is passed via vein or artery into the chambers of the heart to measure the blood flow out of the heart and the pressures and oxygen content in the heart chambers. Contrast material is also introduced into heart chambers, and x-ray pictures are taken to show heart and heart valve structure.
- **Cardiac enzyme tests** (CAR-dee-ak EN-zym tests): Measurements of enzymes released into the bloodstream after a heart attack. Examples are creatine kinase (CK) and troponin I and troponin T.
- Catheterization (kath-eh-ter-ih-ZA-shun): Introduction of a hollow, flexible tube into a vessel or cavity of the body to withdraw or instill fluids. Catheterization also is used to measure pressure in vessels and to inject contrast material for outlining vessels or heart chambers. Male and female *Foley catheters* are used for urinary catheterization. *Cardiac catheterization* involves insertion of a catheter into a large vein or artery; from there, it is threaded through the circulation system to the heart. Contrast can be administered to visualize blood vessels for diagnosis and treatment procedures.
- Cerebral angiography: See ANGIOGRAPHY.
- Cerebrospinal fluid (CSF) analysis (seh-re-bro-SPI-nal FLU-id a-NAL-i-sis):

 Measurement of cerebrospinal fluid for pressure, protein and sugar content, blood cells, and malignant cells. The fluid also is cultured to detect microorganisms. Chemical tests are performed on specimens of the fluid removed by *lumbar puncture*. Abnormal conditions such as meningitis, tumor involving the spinal canal, and encephalitis are detected by analysis of the spinal fluid. On laboratory reports, usually abbreviated *CSF*.
- Chest x-ray: An x-ray image of the chest wall, lungs, and heart. It may show infection (as in pneumonia or tuberculosis), emphysema, damage due to occupational exposure (asbestosis), lung tumors, fluid accumulation (PLEURAL EFFUSION), or heart enlargement. Also called *chest film* (or *chest x-ray film*) and *chest radiograph*.
- Cholangiography (ko-lan-je-OG-rah-fe) or cholangiogram (ko-LAN-je-o-gram): X-ray recording or record of bile ducts. Contrast material is given by intravenous injection (*IV cholangiogram*) and collects in the gallbladder and bile ducts. Also, contrast can be introduced (through the skin) using a percutaneously placed needle inserted into an intrahepatic duct (*percutaneous transhepatic cholangiography*). X-ray images of bile ducts are obtained to identify obstructions caused by tumors or stones. This procedure has largely been replaced by COMPUTED TOMOGRAPHY and MAGNETIC RESONANCE IMAGING, and by ULTRASONOGRAPHY for stones.
- Cholesterol tests (ko-LES-ter-ol): Measurement of the amount of cholesterol (substance found in animal fats and oils, egg yolks, and milk and produced by the

liver) in serum. Normal values for adults are 120 to 200 mg/dL. Levels above 200 mg/dL indicate a need for further testing and efforts to reduce cholesterol level, because high levels are associated with blockage of arteries and heart disease. Blood also is tested for the presence of a lipoprotein substance that is a combination of cholesterol and protein. High levels (optimal level is 60 to 100 mg/dL) of high-density lipoprotein (HDL) cholesterol in the blood are beneficial because HDL cholesterol promotes the removal and excretion of excess cholesterol from the blood serum, whereas high levels of low-density lipoprotein (LDL) are associated with the development of atherosclerosis (optimal level is 100 mg/dL or less). The ratio of HDL to LDL is most important.

- **Chorionic villus sampling** (kor-e-ON-ik VIL-us SAM-pling): Removal of a small piece of placental tissue for microscopic or genetic analysis to detect fetal abnormalities.
- **Colonoscopy** (ko-lon-OS-ko-pe): Visual examination of the colon using a flexible tube (endoscope) inserted through the rectum and passed into the large bowel. Biopsy samples may be taken and benign growths, such as polyps, removed through the endoscope. The removal of a polyp is a *polypectomy* (pol-ih-PEK-to-me).
- **Colposcopy** (kol-POS-ko-pe): Visual examination of the vagina and cervix through a special microscope inserted into the vagina. The vaginal walls are held apart with a speculum so that all tissues can be viewed.
- **Complete blood count (CBC):** Determination of the numbers of leukocytes (white blood cells), erythrocytes (red blood cells), and platelets (clotting cells). The CBC is useful in diagnosis of anemia, infection, and blood cell disorders, such as leukemia.
- Computed tomography (kom-PU-ted to-MOG-rah-fe) or CT and CT scan: X-ray examination that shows images of the body in cross-section. Contrast material may be used (injected into the bloodstream) to highlight structures such as the liver, brain, or blood vessels, and barium can be swallowed to outline gastrointestinal organs. X-ray images, obtained as the x-ray tube rotates (helical CT) around the body, are processed by a computer to show "slices" of body tissues, most often within the head, chest, and abdomen.
- **Conization** (ko-nih-ZA-shun): Removal of a cone-shaped sample of uterine cervix tissue. This sample is then examined with a microscope for evidence of cancerous growth. The special shape of the tissue sample allows the pathologist to examine the transitional zone of the cervix, where cancers are most likely to develop.

Coronary arteriography: See ARTERIOGRAPHY.

Creatine kinase test (KRE-ah-tin KI-nas): Measurement of levels of creatine kinase, a blood enzyme. Creatine kinase (*CK*) is normally found in heart muscle, brain tissue, and skeletal muscle. The presence of one form (*isoenzyme*) of creatine kinase (either CK-MB or CK2) in the blood is strongly indicative of recent myocardial infarction (heart attack) because the enzyme is released from heart muscle when the muscle is damaged or dying.

Radiology, Ultrasound, and Imaging Procedures

[■] Nuclear Medicine—Radionuclide Scans

Clinical Procedures

Laboratory Tests

- Creatinine test (kre-AT-tih-neen): Measurement of the amount of creatinine, a nitrogen-containing waste material, in serum or plasma. It is the most commonly used test for kidney function. Because creatinine normally is produced as a protein breakdown product in muscle and is excreted by the kidney in urine, an elevation in the creatinine level in the blood indicates abnormal kidney function. Elevations also are seen in patients on high-protein diets and with dehydration.
- Creatinine clearance test (kre-AT-tih-neen KLEER-ans): Measurement of the rate at which creatinine is cleared (filtered) by the kidneys from the blood. A low creatinine clearance indicates that the kidneys are not functioning effectively to clear creatinine from the bloodstream and filter it into urine.
- Culdocentesis (kul-do-sen-TE-sis): Surgical puncture to remove fluid from the cul-de-sac (the space between the rectum and the uterus) through a thin, hollow needle inserted through the vagina into this space. The fluid is then analyzed for evidence of cancerous cells, infection, or blood cells.
- Culture (KUL-chur): Test in which a sample of body fluids (such as urine, blood, sputum) is mixed with or applied to a sterile growth medium, and if present, bacteria, fungi, or viruses are allowed to grow for several days. Microorganisms that grow out are then identified. In sensitivity testing, culture plates containing a specific microorganism are prepared and antibiotic-containing disks are applied to the culture surface. After overnight incubation, the area surrounding the disk (where growth was inhibited) is measured to determine whether the antibiotic is effective against the specific organism. Stool samples may also be cultured.
- **Cystography** (sis-TOG-rah-fe) or **cystogram** (SIS-to-gram): X-ray recording of the urinary bladder with a contrast medium so that the outline of the urinary bladder can be seen clearly. A contrast substance is injected via catheter into the urethra and urinary bladder, and x-ray images are made. A *voiding cystourethrogram* is an x-ray image of the urinary tract made while the patient is urinating.
- **Cystoscopy** (sis-TOS-ko-pe): Visual examination of the urinary bladder through a thin tube or cystoscope (endoscope) inserted into the urethra and then passed into the bladder. This procedure is used to visualize inflammation and tumors of the bladder, to remove stones, and to perform a biopsy of suspicious areas.

D

- **Digital rectal examination** or **DRE** (DIJ-ih-tal REK-tal eks-am-ih-NA-shun): The physician inserts a gloved finger into the patient's rectum to detect rectal cancer and as a primary method to detect prostate cancer. Stool on the removed glove is tested for occult blood, a possible sign of disease.
- Digital subtraction angiography (DIJ-ih-tal sub-TRAK-shun an-je-OG-rah-fe): A unique x-ray technique for viewing blood vessels by taking two images and subtracting one from the other. Images are first obtained without contrast material and then again after contrast is injected into blood vessels. The first image is then subtracted from the second so that the final image (sharp and precise) shows only contrast-filled blood vessels and not the surrounding tissue.
- Dilation and curettage or D&C (di-LA-shun and kur-eh-TAJ): A series of probes of increasing size are systematically inserted through the vagina into the opening of

the cervix. The cervix is thus dilated (widened) so that a curette (spoon-shaped instrument) can be inserted to remove tissue from the lining of the uterus. The tissue is then examined with a microscope.

Doppler ultrasound (DOP-ler UL-trah-sownd): Technique that focuses sound waves on blood vessels and measures blood flow as echoes bounce off red blood cells. Arteries or veins in the arms, neck, legs, or abdomen are examined to detect vessels that are occluded (blocked) by clots or atherosclerosis.



Echocardiography (eh-ko-kar-de-OG-rah-fe) or **echocardiogram** (eh-ko-KAR-de-ogram): Imaging of the heart by introducing high-frequency sound waves through the chest into the heart. The sound waves are reflected back from the heart, and echoes showing heart structure are displayed on a recording machine. It is a highly useful diagnostic tool in the evaluation of diseases of the valves that separate the heart chambers and diseases of the heart muscle.

Electrocardiography or **ECG/EKG** (e-lek-tro-kar-de-OG-rah-fe): Connection of electrodes (wires or "leads") to the body to record electrical impulses from the heart. The *electrocardiogram* is the actual record produced. This test is useful in discovering abnormalities in heart rhythms and for diagnosing heart disorders.

Electroencephalography or **EEG** (e-lek-tro-en-sef-ah-LOG-rah-fe): Connection of electrodes (wires or "leads") to the scalp to record electricity coming from within the brain. The *electroencephalogram* is the actual record produced. This test is useful in the diagnosis and monitoring of epilepsy and in the investigation of neurologic disorders. It also is used to evaluate patients in coma (brain inactivity) and in the study of sleep disorders.

Electrolyte panel (e-LEK-tro-lyt PAH-nul): Determination of the concentrations of *electrolytes* (chemical substances capable of conducting an electric current) in serum or whole blood. When dissolved in water, salts, such as sodium chloride, break apart into charged particles (*ions*). The common positively charged electrolytes are *sodium* (Na⁺), *potassium* (K⁺), *calcium* (Ca²⁺), and *magnesium* (Mg²⁺). The common negatively charged electrolytes are *chloride* (Cl⁻) and *bicarbonate* (HCO₃⁻). These charged particles should be present at all times for proper functioning of cells. An electrolyte imbalance occurs when serum concentration is either too high or too low. Calcium imbalance can affect the bones, kidneys, gastrointestinal tract, and neuromuscular activity, and sodium imbalance will affect blood pressure, nerve functioning, and fluid levels surrounding cells. Potassium ion imbalance impairs heart and muscular activity.

Electromyography or **EMG** (e-lek-tro-mi-OG-rah-fe): Recording of the electrical activity of muscle tissue using electrodes attached to the skin or inserted into the muscle. This procedure detects neuromuscular abnormalities.

Electrophoresis: See SERUM PROTEIN ELECTROPHORESIS.

Radiology, Ultrasound, and Imaging Procedures

Nuclear Medicine—Radionuclide Scans

Clinical Procedures

Laboratory Tests

- **ELISA** (eh-LI-zah): A laboratory assay (test) for the presence of antibodies to abnormal proteins such as tumor antigens or viruses, such as HIV. ELISA is an acronym for enzyme-linked immunosorbent assay. It also is known as EIA or enzyme immunoassay.
- Endoscopic retrograde cholangiopancreatography or ERCP (en-do-SKOP-ik REH-tro-grayd kol-an-je-o-pan-kre-ah-TOG-rah-fe): X-ray recording of the bile ducts, pancreas, and pancreatic duct using radiopaque contrast injected through an endoscope, passed through the mouth, esophagus, and duodenum into the bile and pancreatic ducts, and x-ray images are then obtained.
- **Endoscopic ultrasonography** or **E-US** (en-do-SKOP-ik ul-trah-so-NOG-rah-fe): Sound waves are generated from a tube inserted through the mouth and into the esophagus. The sound waves bounce off internal structures and are detected by surface coils. This study can detect enlarged cancerous lymph nodes and tumors in the chest and upper abdomen. This procedure is used for *staging* (evaluation of size and spread) of gastric and esophageal tumors.
- **Endoscopy** (en-DOS-ko-pe): Inspection of an organ or body cavity through a narrow, tube-like instrument (endoscope) inserted into the organ or cavity. The endoscope is placed through a natural opening (the mouth or anus) or into a surgical incision, such as through the abdominal wall. Endoscopes contain bundles of glass fibers that carry light (fiberoptic); some instruments are equipped with a small forceps-like device that withdraws a sample of tissue for microscopic study (biopsy). Examples of endoscopy are bronchoscopy, colonoscopy, esophagoscopy, gastroscopy, and laparoscopy.
- **Erythrocyte sedimentation rate** (eh-RITH-ro-site sed-ih-men-TA-shun rate): Measurement of the rate at which red blood cells (erythrocytes) in well-mixed venous blood settle to the bottom (sediment) of a test tube. If the rate of sedimentation is markedly rapid (elevated rate), it may indicate inflammatory conditions, such as rheumatoid arthritis, or conditions that produce excessive proteins in the blood. On laboratory reports, usually abbreviated *ESR* or *sed rate*.
- **Esophagogastroduodenoscopy** or **EGD** (eh-SOF-ah-go-GAS-tro-du-o-den-NOS-ko-pe): Visual examination of the esophagus, stomach, and first part of the small intestine using an endoscope inserted through the mouth and down the throat.
- **Esophagography** (eh-sof-ah-GOG-rah-fe) or **esophagogram** (eh-SOF-ah-go-gram): X-ray recording or record of the esophagus performed after barium sulfate is swallowed. This test is part of a BARIUM SWALLOW and UPPER GASTROINTESTINAL EXAMINATION.
- **Esophagoscopy** (eh-sof-ah-GOS-ko-pe): Visual examination of the esophagus performed through an endoscope inserted into the mouth and down the throat. This procedure allows detection of ulcers, tumors, or other lesions.
- **Estradiol assay** (es-trah-DI-ol AS-a): Test for the concentration of estradiol, which is the predominant form of estrogen (female hormone) in serum, plasma, or urine.
- Estrogen receptor assay (ES-tro-jen re-SEP-tor AS-a): Test performed on a breast biopsy specimen to determine whether a sample of tumor contains an estrogen receptor protein. If the protein is present (positive result) on breast cancer cells, this indicates that estrogens can stimulate growth of the tumor. Then treatment with an anti-estrogen drug would retard tumor growth. If the assay result is

negative (the protein is not present), then the tumor cells would not be killed by anti-estrogen drug treatment.

Excisional biopsy (ek-SIH-zhin-al BI-op-se): See BIOPSY.

Exophthalmometry (eks-of-thal-MOM-eh-tre): Measurement of the extent of protrusion of the eyeball in *exophthalmos*. Exophthalmos may be caused by tumors behind the eye, or by an overactive thyroid gland.

F

Fluorescein angiography (flur-uh-seen an-je-OG-rah-fe): Fluorescein (a contrast substance) is injected intravenously and the movement of blood is observed by ophthalmoscopy. It is used to detect diabetes or hypertensive retinopathy and also degeneration of the macular (central) area of the retina.

Fluoroscopy (flur-OS-ko-pe): An x-ray examination that uses a fluorescent screen rather than a photographic plate to show images of the body in motion. X-rays that have passed through the body strike a screen covered with a fluorescent substance that emits yellow-green light. Internal organs are seen directly (still images are stored either on film or on a computer as digital images) and in motion. Fluoroscopy is used to guide the insertion of catheters and to direct organ biopsy, and may be enhanced with barium ingestion. CT-guided biopsy is used most often now.

Frozen section (fro-zen SEK-shun): Technique for (or method of) rapid preparation of a biopsy sample for examination during an actual surgical procedure. Tissue is taken from the operating room to the pathology laboratory and frozen. It is then thinly sliced, stained, and immediately examined with a microscope to determine whether the sample is benign or malignant and to determine the status of margins around a tumor.

G

Gallbladder ultrasound (GAWL-blah-der UL-trah-sownd): Sound waves are used to visualize gallstones. This procedure has replaced the x-ray test known as cholecystography.

Gallium scan (GAL-e-um scan): Radioactive gallium (gallium citrate) is injected into the bloodstream and is detected in the body with a scanning device that produces an image of the areas where gallium collects. Gallium accumulates in sites where cells are dividing, such as certain tumors and areas of inflammation.

Gastroscopy (gas-TROS-ko-pe): Visual examination of the stomach through an endoscope inserted down through the esophagus, for either diagnostic inspection or biopsy. When the upper portion of the small intestine is also visualized, the procedure is called *esophagogastroduodenoscopy* (*EGD*).

Glucose test (GLU-kos test): Measurement of the amount of glucose (sugar) in serum and plasma. High levels of glucose (hyperglycemia) indicate the presence of diabetes mellitus. Glucose also is measured in urine, where its presence also usually indicates diabetes mellitus. The fasting blood sugar test is measurement of blood sugar after a patient has fasted.

Radiology, Ultrasound, and Imaging Procedures

[■] Nuclear Medicine—Radionuclide Scans

Clinical Procedures

Laboratory Tests

Glucose tolerance test (GLU-kos TOL-er-ans test): Test to determine how the body responds to glucose. In the first part of this test, blood and urine samples are taken after the patient has fasted. Then a solution of 100 grams of glucose is given by mouth. Additional blood and urine samples are obtained a half hour after the glucose is taken and again at intervals of up to 2 hours to determine the rate of rise in and then the fall of glucose in the blood. This test will diagnose diabetes mellitus.

Н

- **Hematocrit** (he-MAT-o-krit): Measurement of the percentage blood volume occupied by red blood cells. The normal range is 40% to 50% in males and 37% to 47% in females. A low hematocrit indicates anemia. On laboratory reports, usually abbreviated *Hct* or *HCT*.
- **Hemoccult test** (he-mo-KULT test): Examination of small sample of stool for otherwise in apparent occult (hidden) traces of blood. The sample is placed on the surface of a collection kit and reacts with a chemical (e.g., guaiac). A positive result may indicate bleeding from polyps, ulcers, or malignant tumors. This is an important screening test for colon cancer. Also called a STOOL GUAIAC TEST.
- **Hemoglobin assay** (HE-mo-glo-bin AS-a): Measurement of the concentration of hemoglobin (protein that carries oxygen in red blood cells) in blood. The normal blood hemoglobin ranges are 13.0 to 17.0 g/dL in adult males and 12.0 to 15.0 g/dL in adult females. On laboratory reports, usually abbreviated *Hb* (or *hgb* or *Hgb*).
- **Holter monitoring** (HOL-ter MON-ih-ter-ing): Electrocardiographic recording of heart activity over an extended period of time. The Holter monitor device is worn by the patient as normal daily activities are performed. It detects heart rhythm abnormalities. Also called *ambulatory electrocardiography*.
- **Human chorionic gonadotropin assay** (HU-man kor-e-ON-ik go-nad-o-TRO-pin AS-a): Measurement of the concentration of human chorionic gonadotropin (a hormone secreted by cells of the fetal placenta) in urine. It is detected in urine within days after fertilization of egg and sperm cells and provides the basis of the most commonly used pregnancy test. It also is elevated in patients with certain tumors. On laboratory reports, usually abbreviated *HCG* or *hCG*.
- **Hysterosalpingography** (his-ter-o-sal-ping-OG-rah-fe) or **hysterosalpingogram** (his-ter-o-sal-PING-o-gram): X-ray recording (imaging) or record of the uterus and fallopian tubes. Contrast material is inserted through the vagina into the uterus and fallopian tubes, and x-ray images are obtained to detect blockage or tumor.
- **Hysteroscopy** (his-ter-OS-ko-pe): Visual examination of the uterus using an endoscope passed through the uterine neck or cervix into the uterus.



Immunoassay (im-u-no-AS-a): A method of testing blood and urine for the concentration of various chemicals, such as hormones, drugs, or proteins. The technique makes use of the immunological reaction between antigens and antibodies. An *assay* is a determination of the amount of any particular substance in fluid or tissue.

Immunoglobulin test (im-u-no-GLOB-u-lin test): Measurement (in serum) of proteins (antibodies) that bind to and destroy foreign substances (antigens). Immunoglobulins are made by cells of the immune system.

Immunohistochemistry (im-u-no-his-to-KEM-is-tre): An antibody tagged with a fluorescent label or dye is spread over a tissue biopsy specimen and used to detect the presence of a particular antigen produced by the tissue or a tumor or infection.

Incisional biopsy (in-SIZH-un-al BI-op-se): See BIOPSY.

Intravenous pyelography: See UROGRAPHY.

K

Kidneys, ureters, bladder (KID-neez, UR-eh-terz, BLAH-der) or **KUB:** X-ray images of the kidney, ureters, and urinary bladder, made without contrast material.

L

Laparoscopy (lap-ah-ROS-ko-pe): Examination of the abdominal cavity through an endoscope inserted into the abdomen. After the patient receives a local anesthetic, a laparoscope is placed through an incision in the abdominal wall. This procedure gives the physician a view of the abdominal cavity, the surface of the liver and spleen, and the pelvic region. Laparoscopy can be used to remove some organs (such as the gallbladder, appendix, and ovary) and tumors and for fallopian tube ligation to prevent pregnancy.

Laryngoscopy (lah-rin-GOS-ko-pe): Visual examination of the voice box (larynx) through an endoscope inserted down the trachea (airway). The laryngoscope transmits a magnified image of the larynx through a system of lenses and mirrors. The procedure can reveal tumors and explain changes in the voice. Sputum samples and tissue biopsy specimens are obtained by using brushes or forceps attached to the laryngoscope.

Lipid tests (LIP-id tests): Lipids are fatty substances such as cholesterol and triglycerides. See CHOLESTEROL and TRIGLYCERIDE.

Lipoprotein tests (li-po-PRO-teen tests): See CHOLESTEROL.

Liver function tests (LIV-er FUNG-shun tests): See ALKALINE PHOSPHATASE, BILIRUBIN, ALT, and AST.

Lower gastrointestinal examination (LO-wer gas-tro-in-TES-tin-al ek-zam-ih-NA-shun): X-ray pictures of the colon taken after a liquid contrast substance called barium sulfate is inserted through a plastic tube (enema) into the rectum and large intestine (colon). If a tumor is present in the colon, it may appear as an obstruction or irregularity. Also known as a BARIUM ENEMA.

Lumbar puncture or **LP** (LUM-bar PUNK-shur): Introduction of a hollow needle into a space surrounding the spinal cord to withdraw fluid for analysis. Contrast material may be injected for imaging. Medicines may be introduced for treating disease involving the central nervous system.

Radiology, Ultrasound, and Imaging Procedures

[■] Nuclear Medicine—Radionuclide Scans

Clinical Procedures

Laboratory Tests

M

Magnetic resonance imaging or MRI (mag-NET-ik REZ-o-nans IM-ah-jing): A powerful magnetic field is created surrounding the whole patient, or only the head, and water molecules are aligned and then relaxed, generating electromagnetic currents that provide a detailed picture of organs and blood vessels. A computer produces images of body structures at successive depths (as with CT slices). This procedure is particularly useful for imaging tumors of the brain and spinal cord and abnormalities of the lungs and abdominal and pelvic organs. No x-rays are used, and the study may be performed with intravenous contrast material (gadolinium), depending on the purpose of the evaluation. In magnetic resonance angiography (MRA or MR angiography), blood vessels are examined in key areas of the body such as the brain, kidneys, pelvis, legs, lungs, and heart.

Mammography (mah-MOG-rah-fe) or mammogram (MAM-o-gram): X-ray recording or record of the breast. X-rays of low voltage are beamed at the breast, and images are produced. Mammography detects abnormalities in breast tissue, such as breast cancer. In *stereotactic breast biopsy*, a hollow needle is passed through the skin into a suspicious lesion with the help of mammographic imaging. Breast tomosynthesis, also called 3D mammography, creates 3-dimensional images of the breast and aids in detection early breast disease.

Mediastinoscopy (me-de-ah-stih-NOS-ko-pe): Procedure for viewing structures in the mediastinum through an endoscope inserted into this space (in the chest between the lungs and in front of the heart). A *mediastinoscope* is introduced through a small incision in the neck while the patient is under anesthesia. This procedure is used to biopsy lymph nodes and suspected tumors within the mediastinum.

MUGA scan (MUH-gah scan): Test that uses radioactive technetium to measure the rate of cardiac output of blood by a *multiple-gated acquisition* (MUGA) technique. Also called *technetium-99m ventriculography*.

Muscle biopsy (MUH-sl BI-op-se): A sample of muscle tissue is removed and analyzed microscopically.

Myelography (mi-eh-LOG-rah-fe) or **myelogram** (MI-eh-lo-gram): X-ray recording of the spinal cord after injection of contrast. This procedure has been largely replaced by MRI for detecting tumors or ruptured "slipped" disks between vertebrae (backbones).

N

Nasogastric intubation (na-zo-GAS-trik in-tu-BA-shun): Insertion of a tube through the nose into the stomach to withdraw fluid for analysis or to give nutrition directly into the stomach.

Needle biopsy (NE-dl BI-op-se): See BIOPSY.



Occult blood test: See HEMOCCULT TEST.

Ophthalmoscopy (of-thal-MOS-ko-pe): Visual examination of the eye. A physician uses an *ophthalmoscope* to look directly into the eye, evaluating the optic nerve,

retina, and blood vessels in the back of the eye and the lens in the front of the eye for cataracts. In *fluorescein angiography*, a contrast substance is injected intravenously, and movement of the dye through blood vessels in the back of the eye is observed with ophthalmoscopy.

Otoscopy (o-TOS-ko-pe): Visual examination of the interior of the ear. A physician uses an *otoscope* inserted into the ear canal to check for obstructions (e.g., wax), infection, fluid, and eardrum perforation or scarring.

P

- **Palpation** (pal-PA-shun): Examination by touch. This is a technique of manual physical examination by which a doctor feels underlying tissues and organs through the skin.
- Pap smear (pap smeer): Insertion of a cotton swab or wooden spatula into the vagina to obtain a sample of cells from the outer surface of the cervix (neck of the uterus). The cells are then smeared on a glass slide, preserved, and sent to the laboratory for microscopic examination. This test for cervical cancer was developed by and named after the late Dr. George Papanicolaou. Results are graded and reported as negative (no abnormalities) or ranging from mildly abnormal (presence of ASC or abnormal squamous cells) to high-grade squamous intraepithelial lesion (HSIL).
- **Paracentesis** (pah-rah-sen-TE-sis): Surgical puncture of the membrane surrounding the abdomen (peritoneum) to remove fluid from the abdominal cavity. Fluid is drained for analysis and to prevent its accumulation in the abdomen. Also known as *abdominocentesis*
- **PCR test:** Blood test to find and analyze DNA and RNA in viruses, diagnose genetic diseases, and do DNA fingerprinting. Multiple copies of DNA or RNA are made. PCR stands for polymerase chain reaction and can detect very small amounts of RNA or DNA.
- **Pelvic exam** (PEL-vik ek-ZAM): Physician inserts fingers into the vagina while keeping the other hand over the abdomen to palpate the uterus and ovaries. This examination checks the uterus and ovaries for enlargement, cysts, tumors, or abnormal bleeding. It is also known as an internal exam or a bimanual exam.
- **Percussion** (per-KUSH-un): The technique of striking a part of the body with short, sharp taps of the fingers to determine the size, density, and position of the underlying parts by the sound obtained. Percussion is commonly used over the lungs to detect fluid, atelectasis, and infection, and on the abdomen to examine the liver.
- **Phlebotomy** (fleh-BOT-o-me): Puncture of a vein to remove samples of blood for analysis. Also called *venipuncture*.

■ Nuclear Medicine—Radionuclide Scans

Radiology, Ultrasound, and Imaging Procedures

[■] Clinical Procedures

Laboratory Tests

PKU test: Test that determines whether the urine of a newborn baby contains substances called *phenylketones*. If these ketones are present, the baby is diagnosed with a condition called *phenylketonuria* (*PKU*). PKU affects infants who lack a specific enzyme. When the enzyme is missing, high levels of *phenylalanine* (an amino acid) accumulate in the blood, affecting the infant's brain and causing mental retardation. This situation is prevented by placing the infant on a special diet that prevents accumulation of phenylalanine in the bloodstream.

Platelet count (PLAYT-let kownt): Determination of the number of clotting cells (platelets) in a sample of blood.

Positron emission tomography or PET scan (POZ-ih-tron e-MISH-un to-MOGrah-fe scan): A radioactive substance (usually an isotope incorporated into a sugar-like molecule) that releases radioactive particles called positrons is injected and travels to specialized areas of the body. Because of the way in which the positrons are released, cross-sectional color pictures can be made showing the location of the radioactive substance. The most common use for PET scans is to detect cancer and examine the effects of cancer therapy by showing biochemical changes in tumors. Tumors pick up the radioactive substance (isotope) and appear as "hot spots" (areas of high glucose uptake) on the film. Also, PET scans can be performed on the heart to assess blood flow to heart muscle and to evaluate patients for coronary artery disease. PET scans of the brain are used to evaluate patients with memory disorders, seizure disorders, and brain tumors. Metabolically active parts of the brain appear as hot spots. PET-CT scans combine PET and CT imaging technology to aid localization of "hot" areas.

Potassium test (po-TAS-e-um test): Measurement of the concentration of potassium in serum. Potassium is an important chemical for regulating electrical currents and maintaining the cell membrane charge. Muscle and nerve function depends on movement of potassium and other electrolytes across the cell membrane. On laboratory reports, usually given as the symbol K^* . See also ELECTROLYTES.

Pregnancy test (PREG-nan-se test): Measurement in blood or urine of *human chorionic gonadotropin*, or hCG, a hormone secreted by the placenta early in pregnancy.

Proctosigmoidoscopy (prok-to-sig-moy-DOS-ko-pe): Examination of the first 10 to 12 inches of the rectum and colon using an endoscope inserted through the anus. When the sigmoid colon is visualized with a longer (20-inch) flexible endoscope, the procedure is called *sigmoidoscopy*. The procedure detects polyps, malignant tumors, and sources of bleeding.

Progesterone receptor assay (pro-JES-teh-rone re-SEP-tor AS-a): Test to determine whether a sample of tumor contains a progesterone receptor protein. A positive test result identifies that a breast cancer tumor would be responsive to antihormone therapy.

Prostate-specific antigen (PSA) test (PROS-tat speh-SIH-fic AN-tih-jen): Blood test that measures the amount of an antigen elevated in patients with prostatic cancer and in some with an inflamed prostate gland. On laboratory reports, usually abbreviated *PSA*.

Protein electrophoresis: See SERUM PROTEIN ELECTROPHORESIS.

Prothrombin time (pro-THROM-bin time): Measurement of the activity of factors in the blood that participate in clotting. Deficiency of any of these factors can lead to a prolonged prothrombin time and difficulty in blood clotting. The test is important as a monitor for patients taking anticoagulants, substances that block the activity of blood clotting factors but increase the risk of bleeding.

Pulmonary angiography (PUL-mo-nair-e an-je-OG-rah-fe): X-ray images of blood vessels of the lung are obtained after injection of contrast. This procedure has been largely replaced by COMPUTED TOMOGRAPHY of the lung.

Pulmonary function test (PUL-mo-nair-e FUNG-shun test): Measurement of the volume and flow rate (ventilation) of air taken into and exhaled from the lungs by means of an instrument called a *spirometer*. Test results may be abnormal in patients with asthma, chronic bronchitis, emphysema, or occupational exposures to asbestos, chemicals, and dusts.

Pulmonary perfusion scan (PUL-mo-nair-e per-FU-shun scan): Radioactive particles are injected intravenously and travel rapidly to areas of the lung that are adequately filled with blood. Regions of obstructed blood flow caused by tumor, blood clot, swelling, and inflammation can be seen as nonradioactive areas on the scan.

Pulmonary ventilation scan (PUL-mo-nair-e ven-tih-LA-shun scan): Radioactive gas is inhaled, and a special camera detects its presence in the lungs. The scan is used to detect lung segments that fail to fill with the radioactive gas. Lack of filling is usually due to diseases that obstruct the bronchial tubes and air sacs. This scan is also used in the evaluation of lung function before surgery.

Pyelography or pyelogram: See UROGRAPHY.



Red blood cell (RBC) count: Test in which the number of erythrocytes in a sample of blood is counted. A low RBC count may indicate anemia. A high count can indicate *polycythemia vera*.

Rheumatoid factor assay (ROO-mah-toyd FAK-tor AS-a): Detection of the abnormal protein *rheumatoid factor* in the serum. This factor is found in patients with rheumatoid arthritis and some other autoimmune diseases.



Semen analysis (SE-men ah-NAL-ih-sis): Microscopic examination of sperm cells to detect number, viability, and motility of sperm cells.

Serum enzyme tests (SE-rum EN-zym tests): see CARDIAC ENZYME TESTS.

Serum protein electrophoresis test (SE-rum PRO-teen e-lek-tro-for-E-sis test): A procedure that separates proteins through their migration in an electric current. The material tested, such as serum, containing various proteins, is placed on gel or in liquid, and under the influence of an electric current, the proteins separate (-PHORESIS means separation) so that they can be identified and measured. The procedure is also known as *protein electrophoresis*.

Radiology, Ultrasound, and Imaging Procedures

[■] Nuclear Medicine—Radionuclide Scans

Clinical Procedures

[■] Laboratory Tests

Sigmoidoscopy (sig-moy-DOS-ko-pe): See PROCTOSIGMOIDOSCOPY.

Skin biopsy (skin BI-op-se): Procedure in which samples of skin lesions are removed and sent to the pathology laboratory for microscopic examination.

Skin tests: Tests in which substances are applied to the skin or injected under the skin and the reaction of immune cells in the skin is observed. These tests detect the patient's sensitivity to substances such as dust or pollen. They also can indicate whether the person has been exposed to the bacteria that cause tuberculosis or diphtheria.

Slit-lamp microscopy (slit-lamp mi-KROS-ko-pe): Examination of the anterior eye structures (such as the cornea) using an instrument that projects intense light through a narrow opening for optimal visualization.

SMA: See BLOOD CHEMISTRY PROFILE.

Small bowel follow-through: See BARIUM TESTS and UPPER GASTROINTESTINAL EXAMINATION.

Sodium level: Measurement of the concentration of sodium (Na⁺) in serum. Sodium is one of the most important elements in the body. It is the chief *electrolyte* in fluid outside cells, and it exchanges with potassium within cells during muscle contraction or nerve conduction. Excess sodium is excreted by the kidneys, and sodium is thus involved in water (fluid) balance and acid-base chemical balance during muscle contraction or nerve conduction.

Sonography: See ULTRASONOGRAPHY.

Sputum test (SPU-tum test): Examination of mucus coughed up from the patient's lungs to detect tumor or infection. The sputum is examined microscopically, analyzed chemically, and cultured for the presence of microorganisms.

Stool culture (stool KUL-chur): Stool (feces) is placed in a growth medium (culture) and analyzed microscopically for evidence of microorganisms (bacteria).

Stool guaiac test (stool GWI-ak test): See HEMOCCULT TEST.

Stress test: Electrocardiography performed during exercise. With intense exercise, the ECG may become abnormal as a result of poor blood flow through blocked arteries. This study may reveal hidden heart disease or confirm the cause of cardiac signs and symptoms.

T

Technetium Tc-99m sestamibi scan (tek-NE-she-um Tc-99m ses-tah-MIH-be scan): Sestamibi, tagged with technetium-99, is injected, and the radioactivity is not taken up in areas of decreased blood flow (ischemia). This procedure can be used with an *exercise tolerance test* (*ETT-MIBI*) to help define areas of poor blood flow to the heart muscle.

Thallium-201 scintigraphy (THAL-e-um-201 sin-TIH-grah-fe): Thallium-201 is injected into a vein, and images of blood flow through the heart muscle are recorded. Cold spots correlate with areas of myocardial infarction. *Sestamibi scans* also are used to assess the status of blood flow through heart muscle during an *exercise tolerance test (ETT-MIBI)*. It also is useful in localizing disease of the parathyroid glands.

Thoracentesis (thor-ah-sen-TE-sis): Insertion of a needle into the chest to remove fluid from the space surrounding the lungs (pleural cavity). After injection of a local anesthetic, a hollow needle is placed through the skin and muscles of the back and into the space between the lungs and chest wall. Fluid is then withdrawn by applying suction. Excess fluid (*pleural effusion*) may be a sign of infection, heart failure, or malignant disease. This procedure is used to diagnose conditions, to drain a pleural effusion, or to re-expand a collapsed lung (*atelectasis*). This procedure can also be used to drain fluid (pleural effusion) from the pleural cavity.

Thoracoscopy (thor-ah-KOS-ko-pe): Visual examination of the surface of the lungs using an endoscope inserted through an incision in the chest. *VATS* is *video-assisted* thoracoscopy (or thoracopy).

Thyroid function tests (THI-royd FUNG-shun tests): Tests that measure the levels of thyroid hormones, such as *thyroxine* (T4) and *triiodothyronine* (T3), in serum. *Thyroid-stimulating hormone* (TSH), which is produced by the pituitary gland and stimulates the release of T4 and T3 from the thyroid gland, is also measured in serum. These tests diagnose hypothyroidism and hyperthyroidism, and are helpful in monitoring response to thyroid treatment.

Thyroid scan and uptake (THI-royd scan and UP-take): In a thyroid scan, radioactive iodine (the radiotracer) is injected intravenously or swallowed and then collects in the thyroid gland. A scanning device (probe) detects the radiotracer in the gland tissue, producing an image that shows the size, shape, and position of the thyroid. The thyroid uptake test, or radioactive iodine uptake (RAIU) test, evaluates the function of the thyroid. Radioactive iodine is swallowed, and a probe is placed over the thyroid gland to detect increased or decreased activity, as shown by the thyroid's ability to absorb the radiotracer. This test also can be used to detect areas of poor uptake (cold nodules), which may be cancerous.

Tomography (to-MOG-rah-fe) or **tomogram** (TO-mo-gram): X-ray recording or record that shows an organ in depth. Several pictures ("slices") are taken of an organ by moving the x-ray tube and film in sequence to blur out certain regions and bring others into sharper focus. Tomograms of the kidney and lung are examples.

Triglycerides test (tri-GLIS-er-ides test): Determination of the amount of triglycerides (fatty substances) in the serum. Elevated triglyceride levels (normal is 150 to 200 mg/dL) are considered to be an important risk factor for the development of heart disease.

Troponin test (tro-PO-nin): Measurement of levels of proteins *troponin I* and *troponin T* in blood is used to indicate the presence and degree of myocardial injury, as from a heart attack.

Tuning fork tests (TOO-ning fork tests): Procedure in which a vibration source (tuning fork) is placed in front of the opening to the ear to test air conduction of sound waves. The tuning fork is also placed on the mastoid bone behind the ear to test bone conduction of sound waves.

Radiology, Ultrasound, and Imaging Procedures

[■] Nuclear Medicine—Radionuclide Scans

Clinical Procedures

[■] Laboratory Tests

Tuberculin test (too-BUR-ku-lin tests): Agents are applied to the skin with punctures or injection and the reaction is noted. Redness and swelling result in people sensitive to the test substance and indicate previous or current infection with tuberculosis.



Ultrasonography (ul-trah-so-NOG-rah-fe) or ultrasound imaging (UL-trah-sownd IM-a-jing): Images are produced by beaming high-frequency sound waves (not x-rays) into the body and capturing the echoes that bounce off organs. These echoes are then processed to produce an image showing the difference between fluid and solid masses and the general position of organs. Because ultrasound images are captured in real time, they can show structure and movement of internal organs, as well as blood flowing through blood vessels. Ultrasonography is particularly useful for detecting gallstones, fibroid tumors of the uterus and ovarian tumors and cysts (pelvic ultrasonography), enlargement of the heart or defects in heart valves (echocardiography), blood flow through major arteries and veins (Doppler ultrasound), and enlargement of lymph nodes in the abdomen and chest. Also called sonography.

Upper gastrointestinal examination (UP-er gas-tro-in-TES-tin-al ek-zam-ih-NA-shun): X-ray pictures are taken of the esophagus (BARIUM SWALLOW), duodenum, and small intestine after a liquid contrast substance (barium sulfate) is swallowed. In a *small bowel follow-through*, pictures are taken at increasing time intervals to follow the progress of barium through the small intestine. Identification of obstructions or ulcers is possible.

Uric acid test (UR-ik AS-id test): Measurement of the amount of uric acid (a nitrogen-containing waste material from breakdown of DNA and RNA) in the serum. High serum levels are associated with a type of arthritis called *gout*. In gout, uric acid accumulates as crystals in joints and in tissues. High levels of uric acid may also cause kidney stones.

Urinalysis (u-rih-NAL-ih-sis): Examination of urine as an aid in the diagnosis of disease. Routine urinalysis involves the observation of unusual color or odor; determination of specific gravity (amount of materials dissolved in urine); chemical tests (for protein, sugar, acetone); and microscopic examination for bacteria, blood cells, and sediment. Urinalysis is used to detect abnormal functioning of the kidneys and bladder, infections, and diabetes mellitus. On laboratory reports, usually abbreviated *UA*.

Urography (u-ROG-rah-fe) or **urogram** (U-ro-gram): X-ray recording (imaging) of the kidney and urinary tract. If x-ray pictures are taken after contrast material is injected intravenously, the procedure is called *intravenous urography* (descending or excretion urography) or intravenous pyelography (IVP). If x-ray pictures are taken after introduction of contrast directly into the bladder through the urethra, the study is called a cystogram. If contrast flows up the ureters into the kidneys, the procedure is called retrograde urography or retrograde pyelography. PYEL/O means renal pelvis (the collecting chamber of the kidney).



Venography (ve-NOG-rah-fe): X-ray examination of veins performed after contrast material is injected into veins. It is used to detect *deep vein thrombosis*, *pulmonary emboli*, or *venous insufficiency*.

Ventilation-perfusion scan or **V/Q scan:** Nuclear medicine test that uses radioactive materials (radiopharmaceuticals) to examine air flow (ventilation) and blood flow (perfusion) in the lungs. The purpose of this scan is find evidence of a blood clot (pulmonary embolism) in the lungs. Scans are performed together. If ventilation occurs in a segment that is not perfused, the mismatch implies a pulmonary embolism. When the scans match, abnormalities may reflect pneumonia or other lung disease.

Viral load test for HIV: Measures the number of viral particles in the blood. It is used to determine the effectiveness of antiviral treatment.

Voiding cystourethrogram (voy-ding sis-to-u-RE-thro-gram) or **VCUG:** X-ray films of the bladder and urethra taken after the bladder is filled with a contrast material and while the patient is expelling urine.



Western blot (WES-tern blot): Test used to detect infection by *HIV* (the AIDS virus). It is more specific than the ELISA. A patient's serum is mixed with purified proteins from HIV, and the reaction is examined. If the patient has made antibodies to HIV, those antibodies react with the purified HIV proteins, and the test result is positive.

White blood cell (WBC) count: Determination of the number of leukocytes in the blood. Higher-than-normal counts can indicate the presence of infection or leukemia. A differential (differential count) is the percentages of different types of white blood cells (neutrophils, eosinophils, basophils, lymphocytes, and monocytes) in a sample of blood. It gives more specific information about leukocytes and aids in the diagnosis of infection, allergic diseases, disorders of the immune system, and various forms of leukemia.

Radiology, Ultrasound, and Imaging Procedures

[■] Nuclear Medicine—Radionuclide Scans

Clinical Procedures

Laboratory Tests



APPENDIX 3

Abbreviations, Acronyms, Symbols, and Eponyms

Abbreviations	318
Acronyms	329
Symbols	330
Eponyms	331

ABBREVIATIONS

A

AB abortion Ab antibody

ABC aspiration, biopsy, cytology

abd abdomen

ABG arterial blood gas

a.c., ac before meals (ante cibum)

ACE angiotensin-converting enzyme (ACE inhibitors treat hypertension)

ACL anterior cruciate ligament (of knee)

ACS acute coronary syndrome (myocardial infarction, unstable angina)
ACTH adrenocorticotropic hormone (secreted by the pituitary gland)

AD Alzheimer disease

ADD attention deficit disorder

ADH antidiuretic hormone (secreted by the pituitary gland)

ADHD attention deficit/hyperactivity disorder

ad libfreely as desired (ad libitum)AEDautomated external defibrillator

AICD automatic implantable cardioverter-defibrillator

AIDS acquired immunodeficiency syndrome

alb albumin (protein)

ALL acute lymphocytic leukemia

alk phosalkaline phosphatase (enzyme elevated in liver disease)ALSamyotrophic lateral sclerosis (Lou Gehrig disease)

ALT alanine transaminase (enzyme elevated in liver disease); formerly

called SGPT

AMI acute myocardial infarction

AML acute myelocytic (myelogenous) leukemia

ANA antinuclear antibody; test for rheumatoid arthritis

AP or A/P anteroposterior (front to back)
A&P auscultation and percussion

aq water (aqua)

ARDS acute respiratory distress syndrome

AS aortic stenosis ASD atrial septal defect

ASHD arteriosclerotic heart disease

AST aspartate transaminase (elevated in liver and heart disease); formerly

called SGOT

AV arteriovenous; atrioventricular

A&W alive and well

В

BE barium enema

B cells white blood cells (lymphocytes) produced in bone marrow

b.i.d., bid twice a day (bis in die)

BM bowel movement; bone marrow bone marrow transplant

BP, B/P blood pressure

BPH benign prostatic hypertrophy (hyperplasia)

Bronch bronchoscopy

bs blood sugar; bowel sounds; breath sounds

BSE breast self-examination

BSO bilateral salpingo-oophorectomy

BUN blood urea nitrogen (test of kidney function)

BW birth weight biopsy

C

 $\overline{\mathbf{c}}$ with (cum)

C1, C2 first cervical vertebra, second cervical vertebra cancer; carcinoma; cardiac arrest; chronologic age

Ca calcium

CABG coronary artery bypass graft carbon coronary artery disease

CAPD continuous ambulatory peritoneal dialysis

cap capsule

cath catheter; catheterization complete blood count

cubic centimeter (1 cc equals 1/1000 liter, or 1 mL)

CC chief complaint

CCU coronary care unit; critical care unit

CF cystic fibrosis chemotherapy

CHF congestive heart failure

Chol cholesterol

CIN cervical intraepithelial neoplasia

CIS carcinoma in situ CKD chronic kidney disease

cm centimeter (1 cm is 1/100 meter)
CLL chronic lymphocytic leukemia

CML chronic myelocytic (myelogenous) leukemia

CNS central nervous system

c/o complains of carbon dioxide

COPD chronic obstructive pulmonary disease

CP cerebral palsy; chest pain

CPAP continuous positive airway pressure (provided by machine to aid

breathing in patients with sleep apnea)

CPD cephalopelvic disproportion
CPR cardiopulmonary resuscitation
culture and sensitivity (testing)

C-section, CS cesarean section cerebrospinal fluid

CT scan computed tomography scan (x-ray images in cross-sectional view)

CVA cerebrovascular accident (stroke)
c/w compare with; consistent with

CX, CXR chest x-ray (image)

Cx cervix cystoscopy

D

D&C dilation (dilatation) and curettage (of the uterine lining)

DES diethylstilbestrol (estrogen causing defects in children whose mothers

took the drug during pregnancy)

DEXA (DXA) dual-energy x-ray absorptiometry
DIC disseminated intravascular coagulation

diff. differential (percentages of types of white blood cells)

DJD degenerative joint disease
DKA diabetic ketoacidosis
DM diabetes mellitus
DNA deoxyribonucleic acid
DNR do not resuscitate
DOB date of birth
DOE dyspnea on exertion

DOMS delayed-onset muscle soreness
DRE digital rectal examination

DT delirium tremens (caused by alcohol withdrawal)

DTR deep tendon reflex

DUB dysfunctional uterine bleeding

DVT deep vein thrombosis

Dx diagnosis

E

EBV Epstein-Barr virus (cause of mononucleosis)

ECC emergency cardiac care
ECG electrocardiography
ECHO echocardiography

ECMO extracorporeal membrane oxygenator

ECT electroconvulsive therapy

ED emergency department; erectile dysfunction

EDD expected date of delivery
EEG electroencephalography
EENT eyes, ears, nose, throat
EGD esophagogastroduodenoscopy

EKG electrocardiography (*ECG* is preferred)

ELISA enzyme-linked immunosorbent assay (e.g., used as an AIDS test)

EMG electromyography ears, nose, throat

eos. eosinophils (type of white blood cell)
ER emergency room; estrogen receptor

ERCP endoscopic retrograde cholangiopancreatography
ESR erythrocyte sedimentation rate; see sed rate

ESRD end-stage renal disease

ESWL extracorporeal shock wave lithotripsy

ET endotracheal

ETOH ethyl alcohol (ethanol)

ETT | exercise tolerance test; endotracheal tube

F

FBS fasting blood sugar

FDA U.S. Food and Drug Administration

FDG-PET fluorodeoxyglucose positron emission tomography (nuclear medicine

test)

Fe iron

FEV forced expiratory volume

FHR family history fetal heart rate

FSH follicle-stimulating hormone (secreted by the pituitary gland)

F/U, f/u follow-up

FUO fever of unknown (undetermined) origin

Fx fracture

G

G gravida (a pregnant woman)

g, gm gram

Ga gallium (element used in nuclear medicine diagnostic tests)

GB gallbladder

GC gonococcus (bacterial cause of gonorrhea; another name for Neisseria

gonorrhoeae)

Gd gadolinium (widely used MRI contrast agent)

GERD gastroesophageal reflux disease

GH growth hormone (secreted by the pituitary gland)

GI gastrointestinal

Grav. 1, 2, 3 gravida—a woman who has had a first, second, or third pregnancy of

any duration

GFR glomerular filtration rate

gt, gtt drop, drops

GTT glucose tolerance test

GU genitourinary

GVHD graft-versus-host disease Gv gray (unit of irradiation)

GYN, gyn gynecology

H

H hydrogen hour

HAART highly active antiretroviral therapy (for AIDS)

Hb, hgb, Hgb hemoglobin

HbA1c glycosylated hemoglobin (measured to test for diabetes)

HBV hepatitis B virus

HCG, hCG human chorionic gonadotropin (secreted during pregnancy)

Hct, HCT hematocrit HCV hepatitis C virus

HD hemodialysis (performed by artificial kidney machine); heart disease
HDL high-density lipoprotein (associated with decreased incidence of

coronary artery disease)

322 ABBREVIATIONS, ACRONYMS, SYMBOLS, AND EPONYMS

HEENT head, ears, eves, nose, throat

Hgb, hgb, Hb mercury hemoglobin

HIPAA Health Insurance Portability and Accountability Act (of 1996)

HIV human immunodeficiency virus

h/o history of H_2O water

H&P history and physical (examination)

HPV human papillomavirus

HRT hormone replacement therapy

h.s. at bedtime (hora somni); write out so as not to confuse with hs (half

strength)

HSG hysterosalpingography

HSV-1, HSV-2 herpes simplex virus type 1, type 2 hypertension (high blood pressure)

Hx History

1

I iodine

radioactive isotope of iodine **I&D** radioactive isotope of iodine

IBD inflammatory bowel disease (ulcerative colitis and Crohn disease)

IBS irritable bowel syndrome (of unknown etiology)

ICD implantable cardioverter-defibrillator

ICÙ intensive care unit infectious disease

IgA, **IgD**, **IgE**, immunoglobulins (antibodies)

IgG, IgM

IM intramuscular; infectious mononucleosis
INH isoniazid (drug to treat tuberculosis)

INR international normalized ratio (system for reporting results of blood

coagulation tests)

I&O intake and output (measurement of patient's fluids)

IOL intraocular lens (implant)

IUD intrauterine device (contraceptive)

IV intravenous

IVF in vitro fertilization

IVP intravenous pyelography; intravenous push

K

K potassium

kg kilogram (1 kg is 1000 grams)

KS Kaposi sarcoma (malignant lesion associated with AIDS)
KUB kidneys, ureters, bladder (x-ray study without contrast)

L

L, l left; liter; lower

L1, L2 first lumbar vertebra, second lumbar vertebra

LA left atrium

LAD left anterior descending artery (of the heart); lymphadenopathy

lat latera

LBP low back pain; low blood pressure

LDH lactate dehydrogenase (elevations associated with heart attacks)
LDL low-density lipoprotein (high levels associated with heart disease)

LE lupus erythematosus

LEEP loop electrocautery excision procedure

LES lower esophageal sphincter

LFTs liver function tests

LLQ left lower quadrant (of the abdomen)

LMP last menstrual period lumbar puncture licensed practical nurse

LTB laryngotracheal bronchitis (croup)
LUQ left upper quadrant (of the abdomen)

LV left ventricle

LVAD left ventricular assist device (bridge to cardiac transplantation)

L&W living and well lymphs lymphocytes electrolytes

M

m meter; milli (one thousandth)
MAC monitored anesthesia care

MCH mean corpuscular hemoglobin (amount in each red blood cell)
MCHC mean corpuscular hemoglobin concentration (amount per unit of

blood)

MCV mean corpuscular volume (size of individual red blood cell)

MD. M.D. doctor of medicine; muscular dystrophy

MDI metered-dose inhaler

MDS myelodysplastic syndrome (a bone marrow disorder)

mets metastases

mg milligram (1 mg is 1/1000 gram)

Mg magnesium

MH marital history; mental health
MI myocardial infarction (heart attack)
mL milliliter (1 mL is 1/1000 liter)
mm millimeter (1 mm is 1/1000 meter)

mm Hg millimeters of mercury (units for measurement of blood pressure)

mono monocytes (type of white blood cell)
MRA magnetic resonance angiography
MRI magnetic resonance imaging

MRSA methicillin-resistant Staphylococcus aureus
MS mental status; mitral stenosis; multiple sclerosis

MSW medical social worker
MTD maximum tolerated dose
MVP mitral valve prolapse
myop myopia (nearsightedness)

N

N nitrogen Na sodium NB newborn

NED no evidence of disease NG tube nasogastric tube

NICU neonatal intensive care unit

NKA no known allergies

NPO nothing by mouth (nil per os)
NSAID nonsteroidal anti-inflammatory drug
NSR normal sinus rhythm (of the heart)

NT not tender (to touch)

NTP normal temperature and pressure

N+V nausea and vomiting

0

 $egin{array}{ll} \mathbf{O}_2 & & \text{oxygen} \\ \mathbf{O}\mathbf{A} & & \text{osteoarthritis} \\ \mathbf{O}\mathbf{B} & & \text{obstetrics} \\ \end{array}$

OD doctor of optometry OR operating room

ORIF open reduction plus internal fixation (to set a broken bone)

ORTH, ortho. orthopedics or orthopaedics

os mouth

OSA obstructive sleep apnea OT occupational therapy

OV office visit

P

 $\bar{\mathbf{p}}$ after; following

P phosphorus; plan; posterior; pressure; pulse; pupil PA posteroanterior (back to front); pulmonary artery

PAC premature atrial contraction

PaCO₂, PaCO₂ arterial pressure of carbon dioxide in the blood; may also be written

"arterial PCO₂"

PACS picture archival communications system palpable; palpation (examine by touch)

PaO₂, PaO₂ arterial pressure of oxygen in the blood; may also be written

"arterial PO2"

Pap smear Papanicolaou smear (preparation of cells from the cervix and vagina

for microscopic examination)

para paracentesis (abdominocentesis)

Para 1, 2, 3 Woman who has produced one, two, or three viable offspring;

unipara, bipara, tripara

p.c., pc after meals (post cibum)
PCI percutaneous coronary in

PCI percutaneous coronary intervention
PCP Pneumocystis pneumonia (opportunistic infection seen in patients

with AIDS)

PE physical examination; pulmonary embolus

PEEP positive end-expiratory pressure

per by

PH

PERRLA pupils equal, round, reactive to light and accommodation

PET positron emission tomography

PE tube pressure-equalizing tube (ventilating tube for the eardrum)

PFT pulmonary function test

pH hydrogen ion concentration (measurement of acidity or alkalinity of a

solution)
past history

PI present illness

PID pelvic inflammatory disease

PKU phenylketonuria (disease due to lack of an enzyme in infants)

PM afternoon (post meridiem); postmortem

PMH past medical history PMS premenstrual syndrome

PND paroxysmal nocturnal dyspnea; postnasal drip

p.ó., po postoperative by mouth (per os)

polys polymorphonuclear leukocytes (neutrophils)

poplit popliteal (behind the knee)

post-op after operation

PP after meals (postprandial); after birth (postpartum)
PPD purified protein derivative (skin test for tuberculosis)

pre-op before operation (preoperative)

prep prepare for

p.r.n., prn as needed (pro re nata)

procto proctoscopy (visual examination of the anus and rectum)

pro time prothrombin time (test of blood clotting)

PSA prostate-specific antigen (screening test for prostate cancer)

pt patient

PT physical therapy; prothrombin time PTA prior to admission (to hospital)

PTCA percutaneous transluminal coronary angioplasty (balloon angioplasty)

PTH parathyroid hormone PTR patient to return

PTSD post-traumatic stress disorder

PTT partial thromboplastin time (test of blood clotting)

PVC premature ventricular contraction (abnormal heart rhythm)

PVD peripheral vascular disease

PVT paroxysmal ventricular tachycardia

PWB partial weight bearing

Px prognosis

Q

every (quaque)

q.d. each (every) day (quaque die); better to write out "each day," because

can be misread as q.i.d.

q.h. each (every) hour (quaque hora)

each (every) two hours (quaque secunda hora)

q.i.d. four times a day (quater in die)

q.n. each (every) night (quaque nox)

q.n.s. quantity not sufficient (quantum non sufficit)

q.s. quantity sufficient (quantum sufficit)

qt quart

R

R, **r** respiration; right

RA rheumatoid arthritis; right atrium

radradiation absorbed doseRBC, rbcred blood cell (count)REMrapid eye movement

RIA radioimmunoassay (minute quantities are measured)

RLQ right lower quadrant (of the abdomen)

R/O, r/o rule out

ROM range of motion

ROS review of systems; reactive species
RP retrograde pyelography (urography)
RR recovery room; respiration rate

RRR regular rate and rhythm (of the heart)

RT radiation therapy; radiologic technologist; respiratory therapist

RUQ right upper quadrant (of the abdomen)

RV right ventricle (of the heart)

Rx treatment; therapy; prescription (*recipe*, "to take")

S

 $\bar{\mathbf{s}}$ without (sine)

S1, S2 first sacral vertebra, second sacral vertebra sinoatrial node (pacemaker of the heart)

SAD seasonal affective disorder

SARS severe acute respiratory syndrome

SBFT small bowel follow-through (x-ray study of the small intestine with

contrast)

sed rate erythrocyte sedimentation rate (time it takes red blood cells to settle

out of blood)

segs segmented white blood cells (granulocytes)

SERM selective estrogen receptor modulator (tamoxifen is an example)

 $\begin{array}{lll} \textbf{s.gl.} & \text{without glasses} \\ \textbf{SGOT} & \text{see } AST \\ \textbf{SGPT} & \text{see } ALT \\ \end{array}$

SH serum hepatitis; social history

sig. "let it be labeled" (directions or medical instructions)

SIDS sudden infant death syndrome

SIRS systemic inflammatory response syndrome (severe bacteremia)

SLE systemic lupus erythematosus

SMA-12 blood chemistry profile including 12 different studies or assays

(sequential multiple analysis)

subjective (symptoms perceived by the patient) data, objective (exam

findings) data, assessment (evaluation of condition), plan (goals for

treatment)

SOB shortness of breath

S/P, s/p status post (previous disease condition)
SPECT single-photon emission computed tomography

sp. gr. specific gravity

SSRI selective serotonin reuptake inhibitor (antidepressant drug)

staphstaphylococci (bacteria)STAT, statimmediately (statim)

STD sexually transmitted disease (older name for STI)

STI sexually transmitted infection

strep streptococci (bacteria)

sub-Q subcutaneous (under the skin)

Sx signs and symptoms

Sz seizure

T

T temperature; time

T1, T2 first thoracic vertebra, second thoracic vertebra
T3 triiodothyronine (thyroid gland hormone)
T4 thyroxine (thyroid gland hormone)
T&A tonsillectomy and adenoidectomy

tab tablet

TAB therapeutic abortion

TAH-BSO total abdominal hysterectomy-bilateral salpingo-oophorectomy

TB tuberculosis

T cells lymphocytes originating in the thymus gland

TEE transesophageal echocardiography

TENS transcutaneous electrical nerve stimulator

TFT thyroid function test
THR total hip replacement
TIA transient ischemic attack
t.i.d., tid three times a day (tris in die)

TLC total lung capacity
TM tympanic membrane
TMJ temporomandibular joint

TNM tumor-node-metastasis (staging system for cancer)

TPN total parenteral nutrition (administration of IV solution to maintain

nutrition)

TPR temperature, pulse, respiration

TSH thyroid-stimulating hormone (secreted by the pituitary gland)

TTE transthoracic echocardiography

TUR, TURP transurethral resection of the prostate gland

TVH total vaginal hysterectomy

Tx treatment

U

UA, U/A urinalysis
UE upper extremity
UGI upper gastrointestinal
umb navel (umbilical cord region)

ung ointment

328

ABBREVIATIONS, ACRONYMS, SYMBOLS, AND EPONYMS

U/O urine output

URI upper respiratory infection
U/S, u/s ultrasound (imaging examination)

UTI urinary tract infection

UV ultraviolet



VA visual acuity

VATS video-assisted thoracoscopy
VC vital capacity (of lungs)
VCUG voiding cystourethrogram

VEGF vascular endothelial growth factor VF visual field; ventricular fibrillation

Vfib ventricular fibrillation
VS, V/S vital signs; versus
VSD ventricular septal defect
VSS vital signs stable

V tach, VT ventricular tachycardia (abnormal heart rhythm)

W

WBC, wbc white blood cell (count)

W/C wheelchair wd wound

WDWN well-developed and well-nourished

WNL within normal limits

 $egin{array}{ll} \textbf{WT, wt} & ext{weight} \\ \textbf{w/u} & ext{workup} \end{array}$

X

XRT radiation therapy

Y

y, yr year(s) y/o year(s) old

ACRONYMS*

An acronym is the name for an abbreviation that forms a pronounceable "word."

ACE (ace) angiotensin-converting enzyme

AIDS (aydz) acquired immune deficiency syndrome

Apgar (apgahr) appearance, pulse, grimace, activity, respiration (letters spell out

name of originator of scoring system, Virginia Apgar)

BUN (bun) blood urea nitrogen

CABG (cabbage) **c**oronary **a**rtery **b**ypass **g**raft (grafting)

CAT (cat) **c**omputerized **a**xial **t**omography (older name for CT)

CPAP (seepap) continuous positive airway pressure
ELISA (eliza) enzyme-linked immunosorbent assay
GERD (gird) gastroesophageal reflux disease
HAART (heart) highly active antiretroviral therapy

HIPAA (hippah) Health Insurance Portability and Accountability Act of 1996

LASER (layzer) light amplification by stimulated emission of radiation

LASIK (laysick) laser in situ keratomileusis

LEEP (leap) loop electrocautery excision procedure

MAC (mack)monitored anesthesia careMICU (mickyou)medical intensive care unitMIS (miss)minimally invasive surgeryMODS (modz)multiorgan dysfunction syndromeMUGA (muh-guh)multiple-gated acquisition (scan)

NICU (nickyou) neonatal intensive care unit

NSAID (ensayd) nonsteroidal anti-inflammatory drug
PACS (packs) picture archival communications system

PALS (pals) pediatric advanced life support
PEEP (peep) positive end-expiratory pressure
PEG (peg) percutaneous endoscopic gastrostomy

PERRLA (perlah) pupils equal, round, reactive to light and accommodation

PET (pet) **p**ositron **e**mission **t**omography

PICC (pick) peripherally inserted central catheter

PICU (pickyou) pediatric intensive care unit PIP (pip) proximal interphalangeal (joint)

pixel (picksul)picture elementPUVA (poovah)psoralen ultraviolet AREM (rem)rapid eye movement

SAD (sad) seasonal affective disorder

SARS (sarz) severe acute respiratory syndrome
SERM (serm) selective estrogen receptor modulator

SICU (sickyou) surgical intensive care unit SIDS (sidz) sudden infant death syndrome

^{*}Modified from Chabner D-E: The Language of Medicine, ed 11, Philadelphia, 2017, Elsevier.

SIRS (sirz) systemic inflammatory response syndrome sequential multiple analyzer computer (for blood testing) SMAC (smack) SOAP (soap) subjective, objective, assessment, plan (formatted approach to nursing care) SPECT (spekt) single-photon emission computed tomography specialized program of research excellence SPORE (spore) TENS (tenz) transcutaneous electrical nerve stimulation TRUS (truss) transrectal ultrasound TURP (turp) transurethral resection of the prostate VATS (vatz) video-assisted thoracoscopy

volume element (of CT scan)

SYMBOLS*

voxel (vocksul)

=	equals
≠	does not equal
+	positive
_	negative
\uparrow	above, increase
\	below, decrease
φ	female
O'	male
\rightarrow	to (in the direction of)
>	is greater than
<	is less than
1 °	first-degree (burn, heart block); primary
2°	second-degree (burn, heart block); secondary
3	dram
%	percent
0	degree; hour
•	ratio ("is to")
±	plus or minus (either positive or negative)
′	foot
"	inch
<i>1</i> .	therefore
@	at, each
$\overline{\mathbf{c}}$	with (cum)
$ar{\mathbf{s}}$	without (sine)
#	pound; number
≈	approximately, about
Δ	change, change in
p	short arm of a chromosome
\mathbf{q}	long arm of a chromosome

^{*}Modified from Chabner D-E: The Language of Medicine, ed 10, Philadelphia, 2014, Elsevier.

EPONYMS

Achilles tendon

(Achilles, Greek mythologic hero)

Alzheimer disease

(Alois Alzheimer, German neurologist, 1864-1915)

Apgar score

(Virginia Apgar, American anesthesiologist, 1909-1974)

Asperger syndrome

(Hans Asperger, Austrian psychiatrist, 1906-1980)

Bell palsy

(Charles Bell, Scottish surgeon, 1774-1842)

Barlow syndrome

(John Barlow, South African cardiologist, born 1924)

Barrett esophagus

(Norman Barrett, Australian thoracic surgeon, 1903-1979)

Burkitt lymphoma

(Denis Burkitt, English surgeon in Africa, 1911-1993)

Cheyne-Stokes respiration

(John Cheyne, Scottish physician, 1777-1836; William Stokes, Irish physician, 1804-1878)

Colles fracture

(Abraham Colles, Irish surgeon, 1773-1843)

Crohn disease

(Burrill B. Crohn, American physician, 1884-1983)

This tendon connects the calf muscles to the heel. It lies at the only part of Achilles' body that was still vulnerable after his mother dipped him as an infant into the river Styx, when she held him by the heel.

Progressive mental deterioration marked by confusion, memory failure, and disorientation

Evaluation of an infant's physical condition, usually performed 1 minute and then 5 minutes after birth. Highest score is 10. An Apgar rating of 9/10 is a score of 9 at 1 minute and 10 at 5 minutes.

Developmental disorder characterized by impairment of social interactions (resembling autism) but lacking in delays in language development and mental functioning.

Unilateral (one-sided) paralysis of the facial nerve.

Mitral valve prolapse.

Abnormal changes in the lining of the esophagus, resulting from acid reflux from the stomach.

Malignant tumor of lymph nodes; chiefly seen in central Africa. The Epstein-Barr virus is associated with this lymphoma.

Abnormal pattern of breathing with alternating periods of stoppage of breathing and deep, rapid breathing.

Break (fracture) of the radius (bone near the wrist).

Chronic inflammatory bowel disease of unknown origin; usually affecting the ileum (last part of the small intestine), colon, or any part of the gastrointestinal tract.

Cushing syndrome

(Harvey W. Cushing, American surgeon, 1869-1939)

Duchenne muscular dystrophy

(Guillaume Benjamin Amand Duchenne, French neurologist, 1806-1875)

Epstein-Barr virus

(Michael A. Epstein, English pathologist, born 1921; Yvonne M. Barr, English virologist, born 1932)

eustachian tube

(Bartolomeo Eustachio, Italian anatomist, 1524-1574)

Ewing sarcoma

(James Ewing, American pathologist, 1866-1943)

fallopian tube

(Gabriele Falloppio, Italian anatomist, 1523-1562)

Foley catheter

(Frederic Foley, American physician, 1891-1966)

Giardia

(Alfred Giardia, French biologist, 1846-1908)

Hodgkin lymphoma

(Thomas Hodgkin, English physician, 1798-1866)

Horner syndrome

(Johann Friedrich Horner, Swiss ophthalmologist, 1831-1886)

Huntington disease

(George S. Huntington, American physician, 1851-1916)

- Disorder resulting from chronic, excessive production of cortisol from the adrenal cortex. It can also result from administration of glucocorticoids (cortisone) in large doses for long periods of time.
- Abnormal, inherited condition that infants are born with; marked by progressive hardening of muscles in the leg and hips (pelvis).
- The herpesvirus that causes infectious mononucleosis and is associated with malignant conditions such as nose and throat cancer, Burkitt lymphoma, and Hodgkin lymphoma.
- A tube that joins the throat and the middle ear cavity.
- Malignant tumor that develops from bone marrow, usually in long bones or the hip (pelvis).
- One of a pair of tubes or ducts leading from the ovary to the upper portion of the uterus.
- Rubber tube that is placed in the urethra to provide drainage of urine.
- One-celled organism (protozoan) that causes gastrointestinal infection with diarrhea, abdominal cramps, and weight loss. Cause of infection usually is fecally contaminated water.
- Malignant tumor of the lymph nodes.
- Partial ptosis (prolapse or drooping) of the upper eyelid, along with other signs of damage to nerves controlling the eye muscles and face.
- Rare, hereditary condition marked by chronic, progressively worsening dance-like movements (chorea) and mental deterioration, resulting in dementia.

Kaposi sarcoma

(Moricz Kaposi, Austrian dermatologist, 1837-1902)

Marfan syndrome

(Bernard-Jean A. Marfan, French pediatrician, 1858-1942)

Meniere disease

(Prosper Meniere, French physician, 1799-1862)

Neisseria gonorrhoeae

(Albert L. S. Neisser, Polish dermatologist, 1855-1916)

Paget disease

(James Paget, English surgeon, 1814-1899)

Pap test

(George Papanicolaou, Greek physician in the United States, 1883-1962)

Parkinson disease

(James Parkinson, English physician, 1755-1824)

Raynaud phenomenon

(Maurice Raynaud, French physician, 1834-1881)

Reve syndrome

(R. Douglas Reye, Austrian pathologist, 1912-1978)

Rinne test

(Heinrich A. Rinne, German otologist, 1819-1868)

- Malignant neoplasm of cells that line blood and lymph vessels. Soft brownish or purple papules appear on the skin. The tumor can metastasize to lymph nodes and internal organs. It often is associated with AIDS.
- Hereditary condition that affects bones, muscles, the cardiovascular system (leading to aneurysms) and eyes (lens dislocation). Affected people have long, "spidery" extremities, underdeveloped muscles, and easily movable joints.
- Chronic disease of the inner ear with recurrent episodes of dizziness (vertigo), hearing loss, and ringing in the ears (tinnitus).
- A type of bacterium that causes gonorrhea (sexually transmitted infection).
- Disease of bone, often affecting middle-aged or elderly people; marked by bone destruction and poor bone repair.
- Method of examining stained cells obtained from the cervix and vagina. It is a common way to detect cervical cancer.
- Slowly progressive degenerative neurological disorder marked by tremors, mask-like facial appearance, shuffling gait (manner of walking), and muscle rigidity and weakness.
- Intermittent attacks of loss of blood flow (ischemia) in the extremities of the body (fingers, toes, ears, and nose). Episodes most often are caused by exposure to cold.
- Acute brain disease (encephalopathy) and disease of internal organs following an acute viral infection.
- Hearing test using a vibrating tuning fork placed against a bone behind the patient's ear (mastoid bone).

Rorschach test

(Herman Rorschach, Swiss psychiatrist, 1884-1922)

Salmonella

(Daniel E. Salmon, American pathologist, 1850-1914)

Shigella

(Kiyoshi Shiga, Japanese bacteriologist, 1870-1957)

Sjögren syndrome

(Heinrik S.C. Sjögren, Swedish ophthalmologist, 1899-1986)

Snellen test

(Herman Snellen, Dutch ophthalmologist, 1834-1908)

Tay-Sachs disease

(Warren Tay, English ophthalmologist, 1843-1927; Bernard Sachs, American neurologist, 1858-1944)

Tourette syndrome

(George Gilles de la Tourette, French neurologist, 1857-1927)

von Willebrand disease

(Erick A. von Willebrand, Finnish physician, 1870-1949)

Weber tuning fork test

(Hermann D. Weber, English physician, 1823-1918)

Whipple procedure

(Allen O. Whipple, American surgeon, 1881-1963)

Wilms tumor

(Max Wilms, German surgeon, 1867-1918)

- Personality test based on a patient's interpretation of 10 inkblots.
- Type of bacterium (rod-shaped) that causes typhoid fever and types of gastroenteritis (inflammation of the stomach and intestines).
- Type of bacterium that causes severe infectious gastroenteritis (inflammation of stomach and intestines) and dysentery (diarrhea, abdominal pain, and fever).
- Abnormal dryness of the mouth, eyes, and mucous membranes, caused by deficient fluid production. It is a disorder of the immune system.
- Test of visual clarity (acuity) using a special chart. Letters, numbers, or symbols are arranged on the chart in decreasing size from top to bottom.
- Inherited disorder of nerve degeneration caused by deficiency of an enzyme. Most affected children die between the ages of 2 and 4 years.
- Condition marked by abnormal facial grimaces, inappropriate speech, involuntary movements (tics) of eyes, arms, and shoulders.
- Inherited blood disorder marked by abnormally slow blood clotting; caused by deficiency in a blood clotting factor (factor VIII).
- Test of hearing by placing the stem of vibrating tuning fork in the center of the person's forehead.
- Surgical to remove a portion of the pancreas and the stomach and the entire first part of the small intestine (duodenum). Used in the treatment of pancreatic cancer and other conditions.
- Malignant tumor of the kidney occurring in young children.

APPENDIX 4

Quick Drug Reference



Top 50 Prescribed Medications

Rank	Generic Name	Brand Name	Use	
1.	Levothyroxine	Synthroid®	Thyroid hormone to treat low thyroid condition	
2.	Hydrocodone/APAP	Vicodin®	Pain relief	
3.	Amoxicillin	Amoxil®	Antibiotic; treats bacterial infection	
4.	Lisinopril	Prinivil®	Treats high blood pressure; ACE inhibitor	
5.	Esomeprazole	Nexium®	Treats acid reflux in treatment of GERD	
6.	Atorvastatin	Lipitor®	Lowers cholesterol levels	
7.	Simvastatin		Lowers cholesterol levels	
8.	Clopidogrel	Plavix®	Antiplatelet; prevents platelets from clumping together and forming blood clots	
9.	Montelukast	Singulair®	Reduces wheezing and shortness of breath (asthma attacks)	
10.	Rosuvastatin	Crestor®	Lowers cholesterol levels	
11.	Metoprolol	Lopressor®	Treats abnormal heart rhythms and high blood pressure; beta blocker	
12.	Escitalopram	Lexapro®	Antidepressant	
13.	Azithromycin	Zithromax®	Antibiotic; treats bacterial infections	
14.	Albuterol	ProAir® HFA	Asthma inhaler	
15.	Hydrochlorothiazide HCTZ		Diuretic; increases production of urine (water pill)	
16.	Metformin	Glucophage®	Antidiabetic; reduces blood sugar in type 2 diabetes	
17.	Sertraline	Zoloft @	Antidepressant	
18.	Ibuprofen	Advil®	NSAID; reduces inflammation and pain	
19.	Zolpidem	Ambien®	Treats insomnia (difficulty sleeping)	
20.	Furosemide	Lasix®	Diuretic; increases production of urine (water pill)	
21.	Omeprazole	$\operatorname{Prilosec} ^{\circledR}$	Treats acid reflux in treatment of GERD	
22.	Trazodone	$\operatorname{Desyrel} ^{\mathbin{\mathbb R}}$	Antidepressant	
23.	Valsartan	Diovan®	A2RB; treats high blood pressure	
24.	Tramadol	Ultram®	Pain relief	
25.	Duloxetine	Cymbalta®	Antidepressant	
26.	Warfarin	$Coumadin \circledR$	Blood thinner; treats blood clots (anticoagulant)	
27.	Amlodipine	Norvasc®	Calcium channel blocker; treats high blood pressure	

Rank	Generic Name	Brand Name	Use
28.	Oxycodone/APAP	Percocet®	Pain relief
29.	Quetiapine	Seroquel®	Antipsychotic; treats severe mental disorders
30.	Promethazine	Phenergan®	Antihistamine; treats allergy symptoms
31.	Fluticasone	Flonase®	Nasal spray for allergy relief
32.	Alprazolam	Xanax®	Antianxiety
33.	Clonazepam	Klonopin®	Antianxiety
34.	Benazepril	Lotensin®	Treats high blood pressure; ACE inhibitor
35.	Meloxicam	$\mathbf{Mobic}^{ ext{ ext{$\mathbb{R}}}}$	NSAID; reduces inflammation and pain
36.	Citalopram	Celexa®	Antidepressant
37.	Cephalexin	Keflex®	Antibiotic; treats bacterial infection
38.	Tiotropium	Spiriva®	Inhaler medicine to open airways treats and improve breathing in COPD
39.	Gabapentin	Neurontin®	Treats seizures (epilepsy) and nerve pain
40.	Aripiprazole	Abilify®	Antipsychotic; treats severe mental disorders
41.	Potassium	K-Tab®	Treats low levels of potassium (important electrolyte)
42.	Cyclobenzaprine	Flexeril®	Muscle relaxant
43.	Methylprednisolone	Medrol®	Corticosteroid drug to reduce inflammation
44.	Methylphenidate	Concerta®	Stimulant medication to treat ADHD
45.	Loratadine	Claritin®	Allergy relief
46.	Carvedilol	Coreg®	Treats heart failure (CHF)
47.	Carisoprodol	Soma®	Muscle relaxant
48.	Digoxin	Lanoxin®	Treats heart failure (CHF)
49.	Memantine	Namenda®	Treats Alzheimer disease
50.	Atenolol	Tenormin®	Treats abnormal heart rhythms and high blood pressure; beta blocker

Abbreviations:

A2RB = Angiotensin 2 Receptor Blocker

ACE = Angiotensin-Converting Enzyme

ADHD = Attention-Deficit Hyperactivity Disorder

 $\mathbf{APAP} = \mathbf{Acetaminophen} \ \mathbb{B}$

CHF = Congestive Heart Failure

COPD = Chronic Obstructive Pulmonary Disease

GERD = Gastroesophageal Reflux Disease

HCTZ = Hydrochlorothiazide

HFA = Hydrofluoroalkane—type of inhaler

NSAID: Nonsteroidal Anti-inflammatory Drug

Source: from www.pharmacy-tech-test.com/top-200-drugs



APPENDIX 5

Allied Health Careers



Title/Description	Education Requirements	Certification or Licensure Requirements	or Additional Information
Audiologist Works with people who have hearing problems by using testing devices to measure hearing loss.	Clinical doctoral degree—Doctor of Audiology (AuD) graduate degree, including 9 to 12 months of clinical experience.	In addition to complying with state license requirements (which may include requirement for teaching certification for a particular practice setting), ASHA offers Certification of Clinical Competency in Audiology (CCC-A).	American Speech- Language-Hearing Association (ASHA) 1080 Rockville Pike Rockville, MD 20852 800-498-2071 American Academy of Audiology (AAA) 11730 Plaza America Dr., Suite 300 Reston, VA 20190 800-AAA-2336
Blood bank technologist Collects, types, and prepares blood and its components for transfusions and laboratory tests.	Baccalaureate degree in clinical laboratory science or other physical science degree, plus a 12-month program in blood bank technology. Some programs also offer master's degrees.	Certification through Board of Registry of the American Society of Clinical Pathologists (ASCP) (www.ascp.org).	American Association of Blood Banks (AABB) 8101 Glenbrook Road Bethesda, MD 20814 301-215-6482
Chiropractor Treats health problems associated with the muscular, nervous, and skeletal systems, especially the spine.	College degree plus 4 years of resident instruction in a college of chiropractics.	Must pass the National State Board Exam.	American Chiropractic Association (ACA) Public Information Department 1702 Clarenden Blvd. Arlington, VA 22209 703-276-8880
Clinical laboratory technologist (CLT) (also see Medical laboratory technologist) (CLT, CLS, MLT, MLS) Performs tests to examine and analyze body fluids, tissues and cells.	2-year associate's degree or 12-month certificate program.	Certification available through the following: Board of Registry of the American Society for Clinical Pathology, American Medical Technologists Association, the National Credentialing Agency for Laboratory Personnel, and Board of Registry of the American Association	American Medical Technologists Association (AMTA) 710 Higgins Road Park Ridge, IL 60068 847-823-5169

of Bioanalysts.

National Association

National Association

Title/Description	Education Requirements	Certification or Licensure Requirements	or Additional Information
Dental assistant Assists a dentist with dental procedures.	Typically, 9- to 11- month program at a community college, vocational school, or career school. It is also possible to work as a dental assistant without attending a program and learn on the job.	In most states, certification is optional. Person is eligible to take exam if a graduate of an accredited dental assisting program or has 2 years of work experience. Exam for Certified Dental Assistant (CDA) is administered by the American Dental Assistants Association.	American Dental Assistants Association (ADAA) 35 E. Wacker Dr., Suite 1730 Chicago, IL 60601 312-541-1550
Dental hygienist Provides preventive dental care and teaches the practice of good oral hygiene.	2-year associate's degree or 4-year baccalaureate degree.	State requirements vary. In most states, the person must graduate from an accredited dental hygiene program, pass the state-authorized licensure exam, and pass the comprehensive written exam. On passing the exam, the dental hygienist becomes a Registered Dental Hygienist (RDH).	American Dental Hygienists Association (ADHA) 444 N. Michigan Ave., Suite 3400 Chicago, IL 60611 312-440-8900
Dental laboratory technician Prepares materials (crowns, bridges) for use by a dentist.	A 2-year program at a community, vocational, or technical college, either an associate's degree or certificate. The person also can work as a dental laboratory technician with on-the-job training.	In most states, certification to become a Certified Dental Technician (CDT) is optional.	National Board of Certification for Dental Laboratory Technicians (NBCDLT) 1530 Metropolitan Blvd. Tallahassee, FL 32308 850-224-0711
Diagnostic medical sonographer Performs diagnostic ultrasound procedures.	From 1 to 4 years for certificate, associate's degree, or baccalaureate degree.	Optional certification exam through American Registry of Diagnostic Medical Sonographers, with the designation Registered Diagnostic Medical Sonographer (RDMS).	Society of Diagnostic Medical Sonographers (SDMS) 2745 Dallas Pkwy., Suite 350 Plano, TX 75093 214-473-8057

information.

Title/Description	Education Requirements	Certification or Licensure Requirements	National Association or Additional Information
Dietitian/ nutritionist Plans nutrition programs and supervises the preparation and serving of meals.	2-year component within a baccalaureate or master's degree program, plus internship of 6 months to 2 years.	National certification exam to become a Certified Registered Dietitian (CRD) through the Commission on Dietetic Registration.	American Dietetic Association (ADA) 120 S. Riverside Plaza, Suite 2000 Chicago, IL 60606 312-899-0400, ext 5500
ECG technician (cardiovascular technician) Operates an electro- cardiograph to record ECGs and for Holter monitoring and stress tests.	Training often done on the job in 8- to 16-week programs. Longer programs are also available.	Optional	Alliance of Cardiovascular Professionals (ACP) P.O. Box 2007 Midlothian, VA 23113 804-632-0078
Emergency medical technician 1. First responder 2. Basic (EMT-B) 3. Intermediate (EMT-I) 4. Paramedic (EMT-P) Gives immediate care and transports sick or injured to medical facilities.	Four levels: First responder: 40 hours EMT Basic: 120 hours EMT Intermediate: 200 to 400 hours EMT Paramedic: 1000+ hours	Administered by the National Registry of Emergency Medical Technicians (NREMT) for each level from EMT-B, EMT-I, and EMT-Paramedic.	National Association of Emergency Medical Technicians (NAEMT) P.O. Box 1400 Clinton, MS 39060 800-34-NAEMT
Health information management professional 1. Health information technician (HIT) 2. Health information administrator (HIA) Designs, manages, and administers the use of health care data and	Two levels: Health Information Technician (HIT): 2-year associate's degree Health Information Administrator (HIA): 4-year baccalaureate degree	On completion of the education program, a test is required through the national association (AHIMA) to become a Registered Health Information Technician (RHIT) or Registered Health Information Administrator (RHIA).	American Health Information Management Association (AHIMA) 233 N. Michigan Ave., Suite 2150 Chicago, IL 60601 312-233-1100

American Society of

Science (ASCLS)

Suite 300 Bethesda, MD 20817

301-657-2768

6701 Democracy Blvd.,

Clinical Laboratory

•			National Association
Title/Description	Education Requirements	Certification or Licensure Requirements	or Additional Information
Home health aide Cares for elderly, disabled, and ill persons in their own homes, helping them live there instead of in an institution.	Often on-the-job training or technical/career college.	National Association for Home Care & Hospice offers optional certification.	National Association for Home Care & Hospice (NAHCH) (www.nahc.org) 202-547-7424
Licensed practical nurse (LPN) Cares for sick, injured, convalescing, and handicapped persons, under the direct supervision of physicians and registered nurses; provides basic bedside care.	Approximately 1-year program, with 36 to 28 semester hours.	Must pass the National Council Licensure Examination for Practical Nurses (NCLEX-PN).	National Federation for Licensed Practical Nurses (NFLPN) 1418 Aversboro Road Garner, NC 27529 919-779-0046
Medical assistant Helps physicians examine and treat patients and performs tasks to keep offices running smoothly.	Associate's degree, certificate, and diploma programs available. Medical assistants can focus on either administrative or clinical duties or both.	Optional certifications available. Exam to become a Certified Medical Assistant (CMA) through the AAMA or a Registered Medical Assistant (RMA) through American Medical Technologists Association (see next entry).	American Association of Medical Assistants (AAMA) 20 N. Wacker Dr., Suite 1575 Chicago, IL 60606 800-228-2262
Medical laboratory technologist (also see Clinical laboratory technologist [CLT]) Performs routine	A 2-year associate's degree or a 12-month certificate program.	Certification available through the following: Board of Registry of the American Society for Clinical Pathology, the American Medical	American Medical Technologists Association (AMTA) 710 Higgins Road Park Ridge, IL 60068 847-823-5169

Technologists

Association, the National

Credentialing Agency for

Registry of the American

Laboratory Personnel,

and the Board of

Association of

Bioanalysts.

tests and

laboratory

procedures.

Title/Description

Nuclear medicine technologist

Performs radioactive tests and procedures under the supervision of a nuclear medicine physician, who interprets the results.

Education Requirements

Professional portion of the program is 1-2 years within an associate's or baccalaureate degree program.

Certification or Licensure Requirements

On completion of an accredited program, certification exam is available through the Nuclear Medicine Technology Certification Board

National Association or Additional Information

Society of Nuclear Medicine-Technologist Section (SNMTS) 1850 Samuel Morse Dr. Reston, VA 22090 703-708-9000

American Society of Radiologic Technologists (ASRT) 1500 Central Ave. SE Albuquerque, NM 87123

Nurse anesthetist RN with Required exam by the baccalaureate degree plus 24-month to become a Certified anesthesiology Registered Nurse training course Anesthetist (CRNA). (leading to a

Council on Certification for Nurse Anesthetists.

Optional certification is available through state nursing registries for Certified Nursing Assistant (CNA).

Association of Nurse Anesthetists (ANA) 222 S. Prospect Ave. Park Ridge, IL 60068 847-692-7050 Additional information: National League of Nursing

> National Association of Health Care Assistants (NAHCA) 1201 L St. Washington, DC 20005 202-454-1288

Aids in the delivery

of anesthesia during surgery.

Nursing aide

(nursing assistant, orderly, hospital attendant) Helps care for physically or

mentally ill, injured, or disabled patients confined to nursing, hospital, or residential care facilities; also known as nursing assistants or hospital attendants.

Often on-the-job training or technical/career college.

master's degree).

National Association Education Certification or or Additional Title/Description Requirements Licensure Requirements Information Occupational Two levels: National certification exam American therapist (OT) Baccalaureatethrough National Board Occupational Helps people with degree: 4-5 year for Certification of Therapy Association mentally. program Occupational Therapy (AOTA) physically, Masters degree: (NBCOT). All states also 4720 Montgomery developmentally, additional 2.5 regulate occupational Lane or emotionally therapists. Upon passing vears P.O. Box 31220 disabling the exam, the Bethesda, MD 20824 conditions to occupational therapist 301-652-2682 develop, recover, or becomes an Occupational maintain daily Therapist Registered living and working (OTR) skills. **Occupational** 2-vear associate's National certification exam American therapy assistant degree or 1-vear for OTA administered by: Occupational (OTA) certificate National Board for Therapy Association Under the direction program. Certification of (AOTA) of an occupational Occupational Therapy 4720 Montgomery therapist, the (NBCOT). Many states Lane OTA works with also regulate P.O. Box 31220 patients to restore occupational therapy Bethesda, MD 20824 or enhance assistants. 301-652-2682 activities of daily living. **Ophthalmic** Two levels: After 1 year on the job, the Association of professional Assistant: less than person may test to Technical Personnel 1. Ophthalmic become a Certified in Ophthalmology 1 year (ATPO) assistant Technician / Ophthalmic Medical 2. Ophthalmic technologist: Assistant (COMA) 2025 Woodland Dr. St. Paul, MN 55125 through the Joint technician/ 1-2 years Commission on Allied 651-731-7233 technologist Health Professionals in Helps ophthalmologists Ophthalmology provide medical (JCAHPO). eye care. American Association Usually 15 weeks Optional through Pharmacy the AAPT and Pharmacy of Pharmacy technician (minimum 600 **Technologists** Technician Certification Under the direction hours) of training

Board, to become a

Certified Pharmacy

Technologist (CPhT).

required; can be

through a career,

on the job or

technical, or

community

college.

of licensed

dispenses,

pharmacists,

administers

medications prescribed.

distributes, and

(AAPT)

P.O. Box 1447

877-368-4771

Greensboro, NC 27402

Title/Description	Education Requirements	Certification or Licensure Requirements	National Association or Additional Information
Phlebotomist Draws and tests blood under the supervision of a medical technologist or laboratory manager.	Minimum 100 hours of clinical instruction.	Optional certification available through the following: American Medical Technologists Association, National Credentialing Agency for Laboratory Personnel, and Board of Registry of the American Association of Bioanalysts.	American Medical Technologists Association (AMTA) 710 Higgins Road Park Ridge, IL 60068 847-823-5169 American Society of Phlebotomy Technicians (ASPT) P.O. Box 1831 Hickory, NC 28603 828-294-0078 National Phlebotomy Association (NPA) 1901 Brightseat Road Landover, MD 20785 301-386-4200
Physical therapist (PT) Improves mobility, relieves pain, and prevents or limits permanent physical disabilities of patients experiencing injuries or disease.	Most programs are doctoral degree programs granting a doctorate in physical therapy (DPT); a few master's degree programs are still offered.	On completion of accredited program, national exam is required. Other requirements vary by state.	American Physical Therapy Association (APTA) 111 North Fairfax St. Alexandria, VA 22314 703-684-2782
Physical therapy assistant (PTA) Under the direction of a physical therapist, works with patients to improve mobility.	Most programs are associate's degree programs, 1 year of which is for technical courses and clinical experience.	Most states require physical therapy assistants to be licensed, registered, or certified.	American Physical Therapy Association (APTA) 111 North Fairfax St. Alexandria, VA 22314 703-684-2782
Physician assistant (PA) Examines, diagnoses, and treats patients under the direct supervision of a physician.	Varies, but commonly a 25- to 27-month program in addition to at least 2 years of undergraduate study.	All states require passage of national exam through National Commission on Certification of Physician Assistants (NCCPA). To practice, PAs must also meet any additional state criteria and have a sponsoring physician.	American Association of Physician Assistants (AAPA) 950 N. Washington St. Alexandria, VA 22314 703-836-2272 National Commission on Certification of Physician Assistants

(NCCPA) 12000 Findley Road, Suite 200 Duluth, GA 30097 678-417-8100

National Association

Title/Description	Education Requirements	Certification or Licensure Requirements	or Additional Information
Radiation therapist Prepares cancer patients for treatment and examinations, and administers medications (this career is a specialty within imaging technology—see next entry).	After becoming a radiographer, 1 to 2 years of training.	Certification through American Registry of Radiologic Technologists (ARRT).	American Society of Radiologic Technologists (ASRT) 1500 Central Ave. SE Albuquerque, NM 87123 505-298-4500 American Registry of Radiologic Technologists (ARRT) 1255 Northland Dr. Mendota Heights, MN 55120 651-687-0048
Radiographer/ radiologic technologist Produces x-ray images of parts of the body for use in diagnosing medical problems.	2- to 4-year training program resulting in degree or certificate.	Certification through American Registry of Radiologic Technologists (ARRT).	American Society of Radiologic Technologists (ASRT) 1500 Central Ave. SE Albuquerque, NM 87123 505-298-4500 American Registry of Radiologic Technologists (ARRT) 1255 Northland Dr. Mendota Heights, MN 55120 651-687-0048
Registered nurse (RN) Cares for sick and injured people by assessing and recording symptoms, assisting physicians during treatments and examinations, and administering medications.	ADN—community college or technical school, 2 years Diploma—hospital- based, often 3 years BSN—baccalaureate degree program, 4 years	All registered nurses must pass the NCLEX-RN, administered by the National Council of Licensure Examinations for RN.	American Nursing Association (ANA) 600 Maryland Ave. SW, Suite 100 Washington, DC 20024 800-274-4ANA National League of Nursing (NLN) 61 Broadway, 33rd Floor New York, NY 10006 212-363-5555

Title/Description	Education Requirements	Certification or Licensure Requirements	National Association or Additional Information
Respiratory therapist Evaluates, treats, and cares for patients with breathing disorders.	Entry level: 2-year associate's degree program. Advanced level: 2- to 4-year program with baccalaureate or graduate degree.	Certification through National Board for Respiratory Care for Certified Respiratory Therapist (CRT).	American Association for Respiratory Care (AARC) 11030 Ables Lane Dallas, TX 75229 972-243-2272
Speech-language pathologist Assesses and treats persons with speech, language, voice, and fluency disorders.	2-year master's degree plus typically 9 to 12 months of clinical experience.	49 states require compliance with state licensure standards and/ or a teacher certification. Exam administered by ASHA for Certification of Clinical Competency in Speech-Language Pathology (CCC-SLP).	American Speech- Language-Hearing Association (ASHA) 1080 Rockville Pike Rockville, MD 20852 800-498-2071
Surgical technologist (CST) Assists in operations under the supervision of surgeons or registered nurses.	12- to 24-month associate's degree or certificate program.	Optional certification exam through National Board for Surgical Technologists and Surgical Assistants for Certified Surgical Technician (CST).	Association of Surgical Technologists (AST) 6 West Dry Creek Circle Littleton, CO 80120 800-637-7433

GLOSSARY 1

Mini-Dictionary

Pronunciation of each term is given with its meaning. The syllable that gets the accent is in CAPITAL LETTERS. Terms in SMALL CAPITAL LETTERS are defined elsewhere in this glossary.

A

Abdomen (AB-do-men): Space below the chest that contains organs such as the stomach, liver, intestines, and gallbladder. The abdomen lies between the diaphragm and the pelvis.

Abdominal (ab-DOM-ih-nal): Pertaining to the abdomen.

Abdominal cavity (ab-DOM-ih-nal KAV-ih-te): See ABDOMEN.

Ablation (ab-LA-shun): Removal of abnormal tissue by surgical or mechanical means.

Abnormal (ab-NOR-mal): Pertaining to being away (AB-) from the norm; irregular.

Acquired immunodeficiency syndrome (ah-KWYRD im-u-no-deh-FISH-en-se SIN-drohm) or **AIDS**: Suppression or deficiency of the immune response caused by exposure to the HUMAN IMMUNODEFICIENCY VIRUS (HIV).

Acromegaly (ak-ro-MEG-ah-le): Enlargement of extremities as a result of thickening of the bones and soft tissues; it is caused by excessive secretion of growth hormone from the pituitary gland (after completion of puberty).

Acute (uh-KYOOT): Sharp, sudden, and intense for a short period of time.

Acute myocardial ischemia (ah-KUT mi-o-KAR-de-al is-KE-me-ah): Sudden decrease in blood flow to the heart muscle.

Adenectomy (ad-eh-NEK-to-me): Removal of a gland.

Adenitis (ad-eh-NI-tis): Inflammation of a gland.

Adenocarcinoma (ah-deh-no-kar-sih-NO-mah): Cancerous tumor derived from glandular cells.

Adenoidectomy (ah-deh-noyd-EK-to-me): Removal of the adenoids.

Adenoids (AD-eh-noydz): Lymphatic tissue in the upper part of the throat near the nasal passageways.

Adenoma (ah-deh-NO-mah): Tumor (benign) of a gland. Benign means not cancerous.

Adenopathy (ah-deh-NOP-ah-the): Disease of glands. Often this term refers to enlargement of lymph nodes (which are not true glands, but collections of lymphatic tissue).

Adnexa uteri (ad-NEKS-ah U-ter-i): Accessory structures of the uterus (ovaries and fallopian tubes).

Adrenal cortex (ah-DRE-nal KOR-teks): Outermost part of the adrenal gland. The adrenal cortex secretes steroid hormones such as GLUCOCORTICOIDS (cortisone).

Adrenal glands (ah-DRE-nal glanz): Two endocrine glands, each above a kidney. The adrenal glands produce hormones such as adrenaline (epinephrine) and hydrocortisone (cortisol).

Adrenalectomy (ah-dre-nal-EK-to-me): Removal (excision) of adrenal glands.

Adrenaline (ah-DREN-ah-lin): Hormone secreted by the adrenal glands. It is released into the bloodstream in response to stress, such as from fear or physical injury. Also called EPINEPHRINE.

Adrenocorticotropic hormone (ah-dre-no-kor-tih-ko-TROP-ic HOR-mone): Hormone secreted by the pituitary gland. It stimulates the adrenal gland (cortex or outer region) to secrete the hormone cortisone. Also called ACTH.

Adrenopathy (ah-dreh-NOP-a-the): Disease of ADRENAL GLANDS.

AIDS: See ACQUIRED IMMUNODEFICIENCY SYNDROME.

Air sacs (ayr saks): Thin-walled sacs within the lung. Inhaled oxygen passes into the blood from the sacs, and carbon dioxide passes out from the blood into the sacs to be exhaled; ALVEOLI.

Albumin (al-BU-min): A large-molecule protein found in blood and tissues.

Albuminuria (al-bu-min-U-re-ah): Albumin (protein) in the urine; it indicates a malfunction of the kidney.

Alkaline phosphatase (AL-kah-line PHOS-fah-tays): An enzyme present in blood and body tissues, such as bone and liver. Elevated in diseases such as those of bone and liver. Also called alk phos.

Allergist (AL-er-jist): Medical doctor specializing in identifying and treating abnormal sensitivity to substances such as pollen, dust, foods, and drugs.

Alopecia (ah-lo-PE-shah): Loss of hair; baldness.

ALT: Alanine transferase, an enzyme normally found in blood and tissues, especially the liver. ALT is elevated in liver disease. (Formerly called SGPT.)

Alveolar (al-VE-o-lar): Pertaining to air sacs (alveoli) within the lungs.

Alveoli (al-VE-o-li): Thin-walled sacs within the lung. Inhaled oxygen passes into the blood from the sacs, and carbon dioxide passes out from the blood into the sacs to be exhaled (*singular*: ALVEOLUS).

Alveolus (al-ve-O-lus): An air sac within the lung (plural: ALVEOLI).

Alzheimer disease (ALTZ-hi-mer di-ZEEZ): Deterioration of mental capacity (irreversible dementia) marked by intellectual deterioration, disorganization of personality, and difficulties in carrying out tasks of daily living.

Amenorrhea (a-men-o-RE-ah): Absence of menstrual flow.

Amniocentesis (am-ne-o-sen-TE-sis): Surgical puncture to remove fluid from the amnion (sac surrounding the developing fetus).

Anal (A-nal): Pertaining to the anus (opening of the rectum to the outside of the body).

Analgesic (an-al-JE-zik): Medication that reduces or eliminates pain.

Analysis (ah-NAL-ih-sis): Separating a substance into its component parts.

Anastomosis (ah-nah-sto-MO-sis): New surgical connection between two previously unconnected bowel parts, vessels, or ducts.

Androgen (AN-dro-jen): Hormone that controls the development of masculine characteristics. An example is TESTOSTERONE.

Anemia (ah-NE-me-ah): Deficiency of hemoglobin and/or in number of red blood cells. This results in reduced delivery of oxygen to body cells. Literally, *anemia* means lacking (AN-) in blood (-EMIA).

Anemic (ah-NE-mik): Pertaining to ANEMIA.

Anesthesiologist (an-es-the-ze-OL-o-jist): Medical doctor specializing in administering agents capable of bringing about loss of sensation and consciousness.

Anesthesiology (an-es-the-ze-OL-o-je): Study of how to administer agents capable of bringing about loss of sensation and consciousness.

Aneurysm (AN-u-rizm): Localized widening of the wall of an artery, of a vein, or of the heart. From the Greek *aneurysma*, meaning "widening."

Angina (an-JI-nah): Sharp pain in the chest resulting from a decrease in blood supply to heart muscle. Also called angina pectoris (PECT/O means chest).

Angiography (an-je-OG-rah-fe): X-ray recording of blood vessels after contrast is injected. **Angioplasty** (AN-je-o-plas-te): Surgical repair of a blood vessel. A tube (catheter) is

placed in a clogged artery and a balloon at the end of the tube is inflated to flatten the clogged material against the wall of the artery. This enlarges the opening of the artery so that more blood can pass through. Also called balloon angioplasty.

Angiotensin (an-je-o-TEN-sin): Hormone that is a powerful vasoconstrictor and raises blood pressure.

Ankylosing spondylitis (ang-kih-LO-sing spon-dih-LI-tis): Chronic inflammation of the vertebrae (backbones) with stiffening of spinal and hip joint so that movement becomes increasingly painful.

Ankylosis (ang-kih-LO-sis): Stiffening and immobility of a joint caused by injury, disease, or a surgical procedure.

Anomaly (ah-NOM-ah-le): Irregularity; a deviation from the normal. A congenital anomaly (irregularity) is present at birth.

Antenatal (an-teh-NA-tal): Before birth.

Antepartum (an-teh-PAR-tum): Before birth.

Anterior (an-TE-re-or): Located in the front (of the body or of a structure).

Antiandrogen (an-tih-AN-dro-jen): Substance that inhibits the effects of androgens (male hormones).

Antiarrhythmic (an-te-ah-RITH-mik): Pertaining to a drug that works against or prevents abnormal heartbeats (arrhythmias).

Antibiotic (an-tih-bi-OT-ik): A chemical substance produced by various microorganisms or fungi (immature plants) that inhibits or destroys bacteria or other small organisms. Examples of antibiotics are penicillin and streptomycin. They are used in the treatment of infectious diseases.

Antibody (AN-tih-bod-e): A substance that works against (ANTI-) germs ("bodies" of infection). Antibodies are produced by white blood cells when germs (antigens) enter the bloodstream.

Anticoagulant (an-tih-ko-AG-u-lant): Drug that prevents clotting (coagulation). Anticoagulants are given when there is danger of clot formation in blood vessels, as may happen after a heart attack.

Anticonvulsant (an-tih-kon-VUL-sant and an-tih-de-PRE-sant): Drug that prevents or relieves convulsions (involuntary muscular contractions).

Antidepressant (an-tih-de-PRES-ant): Drug used to prevent or treat depression.

Antidiabetic (an-tih-di-ah-BET-ik): Drug that prevents or relieves symptoms of diabetes. Antiestrogen (an-tih-ES-tro-jen): Substance that inhibits the effects of estrogens (female

hormones). **Antifungal** (an-tih-FUNG-al): Drug that destroys or inhibits the growth of fungi (organisms such as yeasts, molds, and mushrooms).

Antigen (AN-tih-jen): Foreign protein (such as on a bacterium or virus) that stimulates white blood cells to make antibodies. Antigens are then destroyed by the antibodies.

Antihistamine (an-tih-HIS-tah-meen): Drug used to counteract the effects of histamine production in allergic reactions and colds.

Antihypertensive (an-te-hi-per-TEN-siv): Drug that reduces high blood pressure.

Antitubercular (an-tih-too-BER-ku-lar): Agent or drug used to treat tuberculosis.
 Antiviral (an-tih-VI-ral): Agent that inhibits and prevents the growth and reproduction of viruses.

Anuria (an-U-re-ah): Abnormal condition of no urine production.

Anus (A-nus): Opening of the rectum to the surface of the body; solid wastes (feces) leave the body through the anus.

Aorta (a-OR-tah): Largest artery that leads from the lower left chamber of the heart to arteries all over the body.

Aortic stenosis (a-OR-tik steh-NO-sis): Narrowing of the aorta.

Apex (A-peks): Pointed end of an organ (plural: apices [A-pih-seez]).

Aphakia (ah-FA-ke-ah): Absence of the lens of the eye.

Aphasia (ah-FA-ze-ah): Absence or impairment of communication through speech.

Apnea (AP-ne-ah): Not (A-) able to breathe (-PNEA); temporary stoppage of breathing. In sleep apnea, during sleep, a person is momentarily unable to contract respiratory muscles and maintain air flow through the nose and mouth.

Appendicitis (ap-en-dih-SI-tis): Removal of the appendix. **Appendicitis** (ap-en-dih-SI-tis): Inflammation of the appendix.

Appendix (ah-PEN-dikz): Small sac that hangs from the juncture of the small and large intestines in the right lower quadrant of the abdomen. Its function is unknown.

Arachnoid membrane (ah-RAK-noyd MEM-brayn): The middle membrane of the MENINGES (coverings around the brain and spinal cord).

Areola (ah-RE-o-lah): Dark, pigmented area around the nipple of the breast.

Arrhythmia (a-RITH-me-ah): Abnormal heart rhythm.

Arteriography (ar-teer-e-OG-rah-fe): Process of recording (x-ray) of arteries after injecting contrast material.

Arteriole (ar-TEER-e-ole): Small artery.

Arteriolitis (ar-teer-e-o-LI-tis): Inflammation of small arteries (arterioles).

Arteriosclerosis (ar-teer-e-o-skleh-RO-sis): Hardening of arteries. The most common form is *atherosclerosis*, which is hardening of arteries caused by collection of fatty, cholesterol-like deposits (plaque) in arteries.

Arteriovenous fistula (ar-teer-e-o-VE-nus FIST-u-lah): An abnormal communication between an artery and a vein. It can also be created surgically to provide access for hemodialysis.

Artery (AR-ter-e): Largest (in diameter) blood vessel. Arteries carry blood away from the heart.

Arthralgia (ar-THRAL-jah): Pain in a joint.

Arthritis (ar-THRI-tis): Inflammation of a joint.

Arthrocentesis (ar-thro-sen-TE-sis): Surgical puncture to remove fluid from a joint for diagnosis or treatment.

Arthrogram (AR-thro-gram): X-ray record of a joint.

Arthropathy (ar-THROP-ah-the): Disease of joints.

Arthroplasty (AR-thro-plas-te): Surgical repair of a joint, especially to restore mobility in osteoarthritis or rheumatoid arthritis.

Arthroscope (AR-thro-skope): Instrument used to examine (inside of) a joint.

Arthroscopy (ar-THROS-ko-pe): Process of visual examination of a joint.

Arthrosis (ar-THRO-sis): Abnormal condition of a joint.

Ascites (ah-SI-teez): Abnormal collection of fluid in the abdomen.

Asphyxia (as-FIK-se-ah): Deficiency of oxygen in the blood and increase in carbon dioxide in blood and tissues. Major sign is a complete absence of breathing, leading to loss of consciousness or death.

Aspiration (as-per-A-shun): Withdrawal of fluid from a cavity or sac.

AST: Aspartate transferase, an enzyme normally present in blood and tissues such as heart and liver. (Formerly called SGOT.)

Asthma (AZ-mah): Difficult breathing caused by a spasm of the bronchial tubes or a swelling of their mucous membrane lining.

Atelectasis (ah-teh-LEK-tah-sis): Collapsed lung or part of a lung (ATEL-, meaning incomplete; -ECTASIS, meaning widening or dilation).

Atherosclerosis (ah-theh-ro-skle-RO-sis): See ARTERIOSCLEROSIS.

Atrium (A-tre-um): Upper chamber of the heart (plural: atria).

Atrophy (AT-ro-fe): Decrease in size of cells within an organ.

Auditory canal (AW-dih-tor-e kah-NAL): Passageway leading into the ear from the outside of the body.

Auditory nerve (AW-dih-tor-e nurv): Nerve that transmits sound waves from the inner ear to the brain, making hearing possible.

Aura (AW-rah): A strange sensation coming before more definite symptoms of illness. An aura often precedes a migraine headache or an epileptic seizure, warning the patient that an attack is beginning.

Aural discharge (AW-rahl DIS-charj): Fluid or material that is expelled from the ear.

Autopsy (AW-top-se): Examination of a dead body to determine the cause of death. Also called a POSTMORTEM exam or NECROPSY. Literally, it means "to see" (-OPSY) with "one's own" (AUT-) eyes.

Axial (AKS-e-al): Pertaining to an axis (an imaginary line through the center of a body or about which a structure revolves). Axial (transverse plane) views are seen in CT and

MRI scans.

Axillary (AKS-ih-lar-e): Pertaining to the armpit or underarm.

В

Bactericidal (bak-tih-re-SI-dal): Pertaining to an agent that destroys bacteria. **Bacteriostatic** (bak-tih-re-o-STAT-ik): Pertaining to an agent that inhibits bacterial

growth.

Bacterium (bak-TIH-re-um): Type of one-celled organism whose genetic material (DNA) is not organized within a nucleus (*plural*: bacteria).

Balanitis (bah-lah-NI-tis): Inflammation of the penis.

Bariatric surgery (bah-re-AH-trik SUR-jer-e): Surgery on part of the gastrointestinal tract for obesity. BARI/O means weight, and IATR/O means treatment.

Barium (BAH-re-um): Substance used as a radiopaque (x-rays cannot pass through it) contrast medium for x-ray examination of the digestive tract.

Barium enema (BAH-re-um EN-eh-mah): X-ray study of the lower digestive tract performed by instilling a solution of barium into the rectum, which highlights structures seen on the x-ray images.

Barium swallow (BAH-re-um SWAH-lo): X-ray study of the upper digestive tract performed by having the patient swallow a solution of barium, which highlights structures seen on the x-ray images.

Benign (be-NIN): Not cancerous; a tumor that does not spread and is limited in growth.

Benign is the opposite of malignant.

Benign prostatic hyperplasia (be-NIN pro-STAH-tik hi-per-PLA-ze-ah): Nonmalignant enlargement of the prostate gland. Also called benign prostatic hypertrophy (hi-PER-tro-fe).

Benzodiazepine (ben-zo-di-AZ-eh-pin): Drug used to relieve anxiety, relax muscles, and produce sedation.

Beta blocker (BA-tah BLOK-er): Drug that is used for the treatment of high blood pressure (hypertension), chest pain (angina), and abnormal rhythms of the heart (arrhythmias).

Bilateral (bi-LAT-er-al): Pertaining to two (both) sides.

Bile (bil): A yellow or orange fluid produced by the liver. It breaks up large fat globules and helps in the digestion of fats.

Bile duct (bil dukt): Tube that carries bile from the liver and gallbladder to the intestine.

Bilirubin (bil-ih-RU-bin): A red blood cell pigment excreted with bile from the liver into the intestine.

Biology (bi-OL-o-je): Study of life.

Biopsy (BI-op-se): Living tissue is removed and viewed under a microscope. In a *core* (needle) biopsy, a small sample of tissue is removed using a hollow needle. It is typically performed under imaging guidance such as ULTRASOUND or CT SCAN.

Bladder (BLAH-der): See URINARY BLADDER.

Bone (bone): Hard, rigid type of connective tissue that makes up most of the skeleton. It is composed of calcium salts.

Bone marrow (bone MAH-ro): Soft, sponge-like material in the inner part of bones. Blood cells are made in the bone marrow.

Bones of the middle ear: Three small bones (ossicles) that transmit sound vibrations to the inner ear; malleus, incus, and stapes.

Bradycardia (bra-de-KAR-de-ah): Slow heartbeat.

Brain (brayn): Organ in the head that controls the activities of the body.

Breast (brest): One of two glandular organs on the front of the chest. The breasts produce milk after childbirth.

Bronchial tube (BRONG-ke-al toob): One of two tubes that carry air from the windpipe to the lungs. Also called a bronchus (*plural*: bronchi).

Bronchiole (BRONG-ke-ol): Small bronchial tube.

Bronchiolitis (brong-ke-o-LI-tis): Inflammation of bronchioles.

Bronchitis (brong-KI-tis): Inflammation of bronchial tubes.

Bronchoscope (BRONG-ko-skope): Instrument used to visually examine bronchial tubes. **Bronchoscopy** (brong-KOS-ko-pe): Visual examination of bronchial tubes by passing an endoscope through the trachea (windpipe) into the bronchi.

Bronchus (BRONG-kus): See BRONCHIAL TUBE.

Bursa (BUR-sah): Sac of fluid near a joint (plural: bursae [BUR-se]).

Bursitis (bur-SI-tis): Inflammation of a bursa.

С

Calcaneus (kal-KA-ne-us): Heel bone.

Calcification (cal-sih-fih-KA-shun): Accumulation of calcium salts in tissues.

Calcium channel blocker (KAL-se-um CHAH-nel BLOK-er): Drug that dilates arteries by inhibiting the flow of calcium into muscle cells that line arteries. It is used to treat hypertension (high blood pressure) and angina (chest pain caused by insufficient oxygen to heart muscle).

Calculus (KAL-ku-lus): Stone (plural: calculi [KAL-ku-li]).

Callus (KAL-us): Bony deposit formed between and around the broken ends of a fractured bone. Also, a painless thickening of skin cells in areas of external pressure or friction.

Capillary (KAP-ih-lar-e): Smallest blood vessel (plural: capillaries).

Carbon dioxide (KAR-bon di-OK-side): Odorless, colorless gas formed in tissues and eliminated by the lungs.

Carcinoma (kar-sih-NO-mah): Cancerous tumor. Carcinomas form from epithelial cells that line the internal organs and cover the outside of the body.

Cardiac (KAR-de-ak): Pertaining to the heart.

Cardiac catheter ablation (KAR-de-ak KAH-theh-ter ab-LA-shun): Procedure to correct an ARRHYTHMIA by advancing a flexible tube (catheter) through blood vessels into the heart. High-frequency electrical impulses then destroy the abnormal tissue that is causing the arrhythmia.

Cardiologist (kar-de-OL-o-jist): Physician specializing in the study of the heart and heart disease.

Cardiology (kar-de-OL-o-je): Study of the heart.

Cardiomegaly (kar-de-o-MEG-ah-le): Enlargement of the heart.

Cardiomyopathy (kar-de-o-mi-OP-ah-the): Disease of heart muscle.

Cardiovascular surgeon (kar-de-o-VAS-ku-lar SUR-jun): Specialist in operating on the heart and blood vessels.

Cardioversion (KAR-de-o-ver-zhun): Brief discharges of electricity passing across the chest to stop a cardiac ARRHYTHMIA. Also called DEFIBRILLATION.

Carpals (KAR-palz): Wrist bones.

Carpal tunnel syndrome (KAR-pal TUN-el SYN-drohm): Group of symptoms resulting from compression of the median nerve in the wrist. Symptoms include tingling, pain, and burning sensations in the hand and wrist.

Cartilage (KAR-tih-laj): Flexible, fibrous connective tissue, found as part of the nose, ears, voice box, and windpipe and chiefly attached to bones at joints.

Cataract (KAT-ah-rakt): Clouding of the lens of the eye.

Cathartic (ka-THAR-tik): Pertaining to a substance that causes the release of feces from the large intestine.

Catheter (KATH-eh-ter): Flexible or rigid hollow tube used to drain fluids from the body or inject fluids into the body. Catheters are also used to help keep passageways open.

CAT scan (kat skan): Computerized axial tomography. See CT SCAN.

Cauda equina (KAW-dah eh-KWI-nah): Bundle of nerve fibers and nerve roots extending from the end of the spinal cord (L3) to the sacral and coccygeal nerves. *Cauda equina* is Latin for "horse's tail," which describes its appearance.

Caudal (KAW-dal): Pertaining to the tail or the lower portion of the body.

Cauterization (kaw-tur-e-ZA-shun): Heat is used to destroy abnormal tissue, for example, in the lining of the cervix (lower neck-like region of the uterus).

Cautery (KAW-tur-e): Instrument or agent used to destroy tissue by burning.

Cell (sel): Smallest unit or part of an organ.

Cellulitis (sel-u-LI-tis): Inflammation of soft tissue under the skin; it is marked by swelling, redness, and pain, and is caused by bacterial infection.

Cephalgia (seh-FAL-jah): Headache. Shortened form of cephalalgia.

Cephalic (seh-FAL-ik): Pertaining to the head. *Cephalic presentation* refers to a fetal position in which the head of the fetus appears at the uterine cervix as the infant is born.

Cephalosporin (sef-ah-lo-SPOR-in): Antibiotic similar to penicillin and used to treat infections of the respiratory tract, ear, urinary tract, bones, and blood.

Cerebellar (ser-eh-BEL-ar): Pertaining to the CEREBELLUM.

Cerebellum (ser-eh-BEL-um): Lower, back part of the brain that coordinates muscle movement and balance.

Cerebral (seh-RE-bral or SER-eh-bral): Pertaining to the CEREBRUM.

Cerebrospinal fluid (seh-RE-bro SPI-nal FLOO-id): Fluid surrounding the brain and spinal cord.

Cerebrovascular accident (seh-re-bro-VAS-ku-lar AK-sih-dent): Blood is prevented from reaching areas of the cerebrum, and brain cells die; also called a STROKE.

Cerebrum (seh-RE-brum): Largest part of the brain. It controls thought processes, hearing, speech, vision, and body movements.

Cervical (SER-vih-kal): Pertaining to the neck of the body or the neck (cervix) of the uterus.

Cervical region (SER-vih-kal RE-jun): Seven backbones in the area of the neck.

Cervical vertebra (SER-vih-kal VER-teh-brah): Backbone in the neck.

Cervix (SER-viks): Lower, neck-like portion of the uterus opening into the vagina.

Cesarean section (seh-ZAR-re-an SEK-shun): Incision of the uterus to remove the fetus at birth.

Chlamydial infection (klah-MID-e-al in-FEK-shun): A bacterial infection commonly transmitted by sexual contact.

Chemotherapy (ke-mo-THER-ah-pe): Treatment with drugs. Chemotherapy is most often used in the treatment of cancer.

Cholecystectomy (ko-leh-sis-TEK-to-me): Removal of the gallbladder.

Choledochoduodenostomy (ko-led-oh-ko-doo-o-deh-NOS-to-me): New surgical attachment of the common bile duct to the duodenum; an anastomosis.

Choledochotomy (ko-led-o-KOT-o-me): Incision of the common bile duct. **Cholelithiasis** (ko-leh-lih-THI-ah-sis): Abnormal condition of gallstones.

Cholesterol (ko-LES-ter-ol): Fatty substance made in the liver and found in the bloodstream. It is an important part of all cells and is necessary for creating hormones. It may accumulate in the lining of arteries, such as in the heart, causing heart disease, or in the gallbladder to form gallstones. Normal adult levels are 120 to 200 mg/dL.

Chondroma (kon-DRO-mah): Benign tumor of CARTILAGE.

Chondrosarcoma (kon-dro-sar-KO-mah): Malignant tumor of CARTILAGE.

Chronic (KRON-ik): Lasting a long time.

Chronic obstructive pulmonary disease (KRON-ik ob-STRUK-tiv PUL-mo-na-re dih-ZEEZ): Chronic limitation in airflow into and out of the body; includes chronic bronchitis, ASTHMA, and EMPHYSEMA. Also called COPD.

Circulatory system (SER-ku-lah-tor-e SIS-tem): Organs (heart and blood vessels) that carry blood throughout the body.

Cirrhosis (seh-RO-sis): Liver disease with deterioration of the liver cells. Cirrhosis is often caused by alcoholism and poor nutrition.

Clavicle (KLAV-ih-kul): Collarbone.

Clinical (KLIN-ih-kal): Pertaining to the bedside or clinic; involving patient care.

Coccygeal (kok-sih-JE-al): Pertaining to the tailbone (coccyx).

Coccygeal region (kok-sih-JE-al RE-jun): Four fused (joined-together) bones at the base of the spinal column (backbone).

Coccyx (KOK-siks): Tailbone.

Cochlear (KO-kle-er): Pertaining to the spiral-shaped cavity (cochlea) of the inner ear that transmits sound vibrations to the auditory nerve.

Colectomy (ko-LEK-to-me): Removal of the colon (large intestine).

Colitis (ko-LI-tis): Inflammation of the colon (large intestine).

Colocolostomy (ko-lo-ko-LOS-to-me): New surgical connection between two previously unconnected portions of the colon. This is an anastomosis.

Colon (KO-lon): Large intestine (bowel).

Colonic polyposis (ko-LON-ik pol-ih-PO-sis): Condition of growths or masses protruding from the mucous membrane lining the colon.

Colonoscopy (ko-lon-OS-ko-pe): Visual examination of the colon.

Colorectal surgeon (ko-lo-REK-tal SUR-jun): Physician specializing in operating on the colon and rectum.

Colostomy (ko-LOS-to-me): Opening of the colon to the outside of the body. **Colposcopy** (kol-POS-ko-pe): Visual examination of the vagina and cervix.

Computed tomography scan (kom-PU-ted to-MOG-rah-fe skan): X-ray images taken to show the body in cross-sectional views. Also called CT SCAN.

Concussion (kon-KUSH-un): Traumatic brain injury that can cause bruising, damage to blood vessels, and injury to nerves. Loss of consciousness may result.

Congenital anomaly (con-JEN-ih-tal ah-NOM-ah-le): See ANOMALY.

Congestive heart failure (kon-JES-tiv hart FAIL-ur): Condition in which the heart is unable to pump its required amount of blood, resulting in inadequate oxygen to body cells.

Conization (ko-nih-ZA-shun): Removal of a wedge-shaped piece (cone) of tissue from the cervix for biopsy in the diagnosis and treatment of early cervical cancer.

Conjunctiva (kon-junk-TI-vah): Thin protective membrane over the front of the eye and attached to the eyelids.

Conjunctivitis (kon-junk-ti-VI-tis): Inflammation of the CONJUNCTIVA.

Connective tissue (kon-NEK-tiv TIS-u): Fibrous tissue that supports and connects internal organs, bones, and walls of blood vessels.

Contraindication (kon-tra-in-dih-KA-shun): Specific situation in which a drug, procedure, or surgery should not be used because it may be harmful to the patient.

Contralateral (kon-tra-LAT-er-al): Pertaining to the opposite side.

Core biopsy (kor BI-op-se): See BIOPSY.

Corium (KOR-e-um): Middle layer of the skin below the epidermis; DERMIS.

Cornea (KOR-ne-ah): Transparent layer over the front of the eye. It bends light to focus it on sensitive cells (retina) at the back of the eye.

Coronal plane (kor-O-nal playn): See FRONTAL PLANE.

Coronary (KOR-on-ayr-e): Pertaining to the heart.

Coronary angiogram (KOR-on-ayr-e AN-je-o-gram): X-ray record of blood vessels surrounding the heart.

Coronary arteries (KOR-on-ayr-e AR-ter-eez): Blood vessels that carry oxygen-rich blood from the aorta to the heart muscle.

Coroner (KOR-oh-ner): A person who determines the cause of death in cases where the death was sudden, unexpected, of suspicious origin, or while under police custody. Generally, coroners have legal and/or medical backgrounds.

Cortex (KOR-teks): Outer part of an organ (plural: cortices [KOR-tih-seez]).

Cortisol (KOR-tih-sol): Anti-inflammatory hormone secreted by the adrenal cortex.

Costochondritis (kos-to-kon-DRI-tis): Inflammation of the cartilage attached to a rib.

Costochondral (kos-to-KON-dral): Pertaining to a rib and its cartilage.

Cranial cavity (KRA-ne-al KAV-ih-te): Space surrounded by the skull and containing the brain and other organs.

Craniotomy (kra-ne-OT-o-me): Incision of the skull.

Cranium (KRA-ne-um): Skull.

Creatinine (kre-AT-tih-neen): Nitrogen-containing waste that is removed from the blood by the kidney and excreted in urine.

Crohn disease (kron dih-ZEEZ): Inflammation of the gastrointestinal tract (often the ileum) marked by bouts of diarrhea, abdominal cramping, and fever. Along with ulcerative colitis, Crohn's is a type of INFLAMMATORY BOWEL DISEASE.

Cross section (kros SEK-shun): Division of an organ or the body into upper and lower portions; TRANSVERSE PLANE.

Cryosurgery (kri-o-SUR-jeh-re): Use of cold temperatures (such as liquid nitrogen) to freeze and destroy tissue.

Cryotherapy (kri-o-THER-ah-pe): Treatment using cold (CRY/O) temperatures. **Cryptorchism** (kript-OR-kizm): Undescended (CRYPT- means hidden) testicle. The

testicle is not in the scrotal sac at birth. Also called cryptorchidism.

CT colonography (CT ko-lon-OG-ra-fe): CT imaging procedure using x-rays and computer equipment to produce images of the colon and display them on a screen. Also called *virtual colonoscopy*.

CT scan: Computed tomography study; series of x-ray images showing organs in cross section (transverse view). Also called a CAT SCAN.

Cusp (KUSP): Any one of the small flaps on the valves of the heart. Also, a sharp projection extending from the surface of a tooth.

Cushing syndrome (KOOSH-ing SYN-drohm): Clinical signs and symptoms produced by an excess of cortisol from the adrenal cortex. Cushing syndrome is marked by "moon face," fatty swellings, and weakness.

Cuticle (KU-ti-cul): Thin layer of dead skin at the base of the nail plate.

Cyanosis (si-ah-NO-sis): Bluish discoloration of the skin due to deficient OXYGEN in the bloodstream.

Cystitis (sis-TI-tis): Inflammation of the urinary bladder.

Cystoscope (SIS-to-skope): Instrument (endoscope) used to view the urinary bladder.

Cystoscopy (sis-TOS-ko-pe): Visual examination of the urinary bladder.

Cytology (si-TOL-o-je): Study of cells.

D,

Debridement (de-BREED-ment): Removal of diseased tissue from the skin.Deep vein thrombosis (deep vayn throm-BO-sis): Abnormal condition of clot formation in a deep vein, usually in the leg or pelvic (hip) region.

Defibrillation (de-fib-rih-LA-shun): Brief discharges of electricity applied to the chest to stop an abnormal heart rhythm.

Delusion (deh-LOO-zhun): A persistent belief held by a person despite evidence to the contrary.

Dementia (deh-MEN-shah): Loss of memory and mental abilities.

Dermal (DER-mal): Pertaining to the skin.

Dermatitis (der-mah-TI-tis): Inflammation of the skin.

Dermatologist (der-mah-TOL-o-jist): Physician specializing in the skin and its diseases.

Dermatology (der-mah-TOL-o-je): Study of the skin and its diseases.

Dermatosis (der-mah-TO-sis): Abnormal condition of the skin.

Dermis (DER-mis): Fibrous middle layer of the skin below the epidermis. The dermis contains nerves and blood vessels, hair roots, and oil and sweat glands.

Diabetes mellitus (di-ah-BE-teez MEL-lih-tus): Disorder marked by deficient insulin in the blood, which causes sugar to remain in the blood rather than entering cells. Diabetes is named from a Greek word meaning "siphon" (through which water passes easily). One symptom is frequent urination (polyuria). Type 1 diabetes is marked by lack of insulin, and patients need injections of insulin. In type 2 diabetes, insulin is not adequately or appropriately secreted. Type 2 diabetes has a tendency to develop later in life, and patients can be managed with diet, exercise, and oral antidiabetic drugs.

Diagnosis (di-ag-NO-sis): Complete knowledge of patient's condition (*plural*: diagnoses). **Dialysis** (di-AL-ih-sis): Complete separation (-LYSIS) of wastes (urea) from the blood when the kidneys fail. See also HEMODIALYSIS and PERITONEAL DIALYSIS.

Diameter (di-AM-eh-ter): Measurement (-meter) through (dia-) center of a circle or tube. The diameter of an artery is larger than the diameter of a vein or capillary.

Diaphragm (DI-ah-fram): Muscle that separates the chest from the abdomen.

Diarrhea (di-ah-RE-ah): Discharge of watery wastes from the COLON.

Digestive system (di-JES-tiv SIS-tem): Organs that bring food into the body and break it down to enter the bloodstream or eliminate it through the rectum and anus.

Dilation (di-LA-shun): Widening; dilatation.

Dilation and curettage (di-LA-shun and kur-eh-TAZH): Widening of the opening to the cervix and scraping (curettage) of the inner lining of the uterus; also called D&C.

Disc (disk): Pad of cartilage that is between each backbone. Also spelled disk.

Diuretic (di-u-RET-ik): Drug that causes kidneys to allow more fluid (as urine) to leave the body. Diuretics remove fluid from the blood and are used to treat HYPERTENSION. DI- (from DIA-) means complete, and UR- means urine.

Diverticula (di-ver-TIK-u-lah): Small pouches or sacs created by herniation of mucous membrane linings, most commonly in the colon (*singular*: diverticulum).

Diverticulitis (di-ver-tik-u-LI-tis): Inflammation of diverticula. Penetration of fecal material through thin-walled diverticula causes inflammation and infection in the colon.

Diverticulosis (di-ver-tik-u-LO-sis): Abnormal condition of small pouches in the lining of the intestines.

Duodenal (do-o-DE-nal): Pertaining to the duodenum.

Duodenum (do-o-DE-num): First part of the small intestine.

Dura mater (DU-rah MAH-ter): Outermost of the three layers of the MENINGES surrounding the brain and spinal cord. The name comes from Latin, meaning "hard mother." It is the toughest of the three layers.

Dysentery (DIS-en-teh-re): Condition of painful intestines (often caused by bacterial infection).

Dysmenorrhea (dis-men-o-RE-ah): Painful menstrual flow. **Dyspepsia** (dis-PEP-se-ah): Painful (DYS-) digestion (-PEPSIA).

Dysphagia (dis-FA-jah): Difficult swallowing.

Dysphasia (dis-FA-zhah): Difficult (impairment of) speech.

Dysplasia (dis-PLA-zhah): Abnormality of the development or the formation of cells. Normal cells change in size, shape, and organization.

Dyspnea (disp-NE-ah): Painful (DYS-) (labored, difficult) breathing (-PNEA).

Dysuria (dis-U-re-ah): Painful or difficult urination.

E

Ear: Organ that receives sound waves and transmits them to nerves leading to the brain. Eardrum (EAR-drum): Membrane separating the outer and middle parts of the ear; the tympanic membrane.

Ectopic pregnancy (ek-TOP-ik PREG-nan-se): Pregnancy that is not in the uterus, usually occurring in the FALLOPIAN TUBES.

Edema (eh-DE-mah): Swelling in tissues. Edema is often caused by retention (holding back) of fluid and salt by the kidneys.

Ejaculation (e-jak-ku-LA-shun): Release of semen from the male urethra.

Electrocardiogram (e-lek-tro-KAR-de-o-gram): Record of the electricity in the heart. **Electroencephalogram** (e-lek-tro-en-SEF-ah-lo-gram): Record of the electricity in the brain.

Electroencephalography (e-lek-tro-en-sef-ah-LOG-rah-fe): Process of recording the electricity in the brain.

Electrolyte (eh-LEK-tro-lite): Substance that conducts an electrical current and is found in blood (serum) and body cells. Examples are sodium (Na'), potassium (K'), calcium (Ca^{2+}), and chloride (Cl).

Embolization (em-bo-lih-ZA-shun): Use of a substance to block or reduce blood flow in a vessel.

Embolus (EM-bo-lus): Foreign object (air, tissue, tumor, or clot) that circulates in the bloodstream until it lodges in a vessel.

Embryo (EM-bre-o): A new organism in an early stage of development (2 to 6 weeks). From 6 to 38 weeks, the developing infant is a fetus.

Emergency medicine (e-MER-jen-se MED-ih-sin): Care of patients requiring immediate action.

Emphysema (em-fih-SE-mah): Lung disorder in which air becomes trapped in the air sacs and bronchioles, making breathing difficult. Emphysema is marked by the accumulation of mucus and the loss of elasticity in lung tissue.

Encephalitis (en-sef-ah-LI-tis): Inflammation of the brain.

Encephalopathy (en-sef-ah-LOP-ah-the): Disease of the brain.

Endocarditis (EN-do-kar-DI-tis): Inflammation of the inner lining of the heart (ENDOCARDIUM).

Endocardium (en-do-KAR-de-um): Inner lining of the heart.

Endocrine glands (EN-do-krin glanz): Organs that produce (secrete) hormones; examples are thyroid, pituitary, and adrenal glands.

Endocrine system (EN-do-krin SIS-tem): Endocrine glands.

Endocrinologist (en-do-krih-NOL-o-jist): Specialist in the study of endocrine glands and their disorders.

Endocrinology (en-do-krih-NOL-o-je): Study of ENDOCRINE GLANDS.

Endodontist (en-do-DON-tist): Dentist who specializes in diagnosis and treatment of the inner parts of a tooth (root canal therapy).

Endometriosis (en-do-me-tre-O-sis): An abnormal condition in which tissue from the inner lining of the uterus is found outside the uterus, usually in the pelvic cavity.

Endometrium (en-do-ME-tre-um): Inner lining of the uterus.

Endoscope (EN-do-skope): Instrument used to view a hollow organ or body cavity; a tube fitted with a lens system that allows viewing in different directions.

Endoscopic retrograde cholangiopancreatography (en-do-SKOP-ik RET-tro-grade kol-an-je-o-pan-kre-ah-TOG-rah-fe): X-ray images of bile ducts and pancreas after injection of contrast through a catheter from the mouth, esophagus, and stomach into bile and pancreatic ducts.

Endoscopy (en-DOS-ko-pe): Process of viewing the inside of hollow organs or cavities

with an endoscope.

Enteric (en-TER-ik): Pertaining to the small intestine.

Enteritis (en-teh-RI-tis): Inflammation of the small intestine.

Epidermis (ep-ih-DER-mis): Outer (EPI-) layer of the skin (-DERMIS).

Epidural hematoma (ep-ih-DUR-al he-mah-TO-mah): Pathologic mass of blood above the dura mater (outermost layer of membranes surrounding the brain and spinal cord).

Epiglottis (ep-ih-GLOT-tis): Flap of cartilage that covers the mouth of the trachea when swallowing occurs so that food cannot enter the airway.

Epiglottitis (ep-ih-gloh-TI-tis): Inflammation of the EPIGLOTTIS.

Epilepsy (EP-ih-lep-se): Condition in which abnormal electrical activity in the brain results in sudden, fleeting disturbances in nerve cell functioning. An attack of epilepsy is called a SEIZURE.

Epinephrine (eh-pih-NEF-rin): Hormone secreted by the adrenal gland in response to stress and physical injury. It is a drug used to treat hypersensitivity reactions (severe allergy), asthma, bronchial spasm, and nasal congestion. Also called ADRENALINE.

Epithelial (ep-ih-THE-le-al): Pertaining to skin cells. This term originally described cells upon (EPI-) the breast nipple (THELI-). Now, it indicates cells lining the inner part of internal organs and covering the outside of the body.

Epithelium (ep-ih-THE-le-um): Covering of the internal and external tissues of the body (skin, vessels, body cavities, glands, and organs).

Erythrocyte (eh-RITH-ro-site): Red blood cell.

Erythrocytosis (eh-rith-ro-si-TO-sis): Abnormal condition (slight increase in numbers) of red blood cells.

Erythromycin (eh-rith-ro-MI-sin): An antibiotic that is produced from a red (ERYTHR/O-) mold (-MYCIN).

Esophageal (eh-sof-ah-JE-al): Pertaining to the esophagus.

Esophagitis (eh-sof-ah-JI-tis): Inflammation of the esophagus.

Esophagoscopy (eh-sof-ah-GOS-ko-pe): Visual examination of the esophagus.

Esophagus (eh-SOF-ah-gus): Tube leading from the throat to the stomach.

Estrogen (ES-tro-jen): Hormone that promotes the development of female secondary sex characteristics. Examples are estradiol, estriol, and conjugated estrogen.

Eustachian tube (u-STA-she-an tube): Channel connecting the middle part of the ear with the throat.

Exacerbation (eg-zas-er-BA-shun): Increase in the seriousness of a disease, with greater intensity in the signs or symptoms.

Excision (ek-SIZH-un): Act of cutting out, removing, or resecting.

Exocrine glands (EK-so-krin glanz): Glands that produce (secrete) chemicals that leave the body through tubes (ducts). Examples are tear, sweat, and salivary glands.

Exophthalmic goiter (ek-sof-THAL-mik GOY-ter): Enlargement of the thyroid gland accompanied by high levels of thyroid hormone in the blood and protrusion of the eyeballs (EXOPHTHALMOS).

Exophthalmos (ek-sof-THAL-mos): Abnormal protrusion of eyeballs usually caused by HYPERTHYROIDISM.

Extracranial (eks-tra-KRA-ne-al): Pertaining to outside the skull.

Extrahepatic (eks-tra-heh-PAT-ik): Pertaining to outside the liver.

Extrapulmonary (eks-trah-PUL-mo-nah-re): Outside the lungs.

Eye (i): Organ that receives light waves and transmits them to the brain.

F

Fallopian tubes (fah-LO-pe-an toobz): Two tubes that lead from the ovaries to the uterus. They transport egg cells to the uterus; also called uterine tubes.

Family medicine (FAM-ih-le MED-ih-sin): Primary care of all members of the family on a continuing basis.

Family practitioner (FAM-ih-le prak-TIH-shan-er): Medical doctor responsible for primary care and treatment of patients on a continuing basis.

Fatigue (fah-TEEG): State of exhaustion or loss of strength.

Feces (FEE-seez): Waste material from the digestive tract that is expelled from the body through the rectum and anus.

Fellowship training (FEL-o-ship TRA-ning): Postgraduate training for doctors in specialized fields. The training may include CLINICAL and RESEARCH (laboratory) work.

Female reproductive system (FE-male re-pro-DUK-tiv SIS-tem): Organs (OVARIES) that produce and transport (FALLOPIAN TUBES) egg cells and secrete female hormones (ESTROGEN and PROGESTERONE). The system includes the uterus, where the embryo and fetus grow.

Femur (FE-mur): Thigh bone.

Fetus (FE-tus): Unborn offspring in the uterus after 8 weeks of pregnancy until birth.

Fibrillation (fih-brih-LA-shun): Rapid, irregular, involuntary muscular contraction. Atrial and ventricular fibrillation are cardiac (heart) ARRHYTHMIAS.

Fibroids (FI-broydz): Benign growths of muscle tissue in the uterus.

Fibrosarcoma (fi-bro-sar-KO-mah): Malignant tumor of fibrous tissue.

Fibula (FIB-u-lah): Smaller lower leg bone.

Fistula (FIS-tu-lah): Abnormal passageway from an internal organ to the body surface or between two internal organs.

Fixation (fik-SA-shun): Act of holding, sewing, or fastening a part in a fixed position.

Flutter (FLUT-er): Rapid but regular, abnormal heart muscle contraction. Atrial and ventricular flutter are heart ARRHYTHMIAS.

Follicle-stimulating hormone (FOL-ih-kl STIM-u-la-ting HOR-mone): Hormone secreted by the pituitary gland to stimulate the egg cells in the ovaries.

Fracture (FRAK-chur): Breaking of a bone.

Frontal (FRUN-tal): Pertaining to the front; anterior.

Frontal plane (FRUN-tal playn): Vertical plane that divides the body or an organ into front and back portions; the CORONAL PLANE.

Functional disorder (FUNG-shih-nal dis-OR-der): Condition in which there are clinical signs and symptoms but no evidence of a structural or biochemical cause.

G

Gadolinium (gad-o-LIN-e-um): Chemical element that is used as a contrast agent in MRI studies. Symbol is Gd.

Gallbladder (GAWL-blah-der): Sac below the liver that stores bile and delivers it to the small intestine.

Ganglion (GANG-le-on): Benign cyst near a joint (wrist); also, a group of nerve cells (plural: ganglia [GANG-le-ah]).

Gangrene (GANG-reen): Necrosis (death) of tissue as a result of blood vessel injury, frostbite, or conditions such as diabetes or atherosclerosis. It results from ischemia, deficiency of blood flow caused by narrowing or obstruction of blood vessels.

Gastralgia (gas-TRAL-jah): Stomach pain.

Gastrectomy (gas-TREK-to-me): Excision (removal) of the stomach.

Gastric (GAS-trik): Pertaining to the stomach.

Gastritis (gas-TRI-tis): Inflammation of the stomach.

Gastroenteritis (gas-tro-en-teh-RI-tis): Inflammation of the stomach and intestines.

Gastroenterologist (gas-tro-en-ter-OL-o-jist): Specialist in the treatment of stomach and intestinal disorders.

Gastroenterology (gas-tro-en-ter-OL-o-je): Study of the stomach and intestines.

Gastroesophageal reflux disease (gas-tro-eh-sof-ah-JE-al RE-flux dih-ZEEZ): Condition marked by backflow (reflux) of contents of the stomach into the esophagus. Abbreviation is GERD.

Gastrojejunostomy (gas-tro-jeh-joo-NOS-to-me): New, surgically created opening between the stomach and the jejunum (second part of the small intestine). This procedure is an anastomosis.

Gastroscope (GAS-tro-skope): Instrument used to view the stomach. It is passed down the throat and esophagus into the stomach.

Gastroscopy (gas-TROS-ko-pe): Visual examination of the stomach.

Gastrotomy (gas-TROT-o-me): Incision of the stomach.

GERD: See GASTROESOPHAGEAL REFLUX DISEASE.

Geriatric (jer-e-AH-trik): Pertaining to treatment of older people.

Geriatrician (jer-e-ah-TRISH-an): Specialist in the treatment of diseases of old age.

Geriatrics (jer-e-AH-triks): Treatment of disorders of old age.

Gestation (jes-TA-shun): Growth of the fetus that occurs during pregnancy.

Gland: Group of cells that secretes chemicals to the outside of the body (EXOCRINE GLANDS) or hormones directly into the bloodstream (ENDOCRINE GLANDS).

Glaucoma (glaw-KO-mah): Increase of fluid pressure within the eye. Fluid is formed more rapidly than it is removed. The increased pressure damages sensitive cells in the back of the eye, and vision is disturbed.

Glial cells (GLI-al selz): Supporting cells of nervous tissue in the brain. Examples are astrocytes and microglial and oligodendroglial cells. These cells are the source of primary brain tumors.

Glioblastoma (gli-o-blas-TO-mah): Malignant brain tumor composed of immature (-BLAST) glial (supportive nervous tissue) cells.

Glucocorticoid (gloo-ko-KOR-tih-koyd): Hormone secreted by the adrenal gland (cortex) to raise blood sugar levels. Examples are cortisone and cortisol.

Glycosuria (gli-ko-SU-re-ah): Abnormal condition of sugar in the urine.

Goiter (GOY-ter): Enlargement of the thyroid gland.

Gonorrhea (gon-oh-RE-ah): Sexually transmitted disease most often affecting the reproductive and urinary tracts and caused by infection with the bacterium *Neisseria gonorrhoeae*.

Gout (gout): See GOUTY ARTHRITIS.

Gouty arthritis (GOW-te arth-RI-tis): Deposits of uric acid crystals in joints and other tissues that cause swelling and inflammation of joints. Also called GOUT.

Graves disease (grayvz dih-ZEEZ): See hyperthyroidism.

Growth hormone (groth HOR-mone): Hormone secreted by the pituitary gland to stimulate the growth of bones and the body in general. Also called somatotropin.

Gynecologist (gi-neh-KOL-o-jist): Specialist in the study of female disorders.

Gynecology (gi-neh-KOL-o-je): Study of female disorders.

Н

Hair follicle (hayr FOL-ih-k'l): Pouch-like depression in the skin in which a hair develops.

Hair root (hayr root): Part of the hair from which growth occurs.

Hallucination (hah-loo-sih-NA-shun): False sensory perception, such as hearing voices when none are present.

HDL: See HIGH-DENSITY LIPOPROTEIN.

Heart (hart): Hollow, muscular organ in the chest that pumps blood throughout the body.

Heart attack (hart ah-TAK): See MYOCARDIAL INFARCTION.

Hemangioma (he-man-je-O-mah): Tumor (benign) of blood vessels.

Hematemesis (he-mah-TEM-eh-sis): Vomiting (-EMESIS) of blood (HEMAT/O-).

Hematologist (he-mah-TOL-o-jist): Specialist in blood and blood disorders.

Hematology (he-mah-TOL-o-je): Study of the blood.

Hematoma (he-mah-TO-mah): Mass or collection of blood under the skin. Commonly called a bruise or "black-and-blue" mark.

Hematuria (he-mah-TUR-e-ah): Abnormal condition of blood in the urine.

Hemigastrectomy (heh-me-gas-TREK-to-me): Removal of half of the stomach.

Hemiglossectomy (heh-me-glos-EK-to-me): Removal of half of the tongue.

Hemiplegia (hem-ih-PLE-jah): Paralysis that affects the right or left side of the body.

Hemoccult test (he-mo-KULT test): A standardized test to look for hidden (occult) blood in stool. It is a screening test for colon and rectal cancer. See also STOOL GUAIAC.

Hemodialysis (he-mo-di-AL-ih-sis): Use of a kidney machine to filter blood to remove waste materials such as urea. Blood leaves the body, enters the machine, and is carried back to the body through a catheter (tube).

Hemoglobin (HE-mo-glo-bin): Oxygen-carrying protein found in red blood cells. **Hemoptysis** (he-MOP-tih-sis): Spitting up (-PTYSIS) of blood (HEM/O-) from the

respiratory tract.

Hemorrhage (HEM-or-ij): Bursting forth of blood.

Hemothorax (he-mo-THOR-aks): Collection of blood in the chest (pleural cavity).

Hepatic (heh-PAT-ik): Pertaining to the liver.

Hepatitis (hep-ah-TI-tis): Inflammation of the liver. Viral hepatitis is an acute infectious disease caused by at least three different viruses: hepatitis A, B, and C viruses.

Hepatocellular carcinoma (hep-ah-to-SEL-u-lar kar-sih-NO-mah): Malignant tumor of the liver.

Hepatoma (hep-ah-TO-mah): Tumor (malignant) of the liver; HEPATOCELLULAR CARCINOMA.

Hepatomegaly (hep-ah-to-MEG-ah-le): Enlargement of the liver.

Hernia (HER-ne-ah): Bulge or protrusion of an organ or part of an organ through the wall of the cavity that usually contains it. In an INGUINAL hernia, part of the wall of the abdomen weakens and the intestine bulges outward or into the SCROTAL sac (in males).

Herpes genitalis (HER-peez jen-ih-TAL-is): Chronic sexually transmitted disease caused by type 2 herpes simplex virus.

Hiatal hernia (hi-A-tal HER-ne-ah): Upward protrusion of the wall of the stomach into the lower part of the esophagus.

High-density lipoprotein (hi DEN-sih-te li-po-PRO-teen): Combination of fat and protein in the blood. It carries cholesterol to the liver, which is beneficial.

Hilum (HI-lum): Depression at that part of an organ where blood vessels and nerves enter.

HIV: See HUMAN IMMUNODEFICIENCY VIRUS.

Hodgkin lymphoma (HOJ-kin lim-FO-mah): Malignant tumor of lymph nodes.Hormone (HOR-mone): Chemical made by a gland and sent directly into the bloodstream, not to the outside of the body. ENDOCRINE GLANDS produce hormones.

Hospitalist (HOS-pih-tah-list): A physician whose primary focus is hospital medicine. This includes patient care, teaching, and research related to hospital care.

Human immunodeficiency virus (HYOO-man im-u-no-deh-FISH-en-se VI-rus): Virus that infects white blood cells (T-cell lymphocytes), causing damage to the patient's immune system. It is the cause of AIDS. Abbreviated HIV.

Humerus (HYOO-mer-us): Upper arm bone.

Hydrocele (HI-dro-seel): Swelling of the SCROTUM caused by a collection of fluid within the outermost covering of the TESTIS.

Hyperbilirubinemia (hi-per-bil-ih-roo-bin-E-me-ah): High levels of bilirubin (pigment released from hemoglobin breakdown and processed in the liver) in the bloodstream. See JAUNDICE.

Hyperglycemia (hi-per-gli-SE-me-ah): High blood sugar.

Hyperparathyroidism (hi-per-par-ah-THI-royd-ism): Higher than normal level of parathyroid hormone in the blood.

Hyperplasia (hi-per-PLA-ze-ah): Cells increase in number. The prostate gland is enlarged in benign prostatic hyperplasia (BPH).

Hyperplastic (hi-per-PLAS-tik): Pertaining to excessive growth of normal cells in an organ.

Hypersecretion (hi-per-se-KRE-shun): Abnormally high production of a substance.

Hypertension (hi-per-TEN-shun): High blood pressure. *Essential hypertension* has no known cause, but contributing factors are age, obesity, smoking, and heredity. *Secondary hypertension* is a sign of other disorders such as kidney disease.

Hyperthyroidism (hi-per-THI-royd-izm): Excessive activity of the thyroid gland.

Hypertrophy (hi-PER-tro-fe): Enlargement or overgrowth of an organ or part of the body as a result of an increase in size of individual cells.

Hypochondriac (hi-po-KON-dre-ak): Pertaining to lateral regions of the upper abdomen beneath the lower ribs. Also, the term describes a person who has chronic concern about their health and body functions.

Hypodermic (hi-po-DER-mik): Pertaining to under or below the skin.

Hypoglycemia (hi-po-gli-SE-me-ah): Low blood sugar.

Hypophyseal (hi-po-FIZ-e-al): Pertaining to the pituitary gland.

Hypopituitarism (hi-po-pih-TOO-ih-tah-rizm): Decrease or stoppage of hormonal secretion by the pituitary gland.

Hypoplastic (hi-po-PLAS-tik): Pertaining to underdevelopment of a tissue or organ in the body.

Hyposecretion (hi-po-se-KRE-shun): Abnormally low production of a substance. **Hypotensive** (hi-po-TEN-siv): Pertaining to low blood pressure or to a person with abnormally low blood pressure.

Hypothyroidism (hi-po-THI-royd-izm): Less than normal activity of the thyroid gland. **Hysterectomy** (his-teh-REK-to-me): Excision of the uterus, either through the abdominal wall (abdominal hysterectomy) or through the vagina (vaginal hysterectomy).

Hysteroscopy (his-ter-OS-ko-pe): Visual examination of the uterus with an endoscope inserted through the vagina and uterine cervix.

ŀ

Iatrogenic (i-ah-tro-JEN-ik): Pertaining to an adverse condition that results from a medical or surgical treatment.

Ileostomy (il-e-OS-to-me): New opening of the ILEUM to the outside of the body.

Ileum (IL-e-um): Third part of the small intestine.

Ilium (IL-e-um): Side, high portion of the hip bone (pelvis). Incision (in-SIZH-un): Cutting into the body or into an organ.

Infarction (in-FARK-shun): Area of dead tissue (necrosis) caused by decreased blood flow to that part of the body. Also called *infarct*.

Infectious disease specialist (in-FEK-shus dih-ZEEZ SPESH-ah-list): Physician who treats disorders caused and spread by microorganisms such as bacteria.

Infiltrate (IN-fil-trat): Material that accumulates in an organ. The term infiltrate often describes solid material or fluid collection in the lungs.

Inflammatory bowel disease (in-FLAM-ah-tor-e BOW-el dih-ZEEZ): Disorder marked by inflammation of the small and large intestines with bouts of diarrhea, abdominal cramping, and fever. Inflammatory bowel diseases include CROHN DISEASE and ULCERATIVE COLITIS.

Inguinal (IN-gwih-nal): Pertaining to the groin, or the area where the legs meet the body. Inguinal lymph nodes are located in the groin.

Insulin (IN-su-lin): Hormone produced by the pancreas and released into the bloodstream. Insulin allows sugar to leave the blood and enter body cells.

Insulin pump (IN-su-lin pump): Portable, battery-powered device that delivers insulin through the abdominal wall in measured amounts.

Internal medicine (in-TER-nal MED-ih-sin): Branch of medicine specializing in the diagnosis of disorders and treatment with drugs.

Intervertebral (in-ter-VER-teh-bral): Pertaining to lying between two backbones. A disc (disk) is an intervertebral structure.

Intra-abdominal (in-trah-ab-DOM-ih-nal): Pertaining to within the abdomen.

Intracranial (in-trah-KRA-ne-al): Pertaining to within the skull.

Intrauterine (in-trah-U-ter-in): Pertaining to within the uterus.

Intravenous (in-trah-VE-nus): Pertaining to within a vein.

Intravenous pyelogram (in-trah-VE-nus PI-eh-lo-gram): X-ray record of the kidney (PYEL/O- means renal pelvis) after contrast is injected into a vein.

Intravesical (in-trah-VES-ih-kal): Pertaining to within the urinary bladder.

Iris (I-ris): Colored (pigmented) portion of the eye.

Irritable bowel syndrome (IR-ih-tah-b'l BOW-el SYN-drohm): A FUNCTIONAL DISORDER of the bowel marked by abdominal pain, discomfort, and bloating, but without evidence of detectable lesions or cause.

Ischemia (is-KE-me-ah): Deficiency of blood flow to a part of the body, caused by narrowing or obstruction of blood vessels. Ischemia may lead to necrosis (death of cells).

J

Jaundice (JAWN-dis): Orange-yellow coloration of the skin and other tissues. A symptom caused by accumulation of BILIRUBIN (pigment) in the blood.

Jejunum (jeh-JOO-num): Second part of the small intestine.

Joint (joynt): Place where two or more bones come together (articulate).

K

Kidney (KID-ne): One of two organs located behind the abdomen that produce urine by filtering wastes from the blood.

L

Laminectomy (lah-mih-NEK-to-me): Removal of a piece of backbone (lamina) to relieve pressure on nerves from a herniating disk (disc).

Laparoscope (LAP-ah-ro-skope): Instrument to visually examine the abdomen. An endoscope is inserted through a small incision in the abdominal wall.

Laparoscopic appendectomy (lap-ah-ro-SKOP-ik ah-pen-DEK-to-me): Removal of the appendix through a small incision in the abdomen and with the use of a laparoscope.

Laparoscopic cholecystectomy (lap-ah-ro-SKOP-ik ko-leh-sis-TEK-to-me): Removal of the gallbladder through a small incision in the abdomen and with the use of a laparoscopic instrument.

Laparoscopic surgery (lap-ah-ro-SKOP-ik SUR-jer-e): Removal of organs or tissues via instruments inserted into the abdomen through small incisions. Also called MINIMALLY INVASIVE SURGERY or keyhole surgery.

Laparoscopy (lap-ah-ROS-ko-pe): Visual examination of the abdomen. Small incisions are made near the navel, and an instrument (endoscope or laparoscope) is inserted to

view abdominal organs.

Laparotomy (lap-ah-ROT-o-me): Incision of the abdomen. A surgeon makes a large incision across the abdomen to examine and operate on its organs.

Large intestine (larj in-TES-tin): Part of the intestine that receives undigested material from the small intestine and transports it out of the body; the COLON.

Laryngeal (lah-rin-JE-al): Pertaining to the LARYNX (voice box).

Laryngectomy (lah-rin-JEK-to-me): Removal of the LARYNX (voice box).

Laryngitis (lah-rin-JI-tis): Inflammation of the LARYNX.

Laryngoscopy (lar-in-GOS-ko-pe): Visual examination of the interior of the voice box (LARYNX) with an endoscope.

Laryngotracheitis (lah-ring-o-tra-ke-I-tis): Inflammation of the larynx and the trachea (windpipe).

Larynx (LAR-inks): Voice box; located at the top of the trachea and containing vocal cords. Lateral (LAT-er-al): Pertaining to the side.

LDL: See LOW-DENSITY LIPOPROTEIN.

Leiomyoma (li-o-mi-O-mah): Benign tumor derived from smooth (involuntary or visceral) muscle, most often of the uterus (leiomyoma uteri). LEIOMY/O- means smooth muscle.

Leiomyosarcoma (li-o-mi-o-sar-KO-mah): Malignant tumor of smooth (involuntary) muscle.

Lens (lenz): Transparent elastic structure behind the iris and pupil of the eye. The lens bends light rays so that they are properly focused on the RETINA at the back of the eye.

Lesion (LE-zhun): Abnormal tissue, usually damaged by disease or trauma. From the Latin laesio, meaning "injury."

Leukemia (loo-KE-me-ah): Increase in malignant (cancerous) white blood cells (in blood and bone marrow).

Leukocyte (LOO-ko-site): White blood cell.

Leukocytosis (loo-ko-si-TO-sis): Abnormal condition of white blood cells. This is a slight increase in numbers of normal white blood cells in response to infection.

Ligament (LIG-ah-ment): Connective tissue that joins bones to other bones.

Ligamentous (lig-ah-MEN-tus): Pertaining to a LIGAMENT.

Liposarcoma (li-po-sar-KO-mah): Malignant tumor of fatty tissue.

Lithotripsy (LITH-o-trip-se): Process of crushing a stone in the urinary tract using ultrasonic vibrations. Also called extracorporeal shock-wave lithotripsy (ESWL).

Liver (LIV-er): Organ in the right upper quadrant of the abdomen. The liver produces BILE, stores sugar, and produces blood-clotting proteins.

Lobe (lobe): Part of an organ, especially of the brain, lungs, or glands.

Low-density lipoprotein (lo DEN-sih-te li-po-PRO-teen): Combination of lipid (fat) and protein. It has a high CHOLESTEROL content and is associated with formation of plaques

Lower gastrointestinal (GI) series (LO-er gas-tro-in-TES-tin-al SER-eez): Barium is injected into the anus and rectum, and x-rays are taken of the colon (large intestine).

Lumbar (LUM-bar): Pertaining to the loins; part of the back and sides between the chest and the hip.

Lumbar puncture (LUM-bar PUNK-cher): Removal of cerebrospinal fluid (CSF) for diagnostic analysis or occasionally as treatment to relieve increased intracranial pressure.

Lumbar region (LUM-bar RE-jun): Pertaining to the 5 backbones that lie between the thoracic (chest) and sacral (lower back) vertebrae.

Lumbar vertebra (LUM-bar VER-teh-brah): Backbone in the region between the chest and lower back.

Lung (lung): One of two paired organs in the chest through which oxygen enters and carbon dioxide leaves the body.

Lung capillaries (lung KAP-ih-layr-eez): Tiny blood vessels surrounding lung tissue and through which gases pass into and out of the bloodstream.

Lupus erythematosus: See Systemic Lupus Erythematosus.

Lymph (limf): Clear fluid that is found in lymph vessels and produced from fluid surrounding cells. Lymph contains white blood cells (lymphocytes) that fight disease.

Lymphadenectomy (limf-ah-deh-NEK-to-me): Removal of LYMPH NODES.

Lymphadenopathy (lim-fad-eh-NOP-ah-the): Disease of lymph nodes (glands).

Lymphangiectasis (limf-an-je-EK-tah-sis): Dilation (-ECTASIS) of small lymph vessels; often resulting from obstruction in large lymph vessels.

Lymphatic system (lim-FAT-ik SIS-tem): Group of organs (lymph vessels, lymph nodes, spleen, thymus) composed of lymphatic tissue that produce lymphocytes to defend the body against foreign organisms.

Lymphatic vessels (lim-FAT-ik VES-elz): Tubes that carry lymph from tissues to the bloodstream (into a vein in the neck region); lymph vessels.

Lymphedema (limf-ah-DE-mah): Accumulation of fluid in tissue spaces, causing swelling. Lymphedema is caused by the obstruction of lymph nodes or vessels.

Lymph node (limf node): Stationary collection of lymph cells, found all over the body. Lymph nodes are sometimes called lymph "glands."

Lymphocyte (LIMF-o-site): White blood cell that is found within lymph and lymph nodes. T cells and B cells are types of lymphocytes.

Lymphoid (LIM-foid): Resembling or pertaining to lymphatic tissue.

Lymphoma (lim-FO-mah): Malignant tumor of lymphatic tissue. Previously called lymphosarcoma. There are several types, including Hodgkin lymphoma and non-Hodgkin lymphoma.

M

Magnetic resonance imaging (mag-NET-ik REZ-o-nans IM-aj-ing): Image of the body with magnetic and radio waves. Organs are seen in three planes: coronal (front to back), sagittal (side to side), and transverse (cross-section). Also called MRI.

Male reproductive system (male re-pro-DUK-tiv SIS-tem): Organs that produce sperm cells and male hormones.

Malignant (mah-LIG-nant): Cancerous tumors that invade and spread to distant organs; tending to become progressively worse.

Mammary (MAM-er-e): Pertaining to the breast.

Mammogram (MAM-o-gram): X-ray record of the breast.

Mammography (mam-MOG-ra-fe): X-ray recording (imaging) of the breast.

Mammoplasty (MAM-o-plas-te): Surgical repair (reconstruction) of the breast.

Mastectomy (mas-TEK-to-me): Removal (excision) of the breast.

Mastitis (mas-TI-tis): Inflammation of the breast.

Mediastinal (me-de-ah-STI-nal): Pertaining to the MEDIASTINUM.

Mediastinoscopy (me-de-ah-sti-NOS-ko-pe): Visual examination of the mediastinum with an endoscope.

Mediastinum (me-de-ah-STI-num): Space between the lungs in the chest. The mediastinum contains the heart, large blood vessels, trachea, esophagus, thymus gland, and lymph nodes.

Medulla oblongata (meh-DUL-ah ob-lon-GAh-tah): Lower part of the brain near the spinal cord. The medulla oblongata controls breathing and the heartbeat.

Medullary (MEH-du-lar-e): Pertaining to the inner, or soft, part of an organ.

Melanocytes (meh-LA-no-sites): Pigmented cells in the lower portion of the epidermis. They produce a dark pigment called melanin.

Melanoma (meh-lah-NO-mah): Malignant tumor arising from pigmented cells (melanocytes) in the skin. A melanoma usually develops from a NEVUS (mole).

Meninges (meh-NIN-jeez): Membranes surrounding the brain and spinal cord.

Meningitis (men-in-JI-tis): Inflammation of the meninges (membranes around the brain and spinal cord).

Menorrhagia (men-or-RA-jah): Excessive bleeding from the uterus during the time of MENSTRUATION.

Menorrhea (men-o-RE-ah): Normal discharge of blood and tissue from the uterine lining during MENSTRUATION.

Menses (MEN-seez): Menstruation; menstrual period.

Menstruation (men-stroo-A-shun): Breakdown of the lining of the uterus that occurs every 4 weeks during the active reproductive period of a female.

Mesothelioma (mez-o-the-le-O-mah): Malignant tumor of the lining tissue (mesothelium) of the pleura. A mesothelioma is associated with exposure to asbestos.

Metacarpals (met-ah-KAR-palz): Bones of the hand between the wrist bones (carpals) and the finger bones (phalanges).

Metastasis (meh-TAS-tah-sis): Spread of a cancerous tumor to a distant organ or location. *Metastasis* literally means change (META-) of place (-STASIS). *Metastatic* means pertaining to a metastasis.

Metatarsals (meh-tah-TAR-salz): Foot bones.

Microscopic discectomy (mi-cro-SCOP-ic dis-KEK-to-me): Surgical removal of a herniated intervertebral disc.

Migraine (MI-grayn): Attack of headache, usually on one side of the head, caused by changes in blood vessel size and accompanied by nausea, vomiting, and sensitivity to light (photophobia). This term is from the French word *migraine*, meaning "severe head pain."

Minimally invasive surgery (MIN-ih-mah-le in-VA-siv SUR-jer-e): Removal and repair of organs and tissues with small incisions for an endoscope and instruments. Examples are laparoscopic cholecystectomy (gallbladder removal), laparoscopic appendectomy (appendix removal), laparoscopic herniorrhaphy (repair of a hernia), and laparoscopic colectomy (removal of a portion of the colon).

Mitral valve prolapse (MI-tral valv PRO-laps): Protrusion of one or both cusps of the mitral valve back into the left atrium when the ventricles contract.

Monocyte (MON-o-site): White blood cell with one large nucleus.

Mononucleosis (mon-o-nu-kle-O-sis): Acute infectious disease with excess monocytes in the blood and usually associated with extreme fatigue. Mononucleosis is caused by the Epstein-Barr virus and is transmitted by direct oral (mouth) contact.

Mouth (mowth): The opening that forms the beginning of the digestive system.

MRI: See MAGNETIC RESONANCE IMAGING.

Mucus (MU-kus): Sticky secretion from mucous membranes and glands.

Multiple myeloma (MUL-tih-pul mi-eh-LO-mah): Malignant tumor of the bone marrow.

Multiple sclerosis (MUL-tih-pul skleh-RO-sis): Chronic neurologic disease in which there are patches of demyelination (loss of myelin sheath covering on nerve cells) throughout the brain and spinal cord. Weakness, abnormal sensations, incoordination, and speech and visual disturbances are symptoms.

Muscle (MUS-el): Connective tissue that contracts to make movement possible.

Muscular (MUS-ku-lar): Pertaining to muscles.

Muscular dystrophy (MUS-ku-lar DIS-tro-fe): Group of degenerative muscle diseases that cause crippling because muscles are gradually weakened and eventually ATROPHY (shrink).

Musculoskeletal system (mus-ku-lo-SKEL-eh-tal SIS-tem): Organs that support the body and allow it to move, including the muscles, bones, joints, and connective tissues.

Myalgia (mi-AL-jah): Pain in a muscle or muscles.

Myelitis (mi-eh-LI-tis): Inflammation of the spinal cord.

Myelin sheath (MI-eh-lin sheeth): Fatty covering around part (axon) of nerve cells. The myelin sheath insulates the nerve, helping to speed the conduction of nerve impulses.

Myelodysplasia (mi-eh-lo-dis-PLA-ze-ah): Abnormal development of bone marrow, a premalignant condition leading to leukemia.

Myelogram (MI-eh-lo-gram): X-ray image of the spinal cord after contrast is injected within the membranes surrounding the spinal cord in the lumbar area of the back.

Myelography (mi-eh-LOG-rah-fe): X-ray imaging of the spinal cord after injection of contrast material.

Myeloma (mi-eh-LO-mah): Malignant tumor originating in the bone marrow (MYEL/O-). Also called MULTIPLE MYELOMA.

Myocardial (mi-o-KAR-de-al): Pertaining to the muscle of the heart.

Myocardial infarction (mi-o-KAR-de-al in-FARK-shun): Death of tissue in heart muscle; also known as a heart attack or an MI.

Myocardial ischemia (mi-o-KAR-de-al is-KE-me-ah): Decrease in the blood supply to the heart muscle.

Myoma (mi-O-mah): Tumor (benign) of muscle.

Myomectomy (mi-o-MEK-to-me): Removal of a benign muscle tumor (fibroid).

Myosarcoma (mi-o-sar-KO-mah): Tumor (malignant) of muscle. SARC- means flesh, indicating that the tumor is of connective or "fleshy" tissue origin.

Myositis (mi-o-SI-tis): Inflammation of a muscle.

Myringotomy (mir-in-GOT-o-me): Incision of the eardrum.

N

Nasal (NA-zl): Pertaining to the nose.

Nausea (NAW-se-ah): Unpleasant sensation in the upper abdomen, often leading to vomiting. The term comes from the Greek *nausia*, meaning "seasickness."

Necropsy (NEH-krop-se): Examination of a dead body, usually in veterinary science, to determine the cause of death; POSTMORTUM.

Necrosis (neh-KRO-sis): Death of cells.

Necrotic (neh-KRO-tik): Pertaining to death of cells.

Needle biopsy (NE-d'l BI-op-se): Removal of living tissue for microscopic examination by inserting a hollow needle through the skin.

Neonatal (ne-o-NA-tal): Pertaining to new birth; the first 4 weeks after birth.

Neoplasm (NE-o-plazm): Any new growth of tissue; a tumor.

Neoplastic (ne-o-PLAS-tik): Pertaining to a new growth, or NEOPLASM.

Nephrectomy (neh-FREK-to-me): Removal (excision) of a kidney.

Nephritis (neh-FRI-tis): Inflammation of kidneys.

Nephrolithiasis (neh-fro-lih-THI-ah-sis): Condition of kidney stones.

Nephrologist (neh-FROL-o-jist): Specialist in the diagnosis and treatment of kidney diseases.

Nephrology (neh-FROL-o-je): Study of the kidney and its diseases.

Nephropathy (neh-FROP-ah-the): Disease of the kidney.

Nephrosis (neh-FRO-sis): Abnormal condition of the kidney. Nephrosis is often associated with a deterioration of the kidney tubules.

Nephrostomy (neh-FROS-to-me): Opening from the kidney to the outside of the body. **Nervous system** (NER-vus SIS-tem): Organs (brain, spinal cord, and nerves) that

transmit electrical messages throughout the body.

Neural (NU-ral): Pertaining to nerves. **Neuralgia** (nu-RAL-jah): Nerve pain.

Neuritis (nu-RI-tis): Inflammation of nerves.

Neuroglial cells (nu-ro-GLE-al selz): See GLIAL CELLS.

Neurologist (nu-ROL-o-jist): Specialist in the diagnosis and treatment of nervous disorders.

Neurology (nu-ROL-o-je): Study of the nervous system and nerve disorders.

Neuropathy (nu-ROP-ah-the): Disease of nervous tissue.

Neurosurgeon (nu-ro-SUR-jun): Physician who operates on the organs of the nervous system (brain, spinal cord, and nerves).

Neurotomy (nu-ROT-o-me): Incision of a nerve.

Nevus (NE-vus): Pigmented lesion on the skin (plural: nevi); a mole.

Nitroglycerin (ni-tro-GLIS-er-in): Drug that relaxes muscle and opens blood vessels.

Nocturia (nok-TU-re-ah): Excessive urination at night.

Nose (noz): Structure that is the organ of smell and permits air to enter and leave the body. Nosocomial (nos-o-KO-me-al): Pertaining to or originating in a hospital. A nosocomial infection is acquired during hospitalization.

0

Obstetric (ob-STEH-trik): Pertaining to pregnancy, labor, and delivery of a baby. **Obstetrician** (ob-steh-TRISH-an): Specialist in the delivery of a baby and care of the mother during pregnancy and labor.

Obstetrics (ob-STET-riks): Practice or branch of medicine concerned with the management of women during pregnancy, childbirth, and the period just after delivery of the infant.

Ocular (OK-u-lar): Pertaining to the eye.

Oncogenic (ong-ko-JEN-ik): Pertaining to producing (-GENIC) tumors.

Oncologist (ong-KOL-o-jist): Physician specializing in the study and treatment of cancerous tumors.

 $\begin{tabular}{ll} \textbf{Oncology} & (ong-KOL-o-je): & Study of tumors. \end{tabular}$

Onycholysis (on-ih-KOL-ih-sis): Separating (-LYSIS) of a nail (ONYCH/O) from its foundation (bed).

Oocyte (o-o-site): Egg cell (ovum).

Oophorectomy (o-of-o-REK-to-me *or* oo-fo-REK-to-me): Removal of an ovary or ovaries.

Oophoritis (o-of-o-RI-tis or oo-pho-RI-tis): Inflammation of an ovary.

Ophthalmologist (of-thal-MOL-o-jist): Specialist in the study of the eye and the treatment of eye disorders.

Ophthalmology (of-thal-MOL-o-je): Study of the eye; the diagnosis and treatment of eye disorders.

Ophthalmoscope (of-THAL-mo-scope): Instrument used to visually examine the eyes. **Optic nerve** (OP-tik nerv): Nerve in the back of the eye that transmits light waves to the brain.

Optician (op-TISH-an): Nonmedical specialist trained to provide eyeglasses by filling prescriptions.

Optometrist (op-TOM-eh-trist): Nonmedical specialist trained to examine and test eyes and prescribe corrective lenses.

Oral (OR-al): Pertaining to the mouth.

Orchidectomy (or-kih-DEK-to-me): Removal (excision) of a testis (testicle). **Orchiectomy** (or-ke-EK-to-me): Removal (excision) of a testicle or testicles.

Orchiopexy (or-ke-o-PEK-se): Surgical fixation of the testicle (testis) into its proper location within the scrotum. This surgery corrects CRYPTORCHISM.

Orchitis (or-KI-tis): Inflammation of a testicle.

Organ (OR-gan): Independent part of the body composed of different tissues working together to do a specific job.

Orthodontist (or-tho-DON-tist): Dentist specializing in straightening teeth.

Orthopedist (or-tho-PE-dist): Specialist in the surgical correction of musculoskeletal disorders. This physician was originally concerned with straightening (ORTH/O) bones in the legs of children (PED/O) with deformities.

Osteitis (os-te-I-tis): Inflammation of bone.

Osteoarthritis (os-te-o-ar-THRI-tis): Inflammation of bones and joints. Osteoarthritis is a disease of older people and is marked by stiffness, pain, and degeneration of joints.

Osteogenic sarcoma (os-te-o-JEN-ik sar-KO-mah): Malignant (cancerous) tumor of bone (-GENIC means produced in).

Osteoma (os-te-O-mah): Tumor (benign) of bone.

Osteomyelitis (os-te-o-mi-eh-LI-tis): Inflammation of bone and bone marrow. Osteomyelitis is caused by a bacterial infection.

Osteopenia (os-te-o-PE-ne-ah): Deficiency (-PENIA) of bone tissue.

Osteoporosis (os-te-o-po-RO-sis): Decrease in bone mass with formation of pores or spaces in normally mineralized bone tissue. This condition is more serious than osteopenia.

Osteotomy (os-te-OT-o-me): Incision of a bone.

Otalgia (o-TAL-jah): Pain in an ear.

Otitis (o-TI-tis): Inflammation of an ear.
Otolaryngologist (o-to-lah-rin-GOL-o-iist): Speciali

Otolaryngologist (o-to-lah-rin-GOL-o-jist): Specialist in the treatment of diseases of the ear, nose, and throat.

Ovarian (o-VAYR-e-an): Pertaining to an ovary or ovaries.

Ovarian cancer (o-VAYR-e-an KAN-ser): Malignant condition of the ovaries.

Ovarian cyst (o-VAYR-e-an sist): Sac containing fluid or semisolid material in or on the ovary.

Ovary (O-vah-re): One of two organs in the female abdomen that produces egg cells and female hormones.

Ovum (O-vum): Egg cell (plural: ova [O-vah]).

Oxygen (OK-sih-jen): Colorless, odorless gas that is essential to sustaining life.

P

Pancreas (PAN-kre-us): Gland that produces digestive juices (exocrine function) and the hormone INSULIN (endocrine function).

Pancreatectomy (pan-kre-ah-TEK-to-me): Removal of the pancreas.

Pancreatitis (pan-kre-ah-TI-tis): Inflammation of the pancreas.

Pap Smear (PAP smeer): Insertion of an instrument (spatula) into the vagina to obtain a sample of cells from the cervix (neck of the uterus).

Paralysis (pah-RAL-ih-sis): Loss or impairment of movement in a part of the body.

Paraplegia (par-ah-PLE-jah): Impairment or loss of movement in the lower part of the body, primarily the legs and in some cases bowel and bladder function.

Parathyroid glands (par-ah-THI-royd glanz): Four endocrine glands behind the thyroid gland. These glands are concerned with maintaining the proper levels of calcium in the blood and bones.

Parathyroid hormone (par-ah-THI-roid HOR-mone): Hormone secreted by the parathyroid glands to maintain a constant concentration of calcium in the blood and bones. Also called PTH.

Patella (pah-TEL-ah): Kneecap.

Pathogen (PATH-o-jen): Disease-producing organism (such as a bacterium or virus).

Pathologist (pah-THOL-o-jist): Specialist in the study of disease. A pathologist examines biopsies and performs autopsies.

Pathology (pah-THOL-o-je): Study of disease.

Pediatric (pe-de-AT-rik): Pertaining to treatment of a child.

Pediatrician (pe-de-ah-TRISH-un): Specialist in the treatment of childhood diseases. **Pediatrics** (pe-de-AT-riks): Branch of medicine specializing in the treatment of children.

Pedodontist (ped-o-DON-tist): Dentist specializing in the diagnosis and treatment of children's dental problems.

Pelvic (PEL-vik): Pertaining to the bones of the hip area.

Pelvic cavity (PEL-vik KAV-ih-te): Space contained within the hip bones (front and sides) and the lower part of the backbone (sacrum and coccyx).

Pelvic inflammatory disease (PEL-vik in-FLAM-ah-to-re dih-ZEEZ): Inflammation of the pelvic region in females, usually involving the FALLOPIAN TUBES.

Pelvic ultrasonography (PEL-vik ul-trah-so-NOG-rah-fe): Recording of sound waves as they impact organs in the region of the hip.

Pelvis (PEL-vis): Lower part of the trunk of the body including the hip bone, tailbone, and sacrum (lower backbones).

Penicillin (pen-ih-SIL-in): Substance, derived from certain molds, that can destroy bacteria; an ANTIBIOTIC.

Penis (PE-nis): External male organ containing the urethra, through which both urine and semen (sperm cells and fluid) leave the body.

Peptic ulcer (PEP-tik UL-ser): Sore (lesion) of the mucous membrane lining the first part of the small intestine (duodenum) or lining the stomach.

Percutaneous (per-ku-TA-ne-us): Pertaining to through the skin.

Percutaneous transhepatic cholangiography (per-ku-TA-ne-us trans-heh-PAT-ik kol-an-je-OG-rah-fe): Bile vessels are imaged after injection of contrast material through the skin into the liver.

Perianal (peh-re-A-nal): Pertaining to surrounding the ANUS.

Pericardium (peh-rih-KAR-de-um): Membrane surrounding the heart.

Periodontist (peh-re-o-DON-tist): Dentist specializing in the treatment of gum disease (surrounding a tooth).

Periosteum (peh-re-OS-te-um): Membrane that surrounds bone. **Peritoneal** (peh-rih-to-NE-al): Pertaining to the PERITONEUM.

Peritoneal dialysis (peh-rih-to-NE-al di-AL-ih-sis): Process of removing wastes from the blood by introducing a special fluid into the abdomen (peritoneal cavity). The wastes pass into the fluid from the bloodstream, and then the fluid is drained from the body.

Peritoneal fluid (peh-rih-to-NE-al FLOO-id): Fluid produced in the abdominal cavity. **Peritoneoscopy** (peh-rih-to-ne-OS-ko-pe): Visual examination of the peritoneal cavity

with an endoscope. See LAPAROSCOPY. **Peritoneum** (peh-rih-to-NE-um): Membrane that surrounds the abdomen and holds the abdominal organs in place.

Peritonitis (peh-rih-to-NI-tis): Inflammation of the peritoneum.

Phalanges (fah-LAN-jeez): Finger and toe bones.

Pharyngeal (fah-rin-JE-al): Pertaining to the pharynx (throat).

Pharyngitis (fah-rin-JI-tis): Inflammation of the pharynx (throat).

Pharynx (FAR-inks): Organ behind the mouth that receives swallowed food and delivers it into the esophagus. The pharynx (throat) also receives air from the nose and passes it to the trachea (windpipe).

Phenothiazine (fe-no-THI-ah-zeen): Substance whose derivatives are used as tranquilizers and antipsychotic agents to treat mental illness.

Phlebitis (fleh-BI-tis): Inflammation of a vein.

Phlebography (fleh-BOG-rah-fe): X-ray examination of veins after injection of contrast material.

Phlebotomy (fleh-BOT-o-me): Incision of a vein.

Photoselective vaporization of the prostate (fo-to-se-LEK-tiv va-por-ih-ZA-shun of the PROS-tate): Use of a GreenLight® laser to vaporize and remove prostatic tissue to treat benign prostatic hyperplasia.

Phrenic (FREH-nik): Pertaining to the DIAPHRAGM.

Physical medicine and rehabilitation (FIZ-ih-kal MED-ih-sin and re-hah-bil-ih-TAshun): Field of medicine that specializes in restoring the function of the body after illness.

Pilosebaceous (pi-lo-seh-BA-shus): Pertaining to hair and its associated sebaceous gland.

Pineal gland (pi-NE-al gland): Small endocrine gland within the brain that secretes the hormone melatonin, whose exact function is unclear. In lower animals, the pineal gland is a receptor for light.

Pituitary gland (pih-TOO-ih-tar-e gland): Organ at the base of the brain that secretes hormones. These hormones enter the blood to regulate other organs and other endocrine glands.

Platelet (PLAYT-let): Clotting cell; a thrombocyte.

Pleura (PLOO-rah): Double membrane that surrounds the lungs. Pleural means pertaining to the pleura.

Pleural cavity (PLOO-ral KAH-vih-te): Space between each pleura surrounding the lung. Pleural effusion (PLOO-ral e-FU-zhun): Collection of fluid between the double membrane surrounding the lungs.

Pleurisy (PLOO-rih-se): Inflammation of the PLEURA. Pleuritis (ploo-RI-tis): Inflammation of the PLEURA.

Pneumoconiosis (noo-mo-ko-ne-O-sis): Group of lung diseases resulting from inhalation of particles of dust such as coal, with permanent deposition of such particles in the lung.

Pneumonectomy (noo-mo-NEK-to-me): Removal of a lung.

Pneumonia (noo-MO-ne-ah): Abnormal condition of the lungs marked by inflammation and collection of material within the air sacs of the lungs.

Pneumonitis (noo-mo-NI-tis): Inflammation of a lung or lungs.

Pneumothorax (noo-mo-THOR-aks): Abnormal accumulation of air in the space between the pleura.

Polycythemia (pol-e-si-THE-me-ah): Increase in red blood cells. One form of polycythemia is polycythemia vera, in which the bone marrow produces an excess of erythrocytes and hemoglobin level is elevated.

Polydipsia (pol-e-DIP-se-ah): Excessive thirst.

Polyneuropathy (pol-e-nu-ROP-ah-the): Disease of many nerves.

Polyp (POL-ip): A growth or mass (benign) protruding from a mucous membrane.

Polyuria (pol-e-UR-e-ah): Excessive urination.

Pons (ponz): Part of the brain containing nerve pathways connecting upper and lower areas.

Posterior (pos-TEER-e-or): Located in the back portion of a structure or of the body.

Posteroanterior (pos-ter-o-an-TEER-e-or): Pertaining to direction from back to front. **Postmortem** (post-MOR-tem): After death.

Postpartum (post-PAR-tum): After birth.

Precancerous (pre-KAN-ser-us): Pertaining to a condition that may come before a cancer; a condition that tends to become malignant.

Prenatal (pre-NA-tal): Pertaining to before birth.

Proctologist (prok-TOL-o-jist): Physician who specializes in the study of the anus and rectum.

Proctoscopy (prok-TOS-ko-pe): Inspection of the anus and rectum with a proctoscope (ENDOSCOPE). Proctoscopy is often performed before rectal surgery.

Proctosigmoidoscopy (prok-to-sig-moyd-OS-ko-pe): Visual examination of the anus, rectum, and sigmoid colon with an endoscope.

Progesterone (pro-JES-teh-rone): Hormone secreted by the ovaries to prepare to maintain the uterine lining during pregnancy.

Prognosis (prog-NO-sis): Prediction that forecasts the outcome of treatment. Prognosis literally means before (PRO-) knowledge (-GNOSIS).

Prolapse (pro-LAPS): Falling down or drooping of a part of the body. Prolapse literally means sliding (-LAPSE) forward (PRO-).

Prostate gland (PROS-tayt gland): Male gland that surrounds the base of the urinary bladder. It produces fluid (semen) that leaves the body with sperm cells.

Prostatectomy (pros-tah-TEK-to-me): Removal of the prostate gland.

Prostatic (pros-TAH-tik): Pertaining to the prostate gland.

Prostatic carcinoma (pros-TAH-tik kar-si-NO-mah): Malignant tumor arising from the PROSTATE GLAND. Also called *prostate cancer*.

Prostatic hyperplasia (pros-TAH-tik hi-per-PLA-zhah): Abnormal increase in growth (benign) of the prostate gland.

Prosthesis (pros-THE-sis): Artificial substitute for a missing part of the body. Prosthesis literally means to place (-THESIS) before (PROS-).

Prosthodontist (pros-tho-DON-tist): Dentist specializing in artificial appliances to replace missing teeth.

Proteinuria (pro-teen-U-re-ah): Abnormal condition of protein in the urine (albuminuria).Psychiatrist (si-KI-ah-trist): Specialist in the treatment of the mind and mental disorders.

Psychiatry (si-KI-ah-tre): Treatment (IATR/O-) of disorders of the mind (PSYCH/O).
Psychology (si-KOL-o-je): Study of the mind, especially in relation to human behavior.
Psychosis (si-KO-sis): Abnormal condition of the mind; a serious mental disorder that involves loss of normal perception of reality (plural: psychoses [si-KO-seez]).

Pulmonary (PUL-mo-nair-e): Pertaining to the lungs.

Pulmonary artery (PUL-mo-nair-e AR-ter-e): Artery carrying blood from the right ventricle to the lungs.

Pulmonary circulation (PUL-mo-nair-e ser-ku-LA-shun): Passage of blood from the heart to the lungs and back to the heart.

Pulmonary edema (PUL-mo-nair-e eh-DE-mah): Abnormal collection of fluid in the lung (within the air sacs of the lung). Fluid backs up into lung tissue commonly from congestive heart failure as the heart weakens and is unable to pump blood effectively.

Pulmonary embolism (PUL-mo-nair-e EM-bo-lizm): Blockage of blood vessels in the lung by foreign matter (clot, tumor, fat, or air). The EMBOLUS frequently arises from the deep veins of the leg.

Pulmonary specialist (PUL-mo-nair-e SPESH-ah-list): Physician trained to treat lung disorders.

Pupil (PU-pil): Black center of the eye through which light enters.

Pyelitis (pi-eh-LI-tis): Inflammation of the renal pelvis (central section of the kidney). **Pyelogram** (PI-eh-lo-gram): X-ray record of the renal pelvis after injection of contrast.

Q

Quadriplegia (kwad-rih-PLE-jah): Paralysis of all four extremities and usually the trunk of the body caused by injury to the spinal cord in the cervical region of the spine.

R

Radiation oncologist (ra-de-A-shun ong-KOL-o-jist): Physician trained in the treatment of disease (cancer) with high-energy x-rays or particles.

Radiation therapy (ra-de-A-shun THER-a-pe): Treatment of disease (cancer) with high-energy x-rays or particles (photons and protons). Also called RADIOTHERAPY.

Radioisotope (ra-de-o-I-so-tope): See RADIONUCLIDE.

Radiologist (ra-de-OL-o-jist): Physician trained in the use of x-rays (such as computed tomography and also including ultrasound) to diagnose illness.

Radiology (ra-de-OL-o-je): Science of using x-rays in the diagnosis of disease.

Radionuclide (ra-de-o-NOO-klid): A chemical substance that emits radioactivity; radioisotope. Radionuclides are used in nuclear medicine to image parts of the body.

Radiotherapist (ra-de-o-THER-ah-pist): Physician trained to treat disease (cancer) with high-energy x-rays or particles. See RADIATION ONCOLOGIST.

Radiotherapy (ra-de-o-THER-ah-pe): Treatment of disease (cancer) with high-energy x-rays or particles such as photons and protons. Also called RADIATION THERAPY.

Radius (RA-de-us): One of two lower arm bones. The radius is located on the thumb side of the hand.

Rectal resection (REK-tal re-SEK-shun): Excision (resection) of the RECTUM.

Rectocele (REK-to-seel): Hernia (protrusion) of the rectum into the vagina.

Rectum (REK-tum): End of the colon. The rectum delivers wastes (feces) to the anus for elimination.

Relapse (RE-laps): Return of disease after its apparent termination.

Remission (re-MISH-un): Lessening or absence of signs and symptoms of a disease.

Renal (RE-nal): Pertaining to the kidney.

Renal calculus (RE-nal KAL-ku-lus): Kidney stone.

Renal failure (RE-nal FAIL-ur): Condition in which the kidneys no longer function. **Renal pelvis** (RE-nal PEL-vis): Central section of the kidney, where urine collects.

Renal transplantation (RE-nal tranz-plan-TA-shun): A donor kidney is transferred to a recipient whose kidneys have failed.

Reproductive (re-pro-DUK-tiv): Pertaining to the process by which living things produce offspring.

Research (RE-surch): Laboratory investigation of a medical problem.

Resection (re-SEK-shun): Removal (excision) of an organ or a structure.

Residency training (RES-i-den-se TRAY-ning): Period of hospital work involving the care of patients after the completion of four years of medical school.

Respiratory system (RES-pir-ah-tor-e SIS-tem): Organs that control breathing, allowing air to enter and leave the body.

Retina (RET-ih-nah): Layer of sensitive cells at the back of the eye. Light is focused on the retina and then is transmitted to the optic nerve, which leads to the brain.

Retinopathy (reh-tih-NOP-ah-the): Disease of the RETINA.

Retrogastric (reh-tro-GAS-trik): Pertaining to behind the stomach.

Retroperitoneal (reh-tro-peh-rih-to-NE-al): Pertaining to behind the PERITONEUM.

Rhabdomyosarcoma (rab-do-mi-o-sar-KO-mah): Malignant tumor of muscle cells (skeletal, voluntary muscle) that occurs most frequently in the head and neck, extremities, body wall, and area behind the abdomen.

Rheumatoid arthritis (ROO-mah-toyd arth-RI-tis): Chronic inflammatory disease of the

joints and connective tissue that leads to deformed joints.

Rheumatologist (roo-mah-TOL-o-jist): Specialist in the treatment of diseases of connective tissues, especially the joints. RHEUMAT/O- comes from the Greek *rheuma*, meaning "that which flows, as a stream or a river." Inflammatory disorders of joints are often marked by a collection of fluid in joint spaces.

Rheumatology (roo-mah-TOL-o-je): Branch of medicine dealing with inflammation, degeneration, or chemical changes in connective tissues, such as joints and muscles. Pain, stiffness, or limitation of motion are often characteristics of rheumatologic

disorders.

Rhinitis (ri-NI-tis): Inflammation of the nose.

Rhinoplasty (RI-no-plas-te): Surgical repair of the nose.

Rhinorrhea (ri-no-RE-ah): Discharge from the nose.

Rhinotomy (ri-NOT-o-me): Incision of the nose.

Rib (rib): One of twelve paired bones surrounding the chest. Seven ribs (true ribs) attach directly to the breastbone, three (false ribs) attach to the seventh rib, and two (floating ribs) are not attached at all.

S

Sacral (SA-kral): Pertaining to the SACRUM.

Sacral region (SA-kral RE-jun): Five fused bones in the lower back, below the lumbar bones and wedged between two parts of the hip (ilium).

Sacrum (SA-krum): Triangular bone in the lower back, below the lumbar bones and formed by five fused bones.

Sagittal plane (SAJ-ih-tal playn): Imaginary plane that divides an organ or the body into right and left portions. The *mid-sagittal* plane divides a structure equally into right and left halves.

Sagittal section (SAJ-ih-tal SEK-shun): Cut (section) through the body, dividing it into a right and a left portion.

Salpingectomy (sal-pin-JEK-to-me): Removal of a fallopian (uterine) tube.

Salpingitis (sal-pin-JI-tis): Inflammation of a fallopian (uterine) tube.

Sarcoidosis (sahr-koy-DO-sis): Chronic, inflammatory disorder of cells in connective tissue, spleen, liver, bone marrow, lungs, and lymph nodes. Small collections of cells (granulomas) form in affected organs and tissues. The cause is unknown but may involve malfunction of the immune system.

Sarcoma (sar-KO-mah): Cancerous (malignant) tumor of connective tissue, such as bone, muscle, fat, or cartilage. The root SARC means flesh.

Scapula (SKAP-u-lah): Shoulder bone.

Sclera (SKLE-rah): White, outer coat of the eyeball.

Scotoma (sko-TO-mah): Defect in vision in a defined area (blind spot).

Scrotal (SKRO-tal): Pertaining to the scrotum.

Scrotum (SKRO-tum): Sac on the outside of the body that contains the testes.

Sebaceous gland (seh-BA-shus gland): Oil-producing (sebum-producing) gland in the skin.

Section (SEK-shun): Act of cutting; a segment or subdivision of an organ.

Seizure (SE-zhur): Convulsion (involuntary contraction of muscles) or attack of epilepsy. A seizure can also indicate a sudden attack or recurrence of a disease.

Sella turcica (SEL-ah TUR-sih-kah): Cup-like depression at the base of the skull that holds the pituitary gland.

Semen (SE-men): Fluid composed of sperm cells and secretions from the prostate gland and other male exocrine glands.

Seminoma (sem-ih-NO-mah): Malignant tumor of the testis.

Sense organs (sens OR-ganz): Parts of the body that receive messages from the environment and relay them to the brain so that we see, hear, and feel sensations. Examples of sense organs are the eye, the ear, and the skin.

Septic (SEP-tik): Pertaining to infection.

Septicemia (sep-tih-SE-me-ah): Infection in the blood. Septicemia is commonly called blood poisoning and is associated with the presence of bacteria or their toxins in the blood.

Sexually transmitted infection (SEK-shoo-ah-le trans-MIT-ed in-FEK-shun): Contagious disease acquired through sexual intercourse or genital contact.

Shock (shok): Group of symptoms (pale skin, rapid pulse, shallow breathing) that indicate poor oxygen supply to tissue and insufficient return of blood to the heart.

Sigmoid colon (SIG-moyd KO-len): S-shaped lower portion of the colon.

Sigmoidoscopy (sig-moyd-OS-ko-pe): Visual examination of the sigmoid colon with an endoscope inserted through the anus and rectum.

Sinus (SI-nus): Cavity or space, such as in a bone. Also refers to the sinoatrial node or pacemaker of the heart.

Skin (skin): Outer covering that protects the body.

Skull (skul): Bone that surrounds the brain and other organs in the head.

Sleep apnea (SLEEP AP-nee-ah): See APNEA.

Small intestine (smal in-TES-tin): Organ that receives food from the stomach. The small intestine is divided into three sections: duodenum, jejunum, and ileum.

Sonogram (SON-o-gram): Record of sound waves after they bounce off organs in the body; an ULTRASOUND or echogram.

Spasm (SPAZ-um): Involuntary, sudden muscle contraction.

Spermatozoon (sper-mah-to-ZO-on): Sperm cell (*plural*: spermatozoa [sper-mah-to-ZO-ah]).

Spinal (SPI-nal): Pertaining to the spine (backbone).

Spinal cavity (SPI-nal KAV-ih-te): Space in the back that contains the spinal cord and is surrounded by the backbones.

Spinal column (SPI-nal KOL-um): Backbones; vertebrae.

Spinal cord (SPI-nal kord): Bundle of nerves that extends from the brain down the back. Spinal nerves carry electrical messages to and from the spinal cord.

Spinal nerves (SPI-nal nervz): Nerves that transmit messages to and from the spinal cord.

Spinal tap (SPI-nal TAP): See LUMBAR PUNCTURE.

Spirometer (spi-ROM-eh-ter): Instrument for testing lung function by measuring the volume of inspired and expired air.

Spleen (spleen): Organ in the upper left part (quadrant) of the abdomen that produces white blood cells (LYMPHOCYTES) and disposes of old, dying red blood cells. The spleen, as part of the immune system, helps fight foreign organisms.

Splenectomy (splen-EK-to-me): Removal of the spleen.

Splenomegaly (splen-o-MEG-ah-le): Enlargement of the spleen.

Spondylitis (spon-dih-LI-tis): Chronic, serious inflammatory disorder of backbones involving erosion and collapse of vertebrae. See ANKYLOSING SPONDYLITIS.

Spondylosis (spon-dih-LO-sis): Abnormal condition of a vertebra or vertebrae.

Sputum (SPU-tum): Material expelled from the lungs and expelled through the mouth.

Staging of tumors (STA-ging of TOO-morz): A system that describes the severity of a patient's cancer based on the extent of the original primary tumor and whether it has spread in the body.

Stent (stent): Tube inserted into an artery, blood vessel, or duct to keep it open.

Sternum (STER-num): Breastbone.

Stereotactic radiosurgery (steh-re-o-TAC-tic rad-e-o-SUR-je-re): This is a non-surgical type of radiation therapy used to treat abnormalities and small tumors of the brain. Also called Cyberknife©, this treatment can deliver precisely targeted radiation in fewer high-dose treatments than traditional therapy.

Stomach (STUM-ak): Organ that receives food from the esophagus and sends it to the small intestine. Enzymes in the stomach break down food particles during digestion.

Stomatitis (sto-mah-TI-tis): Inflammation of the mouth.

Stool culture (stool KUL-tur): Feces (stools) are placed in a growth medium (culture medium), which is later examined microscopically for evidence of microorganisms (such as bacteria).

Stool guaiac (stool GWI-ak) [test]: Examination of a small sample of stool for hidden traces of blood; HEMOCCULT TEST.

Stroke (strok): Condition resulting from trauma to or blockage of blood vessels within the brain; less blood arrives to nerve cells in the brain.

Stye (sti): Infection of a gland near the edge the eyelid, often caused by bacteria (staphylococci). Also spelled *sty*.

Subcostal (sub-KOS-tal): Pertaining to below the ribs.

Subcutaneous (sub-ku-TA-ne-us): Pertaining to under the skin.

Subcutaneous tissue (sub-ku-TA-ne-us TIS-u): Lower layer of the skin composed of fatty tissue.

Subdural hematoma (sub-DUR-al he-mah-TO-mah): Collection of blood under the dura mater (outermost layer of the membranes surrounding the brain).

Subgastric (sub-GAS-trik): Pertaining to below the stomach.

Subhepatic (sub-heh-PAT-ik): Pertaining to under the liver.

Subscapular (sub-SKAP-u-lar): Pertaining to under the shoulder bone.

Subtotal (sub-TO-tal): Less than total; often just under the total amount.

Subungual (sub-UN-gwal): Pertaining to under (SUB-) a nail (UNGU/O).

Suprayanal glands (see prab RF-pal glang): Two enderring glands, each leaster

Suprarenal glands (soo-prah-RE-nal glanz): Two endocrine glands, each located above a kidney. See ADRENAL GLANDS.

Surgery (SUR-jer-e): Branch of medicine that treats disease by manual (hand) or operative methods.

Sweat gland (swet gland): Organ in the skin that produces a watery substance containing salts.

Syncope (SING-koh-pe): Fainting; sudden loss of consciousness.

Syndrome (SYN-drohm): Set of symptoms and signs that occur together to indicate a disease condition.

Syphilis (SIF-ih-lis): Sexually transmitted infection caused by spirochete (type of bacterium).

System (SIS-tem): Group of organs working together to do a job in the body. For example, the digestive system includes the mouth, throat, stomach, and intestines, all of which help to bring food into the body, break it down, and deliver it to the bloodstream. **Systemic circulation** (sis-TEM-ik ser-ku-LA-shun): Passage of blood from the heart to

the tissues of the body and back to the heart.

Systemic lupus erythematosus (sis-TEM-ik LOO-pus er-ih-the-mah-TO-sus): Chronic inflammatory disease affecting many systems of the body (joints, skin, kidneys, and nerves). A red (erythematous) rash over the nose and cheeks is characteristic.



Tachycardia (tak-eh-KAR-de-ah): Condition of a fast, rapid heartbeat.

Tachypnea (tak-ip-NE-ah): Condition of rapid breathing.

Tendinitis (ten-dih-NI-tis): Inflammation of a tendon.

Tendon (TEN-don): Connective tissue that joins muscles to bones.

Tenorrhaphy (ten-OR-ah-fe): Suture of a tendon.

Testicle (TES-tih-kl): See TESTIS.

Testicular carcinoma (tes-TIK-u-lar kar-sih-NO-mah): Malignant tumor originating in a testis. An example is a SEMINOMA.

Testis (TES-tis): One of two paired male organs in the scrotal sac. The testes (*plural*) produce sperm cells and male hormone (testosterone). Also called a testicle.

Testosterone (tes-TOS-teh-rone): A hormone that produces male secondary sex characteristics; an ANDROGEN.

Thoracentesis (tho-rah-sen-TE-sis): Surgical puncture of the chest to remove fluid; thoracocentesis.

Thoracic (tho-RAS-ik): Pertaining to the chest.

Thoracic cavity (tho-RAS-ik KAV-ih-te): Space above the abdomen that contains the heart, lungs, and other organs; the chest cavity.

Thoracic region (tho-RAS-ik RE-jun): Twelve backbones attached to the ribs and located in the region of the chest, between the neck and the waist.

Thoracic surgeon (tho-RAS-ik SUR-jun): Physician who operates on organs in the chest. **Thoracic vertebra** (tho-RAS-ik VER-teh-brah): A backbone in the region of the chest.

Thoracotomy (tho-rah-KOT-o-me): Incision of the chest.

Throat (throt): See PHARYNX.

Thrombocyte (THROM-bo-site): Clotting cell; a PLATELET.

Thrombolytic therapy (throm-bo-LIT-ik THER-ah-pe): Treatment with drugs such as streptokinase and tPA (tissue plasminogen activator) to dissolve clots that may cause a heart attack.

Thrombophlebitis (throm-bo-fleh-BI-tis): Inflammation of a vein accompanied by formation of a clot.

Thrombosis (throm-BO-sis): Abnormal condition of clot formation.

Thrombus (THROM-bus): Blood clot.

Thymoma (thi-MO-mah): Tumor (malignant) of the thymus gland.

Thymus gland (THI-mus gland): Lymphoid organ of the immune system. It is located in the chest between the lungs. It stimulates the production of LYMPHOCYTES (white blood cells).

Thyroadenitis (thi-ro-ah-deh-NI-tis): Inflammation of the thyroid gland. **Thyroidectomy** (thi-roy-DEK-to-me): Removal of the thyroid gland.

Thyroid gland (THI-royd gland): Endocrine gland in the neck that produces hormones that act on cells all over the body. The hormones increase the activity of cells by stimulating metabolism and the release of energy.

Thyroid-stimulating hormone (THI-royd STIM-u-la-ting HOR-mone): Hormone secreted by the pituitary gland to stimulate the thyroid gland to produce its hormones, such as thyroxine. Also called TSH.

Thyroxine (thi-ROK-sin): Hormone secreted by the thyroid gland. Also known as T₄.

Tibia (TIB-e-ah): Larger of the two lower leg bones; the shin bone.

Tinnitus (TIN-ih-tus): Noise in the ears, such as ringing, roaring, or buzzing.

Tissue (TISH-u): Groups of similar cells that work together to do a job in the body. Examples are muscle tissue, nerve tissue, and epithelial (skin) tissue.

Tissue capillaries (TISH-u KAP-ih-lar-eez): Tiny blood vessels that lie near cells and through whose walls gases, food, and waste materials pass.

Tomography (to-MOG-rah-fe): Series of x-ray images that show an organ in depth by producing images of single tissue planes.

Tomosynthesis (to-mo-SIN-theh-sis): New mammographic technique that shows clearer

and more detailed images.

Tonsillectomy (ton-sih-LEK-to-me): Removal (excision) of a tonsil or TONSILS.

Tonsillitis (ton-sih-LI-tis): Inflammation of the TONSILS.

Tonsils (TON-silz): Lymphatic tissue in the back of the mouth near the throat.

Trachea (TRA-ke-ah): Tube that carries air from the throat to the BRONCHIAL TUBES; the windpipe.

Tracheitis (tra-ke-I-tis): Inflammation of the trachea.

Tracheostomy (tra-ke-OS-to-me): Opening of the trachea to the outside of the body.

Tracheotomy (tra-ke-OT-o-me): Incision of the trachea.

Transabdominal (tranz-ab-DOM-ih-nal): Pertaining to across the abdomen.

Transdermal (tranz-DER-mal): Pertaining to through the skin.

Transgastric (tranz-GAS-trik): Pertaining to across (through) the stomach. Transhepatic (tranz-he-PAH-tik): Pertaining to across or through the liver.

Transurethral (tranz-u-RE-thral): Pertaining to across (through) the urethra, TURP is transurethral resection of the prostate gland by surgery through the urethra.

Transvaginal ultrasound (tranz-VAH-jin-al UL-trah-sownd): A sound probe is placed in the vagina and ultrasound images are made of the pelvic organs (uterus and ovaries).

Transverse plane (tranz-VERS playn): Imaginary plane that divides an organ or the body into an upper and a lower portion; a cross-sectional view.

Trichotillomania (trik-o-til-o-MAN-e-ah): Obsessive-compulsive disorder marked by the urge to pull out (TILL/O) one's hair.

Tricuspid valve (tri-KUS-pid valv): Fold of tissue between the upper and lower chambers on the right side of the heart. It has three cusps or points and prevents backflow of blood into the right ATRIUM when the heart is pumping blood.

Triglyceride (tri-GLIS-eh-ride): Fat consisting of three molecules of fatty acid and glycerol. It makes up most animal and vegetable fats and is the major lipid (fat) in blood.

Tubal ligation (TOO-bul li-GA-shun): Fallopian tubes are tied off (ligated) with sutures. Tuberculosis (too-ber-ku-LO-sis): Infectious, inflammatory disease that commonly affects the lungs, although it can occur in any part of the body. It is caused by the tubercle bacillus (type of bacterium).

Tympanic membrane (tim-PAN-ik MEM-brayn): See EARDRUM.

Tympanoplasty (tim-pan-o-PLAS-te): Surgical repair of the eardrum.

U

Ulcer (UL-ser): Sore or defect in the surface of an organ. Ulcers (hollowed-out spaces) are produced by destruction of tissue.

Ulcerative colitis (UL-seh-rah-tiv ko-LI-tis): Recurrent inflammatory disorder marked by ulcers in the large bowel. Along with Crohn disease, ulcerative colitis is an INFLAMMATORY BOWEL DISEASE.

Ulna (UL-nah): One of two lower arm bones. The ulna is located on the little finger side of the hand.

Ultrasonography (ul-trah-so-NOG-rah-fe): Recording of internal sound waves as they impact body structures.

Ultrasound (UL-tra-sownd): Sound waves with greater frequency than can be heard by the human ear. This energy is used to detect abnormalities by beaming the waves into the body and recording echoes that reflect off tissues.

Unilateral (u-nih-LAT-er-al): Pertaining to one side.

Upper gastrointestinal (GI) series (UP-er gas-tro-in-TES-tin-al SEER-eez): Barium is swallowed, and x-ray images are taken of the esophagus, stomach, and small intestine.

Urea (u-RE-ah): Chief nitrogen-containing waste that the kidney removes from the blood and eliminates from the body in urine.

Uremia (u-RE-me-ah): Abnormal condition of excessive amounts of urea (nitrogenous waste) in the bloodstream.

Ureter (YOOR-eh-ter *or* u-RE-ter): One of two tubes that lead from the kidney to the urinary bladder.

Ureterectomy (u-re-ter-EK-to-me): Removal (excision) of a ureter.

Urethra (u-RE-thrah): Tube that carries urine from the urinary bladder to the outside of the body. In males, the urethra, which is within the penis, also carries sperm from the VAS DEFERENS to the outside of the body when sperm are discharged (ejaculation).

Urethral stricture (u-RE-thral STRIK-shur): Narrowing of the urethra.

Urethritis (u-re-THRI-tis): Inflammation of the urethra.

Uric acid (U-rik acid): Nitrogen-containing waste material from breakdown of nucleic acids (DNA and RNA). It is normally filtered from the blood by the kidneys and passes out of the body in urine. High levels of uric acid in the blood are an indication of GOUT, a type of arthritis.

Urinalysis (u-rih-NAL-ih-sis): Examination of urine to determine its contents.

Urinary bladder (UR-in-air-e BLA-der): Muscular sac that holds urine and then releases it to leave the body through the urethra.

Urinary catheterization (UR-in-air-e kath-eh-ter-ih-ZA-shun): Catheter (tube) is passed through the urethra into the urinary bladder for short- or long-term drainage of urine.

Urinary retention (UR-in-air-e re-TEN-shun): Condition in which urine is unable to leave the urinary bladder.

Urinary system (UR-in-air-e SIS-tem): Organs that produce and send urine out of the body. These organs are the kidneys, ureters, bladder, and urethra.

Urinary tract (UR-in-air-e trakt): Tubes and organs that carry urine from the kidney to the outside of the body.

Urine (UR-in): Fluid that is produced by the kidneys, passed through the ureters, stored in the bladder, and released from the body through the urethra.

Urologist (u-ROL-o-jist): Specialist in operating on the urinary tract in males and females and on the reproductive tract in males.

Urology (u-ROL-o-je): Study of the urinary tract (surgical specialty).

Uterine (U-ter-in): Pertaining to the uterus.

Uterine artery embolization (U-ter-in AR-ter-e em-bo-lih-ZA-shun): Blockage of blood flow in the uterine artery to slow the growth of uterine fibroids.

Uterine tubes (U-ter-in toobz): See FALLOPIAN TUBES.

Uterus (U-ter-us): Muscular organ in a female that holds and provides nourishment for the developing fetus; the WOMB.

V

Vagina (vah-JI-nah): Muscular passageway from the uterus to the outside of the body. **Vaginitis** (vah-jih-NI-tis): Inflammation of the vagina.

Valve (valv): Natural structure or artificial device that prevents backward flow of fluid (such as blood).

Varicocele (VAR-ih-ko-seel): Abnormal enlargement of veins in the SCROTUM. This condition produces a swelling that feels like a "bag of worms."

Varix (VAH-riks): An enlarged, swollen, tortuous vein (*plural*: varices [VAH-rih-seez]).Vas deferens (vas DEF-er-enz): One of two tubes that carry sperm from the testes to the urethra for ejaculation.

Vascular (VAS-ku-lar): Pertaining to blood vessels.

Vasculitis (vas-ku-LI-tis): Inflammation of blood vessels.

Vasectomy (vas-EK-to-me): Removal of a portion of the vas deferens so that sperm cells are prevented from becoming part of SEMEN.

Vasoconstrictor (vas-o-kon-STRIK-tor): Drug that narrows blood vessels, especially small arteries.

Vasodilator (vas-o-DI-la-tor): Agent that widens blood vessels.

Vein (van): Blood vessel that carries blood back to the heart from tissues of the body. Ventricle (VEN-trih-kl): One of the two lower chambers of the heart. The right ventricle receives blood from the right atrium (upper chamber) and sends it to the lungs. The left ventricle receives blood from the left atrium and sends it to the body through the aorta.

Ventricular arrhythmia (ven-TRIK-u-lar ah-RITH-me-ah): Abnormal heart rhythm originating in the lower chambers of the heart.

Venule (VEN-ul): Small vein.

Venulitis (ven-u-LI-tis): Inflammation of a small vein.

Vertebra (VER-teh-brah): Backbone. Vertebrae (VER-teh-bray): Backbones.

Vertebral (VER-teh-bral): Pertaining to a backbone.

Vertebroplasty (ver-teh-bro-PLAS-te): Surgical repair of backbone fractures by injecting cement into vertebrae to strengthen them and relieve pain.

Vesical (VES-ih-kal): Pertaining to the urinary bladder (VESIC/O).

Vitreous humor (VIT-re-us HU-mor): Transparent clear gel that fills the space between the lens and the retina of the eye.

Virtual colonoscopy (VER-choo-al ko-lon-OS-ko-pe): See CT COLONOGRAPHY.

Virus (VI-rus): Small infectious agent that can reproduce itself only when it is inside another living cell (host).

Visceral (VIS-er-al): Pertaining to internal organs.

W

Womb (woom): See UTERUS.

Wound (woond): Any physical injury involving a break in the skin (chest wound, gunshot wound, puncture wound, and so on).



GLOSSARY 2

Word Parts

Section I: Medical Terminology → English	386
Section II: English → Medical Terminology	394

bronchiol/o

Section I of this glossary is a list of medical terminology word parts and their English meanings. Section II is the reverse of that list, giving English meanings and their corresponding medical terminology word parts. Section II begins on page 394.

SECTION I: MEDICAL TERMINOLOGY → ENGLISH

Word Part	Meaning
a-, an-	no, not
ab-	away from
abdomin/o	abdomen; see also lapar/o
-ac	pertaining to
ad-	toward
aden/o	gland
adenoid/o	adenoids
adren/o	adrenal gland
-al	pertaining to
-algia	condition of pain; see also -dynia
alveol/o	alveolus (air sac within the lung)
amni/o	amnion (sac that surrounds the embryo
-an	pertaining to
ana-	up, apart
an/o	anus
angi/o	vessel (blood)
ante-	before, forward
anter/o	front
anti-	against
aort/o	aorta
append/o, appendic/o	appendix
-ar	pertaining to
arteri/o	artery
arteriol/o	small artery
arthr/o	joint
-ary	pertaining to
ather/o	fatty plaque
-ation	process, condition
aur/o	ear; see also ot/o
aut-	self
axill/o	armpit
balan/o	penis
bari/o	weight
bi-	two
bi/o	life
blephar/o	eyelid
brady-	slow
bronch/o	bronchial tube
or orion o	brondinar tube

small bronchial tube

calcane/o calcaneus (heel bone)

capillar/o capillary

carcin/o cancer, cancerous

cardi/o heart

carp/o wrist bones (carpals)

-cele hernia

-centesis surgical puncture to remove fluid

cephal/o head

cerebell/ocerebellum (posterior part of the brain)cerebr/ocerebrum (largest part of the brain)

cervic/o neck

chem/odrug, chemicalcholecyst/ogallbladdercholedoch/ocommon bile duct

chondr/o cartilage chron/o time

-cision process of cutting

cis/o to cut

clavicul/o clavicle (collarbone)

-coccus bacterium (berry-shaped); plural: -cocci

coccyg/o tailbone

colon (large intestine)

colon/ocoloncolp/ovaginacomi/oto care forcon-with, together

coni/o dust

-coniosis abnormal condition of dust

contraagainst coron/o heart cost/o rib crani/o skull crin/o secrete -crine secretion -crit separation cry/o cold cutane/o skin blue cvan/o

cyst/o urinary bladder

-cyte cell cyt/o cell

dactyl/o fingers or toes de- away from, down

dent/i tooth dermat/o, derm/o skin

dia- complete, through

-dipsia thirst
duoden/o duodenum

dur/o dura mater (outermost meningeal layer)

-dvnia pain

dys- abnormal, bad, difficult, painful

-eal pertaining toec- out, outside

-ectasia, -ectasis dilation, stretching, widening

ecto- out, outside

-ectomy excision (resection, removal); process of cutting out

electr/oelectricity-emesisvomiting-emiablood conditionen-in, inner, within

encephal/o brain

endoendocrin/o within, in, inner endocrine glands

endometr/o, endometrium (inner lining of the uterus)

endometri/o

enter/o intestines (usually small intestine)

epi- above, upon epiglott/o epiglottis

epitheli/o skin (surface tissue)

erythr/o red

esophag/o esophagus
esthesi/o sensation
eu- good (normal)
ex-, exo-, extra- out, outside

femor/o femur, thigh bone fibrous tissue

fibul/o fibula (smaller lower leg bone)

gastr/o stomach gen/o to produce

-gen production, formation -genesis producing, forming

-genic pertaining to producing, produced by

ger/o old age
-globin protein
glyc/o sugar
gnos/o knowledge
-gram record

-graph instrument to record

-graphy process of recording, to record

gynec/o woman, female

hemat/o, hem/o blood hepat/o blood

humer/o humerus (upper arm bone)

hydr/o water

hyperhypoexcessive, more than normal, too much, above below, deficient, less than normal, too little

hypophys/o pituitary gland

hyster/o uterus

-ia condition-ian practitioner

iatr/o treatment -ic, -ical pertaining to

ile/o ileum (third part of small intestine)
ili/o ilium (upper part of hip bone)

inflammation

inine
in, into
pertaining to

infrabelow inguin/o groin interbetween intrawithin -ior pertaining to isch/o to hold back -ism condition, process -ist specialist

jejun/o jejunum

-itis

lapar/o abdomen slide

laryng/o larynx (voice box)

later/osideligament/oligamentleiomy/osmooth muscleleuk/owhite

leuk/owhitelip/ofat-listhesisslidinglith/ostone-lithstone

-logist specialist in the study of process of study, study of

lumb/o loin, waist region

lymph/olymphlymphaden/olymph nodeslymphangi/olymph vessel

lys/o breakdown, destruction, separation breakdown, destruction, separation

macromal-malacia softening
mamm/o breast
mast/o breast
mediastin/o mediastinum

medullo medulla oblongata (lower part of the brain)

-megaly enlargement men/o menstruation

mening/o meninges (membranes covering brain and spinal cord)

meta- beyond, change

metacarp/o metacarpals (hand bones)
metatars/o metatarsals (foot bones)

-meter measure

metr/o, metri/o uterus; to measure

-metry measurement

micro-small-mortemdeath-motormovementmulti-manymuscul/omusclemy/omuscle

myel/o bone marrow (with -blast,-cyte, -genous, -oma)

myel/o spinal cord (with -cele, -gram, -itis)

myos/o muscle myring/o eardrum

nas/o nose nat/i birth necr/o death neonew kidney nephr/o neur/o nerve norm/o rule, order nos/o disease nullinone

obstetr/omidwifeocul/oeyeodont/otooth

-oidpertaining to, resembling-omatumor, mass, swellingonc/otumor (cancerous)

onycho/o nail
o/o egg
oophor/o ovary
ophthalm/o eye

-opsy to view; process of viewing

opt/o, optic/o eye
or/o mouth
orch/o testicle, testis
orchi/o testicle, testis
orchid/o testicle, testis
orth/o straight

-osis abnormal condition

osm/o smell
oste/o bone
ot/o ear

-ous pertaining to

ovari/o ovary

pan- all

pancreat/o pancreas

paraparathyroid/o along the side of, beside, near

parathyroid/o parathyroid gland partum birth path/o disease **-pathy** disease condition

ped/ochildpelv/ohip bone-peniadeficiencyper-throughperi-surrounding

peritone/o peritoneum (membrane around abdominal organs)

perone/o fibula

-pexy fixation (surgical)
phak/o lens of the eye

phalang/o phalanges (finger and toe bones)

pharyng/o pharynx, throat

-phasia speech-philia attraction tophleb/o vein

phren/o diaphragm
phren/o mind
physi/o function
pituitar/o pituitary gland

plas/o development, formation, growth development, formation, growth

-plasia formation, growth-plasty surgical repair-plegia paralysis

pleur/o pleura (membranes surrounding the lungs)

-pnea breathing air, lung pneum/o pneumon/o lung -poiesis formation polymany, much postafter, behind poster/o back, behind prebefore

pro-, prosprosth/o artificial replacement
proct/o anus and rectum
prostat/o prostate gland

psych/o mind

-ptosis prolapse, sagging

-ptysis spitting pulmon/o lung

pyel/o renal pelvis (central section of the kidney)

radi/o x-ray; radius (lateral lower arm bone)

re back
rect/o rectum
ren/o kidney

retin/o retina of the eye

retro- behind

rhabdomy/o striated (skeletal) muscle

rheumat/o flow, fluid nose

-rrhage excess flow of blood -rrhagia excess flow of blood

-rrhaphy suture

-rrhea discharge, flow

sacr/o sacrum

salping/o fallopian (uterine) tube; eustachian tube fallopian (uterine) tube; eustachian tube

sarc/o flesh

scapul/o shoulder blade (bone)

-sclerosis hardening

-scope instrument to view or visually examine

-scopy process of visual examination

scrot/o scrotal sac, scrotum process of cutting into

sept/oinfectionseptic/oinfection

-sis state of; condition-somatic pertaining to the body

son/o sound constriction

spin/o backbone, spine, vertebra

splen/o spleen

spondyl/o backbone, vertebra

-stasis control, stop; place, to stand

-stat stop, control narrowing

stern/o sternum (breastbone)

stomat/omouth-stomyopeningsub-below, undersupra-above

sym- with, together (use before b, p, and m)

syn- with, together

tachyfast tendin/o, ten/o tendon -tension pressure theli/o, thel/o nipple -therapy treatment -thesis put, place thorac/o chest thromb/o clotting, clot

thym/o thyroid/o, thyroid gland

thyroaden/o

tibia or shin bone (larger lower leg bone)

-tic pertaining to

-tomy process of cutting into, incision

tonsill/otonsilstop/oto put, placetrache/otrachea, windpipe

trans- across, through

tri- three
troph/o development, nourishment
-trophy development, nourishment

tympan/o eardrum

ulno (medial lower arm bone)

ultra-beyond-umstructureungu/onailuni-oneureter/oureterurethr/ourethra

ur/o urine, urinary tract urine condition

uter/o uterus

vagin/o vagina

vas/o vas deferens, vessel

vascul/o blood vessel ven/o vein

venul/o venule

vertebr/o backbone, vertebra vesic/o urinary bladder

-y condition, process

SECTION II: ENGLISH → MEDICAL TERMINOLOGY

Meaning	Word Part
abdomen	abdomin/o (use with -al, -centesis)
	lapar/o (use with -scope, -scopy, -tomy)
abnormal	dys-
abnormal condition	-osis
abnormal condition of dust	-coniosis
above	epi-, hyper-, supra-
across	trans-
adenoids	adenoid/o
adrenal gland	adren/o
atter	
	post-
against	anti-, contra-
air	pneum/o
air sac	alveol/o
all	pan-
along the side of	para-
alveolus	alveol/o
amnion	amni/o
anus	an/o
anus and rectum	proct/o
aorta	aort/o
apart	ana-
appendix	append/o (use with -ectomy)
	appendic/o (use with -itis)
armpit	axill/o
artery	arteri/o
artificial replacement	prosth/o
attraction to	-philia
away from	ab-, de-
	· · · · · · · · · · · · · · · · · · ·
back	poster/o, re-, retro-
backbone	spin/o (use with -al)
	spondyl/o (use with -itis, -listhesis, -osis, -pathy)
	vertebr/o (use with -al)
bacterium (berry-shaped)	-coccus (plural: -cocci)
bad	dys-, mal-
before	ante-, pre-, pro-, pros-
behind	post-, poster/o, re-, retro-
below	hypo-, infra-, sub-
beside	para-
between	inter-
beyond	meta-, ultra-
birth	nat/i, -partum
bladder (urinary)	cyst/o (use with -ic, -itis, -cele, -gram, -scopy)
,	vesic/o (use with -al, -stomy, -tomy)
blood	hem/o (use with -cyte, -dialysis, -globin, -lysis, -philia,
	-ntysis -rrhage -stasis -stat)

-ptysis, -rrhage, -stasis, -stat)

-poiesis, -salpinx, -uria)

hemat/o (use with -crit, -emesis, -logist, -logy, -oma,

blood condition -emia

blood flow, excess -rrhage, -rrhagia

blood vessel angi/o (use with -ectomy, -dysplasia, -genesis, -gram,

-graphy, -oma, -plasty, -spasm)

vas/o (use with -constriction, -dilatation, -dilatation,

-motor)

vascul/o (use with -ar, -itis)

blue cyan/o
body -somatic
bone oste/o
bone marrow myel/o
brain encephal/o
breakdown -lysis, lys/o

breast mamm/o (use with -ary, -gram, -graphy, -plasty)

mast/o (use with -algia, -ectomy, -itis)

breastbonestern/obreathing-pneabronchial tubebronchiol/obronchiolebronchiol/o

calcaneus calcane/o cancer carcin/o cancerous carcin/o capillary capillar/o care for (to) comi/o carpals carp/o cartilage chondr/o cell -cvte, cvt/o cerebellum cerebell/o cerebrum cerebr/o change metachemical chem/o chest thorac/o child ped/o clavicul/o clavicle clotting, clot thromb/o cold cry/o collarbone clavicul/o

colon col/o (use with -ectomy, -itis, -stomy)

colon/o (use with -pathy, -scope, -scopy)

common bile duct choledoch/o

complete dia-

condition -ation, -ia, -ism, -osis, -sis, -y

condition of blood-emiaconstriction-spasmcontrol-stasis, -stat

cut -cision, cis/o, -section, -tomy

death -mortem, necr/o

deficiency-peniadeficienthypo-destructionlys/o, -lysis

development plas/o, -plasm, troph/o, -trophy dilation -ectasia. -ectasis diaphragm phren/o difficult dvsdischarge -rrhea disease nos/o; path/o, -pathy drug chem/o duodenum duoden/o dura mater dur/o dust coni/o dust condition -conjosis

ear aur/o, ot/o

eardrum myring/o (use with -ectomy, -itis, -tomy) tympan/o (use with -ic, -metry, -plasty)

egg o/o
electricity electr/o
endocrine gland endocrin/o
endometrium endometri/o
enlargement -megaly
epiglottis epiglott/o
esophagus esophag/o

eustachian tube salping/o, -salpinx excessive salping/o, -salpinx

excision -ectomy
eye ocul/o (use with -ar, -facial, -motor)

ophthalm/o (use with -ia, -ic, -logist, -logy, -pathy,

-plasty, -plegia, -scope, -scopy) opt/o (use with -ic, -metrist) optic/o (use with -ian)

eyelid blephar/o

fallopian tube salping/o, -salpinx

fasttachy-fatlip/ofatty plaqueather/ofemalegynec/ofemurfemor/ofibrous tissuefibr/o

fibula fibul/o, perone/o fingers dactyl/o

fixation (surgical)
flesh

dactyl/o
-pexy
sarc/o

flow -rrhea, rheumat/o fluid rheumat/o foot bones metatars/o

formation -genesis, -plasia, plas/o, -plasm, -poiesis

forward ante-, pro-, pros-

frontanter/ofunctionphysi/o

gallbladder cholecyst/o aden/o

goodeu-groininguin/ogrowthplas/o, -plasm

hand bonesmetacarp/ohardening-sclerosisheadcephal/o

heart cardi/o (use with -ac, -graphy, -logy, -logist, -megaly,

-pathy, -vascular) coron/o (*use with -*ary)

heel bone calcane/o
hernia -cele
hip bone pelv/o
hold back (to) isch/o
humerus humer/o

ileum ile/o ilium ili/o

in, into in-, en-, endoincision -section, -tomy
infection sept/o, septic/o
inflammation -itis

inflammation-itisinneren-, endo-instrument to record-graphinstrument to visually-scope

examine

intestines (small) enter/o

jejunumjejun/ojointarthr/o

kidney nephr/o (use with -algia, -ectomy, -ic, -itis, -lith, -logy,

-megaly, -oma, -osis, -pathy, -ptosis, -sclerosis, -stomy,

-tomy)

ren/o (use with -al, -gram)

kidney (central section) pyel/o knowledge gnos/o

largemacro-larynxlaryng/olens of the eyephak/oless than normalhypo-lifebi/o

ligament ligament/o ligament/o hepat/o lumb/o

lung pneum/o (use with -coccus, -coniosis, -thorax)

pneumon/o (use with -ectomy, -ia, -ic, -itis, -pathy)

pulmon/o (use with -ary)

lymphlymph/olymph nodelymphaden/olymph vessellymphangi/o

peritoneum

mass -oma poly-, multimany meter, metr/o, metry measure (to) mediastinum mediastin/o medulla oblongata medull/o meninges mening/o menstruation men/o metacarpals metacarp/o metatarsals metatars/o midwife obstetr/o mind psych/o, phren/o more than normal hypermouth or/o (use with -al) stomat/o (use with -itis) movement -motor much polvmuscul/o (use with -ar, -skeletal) muscle myos/o (use with -itis) my/o (use with -algia, -ectomy, -oma, -gram, -neural) nail onych/o (use with -lys), ungu/o (use with -al) narrowing -stenosis near paraneck cervic/o nerve neur/o new neonipple thel/o, theli/o no, not a-, annone nullinas/o (use with -al) nose rhin/o (use with -itis, -rrhea, -plasty) nourishment troph/o, -trophy old age ger/o one uniopening -stomy order norm/o out, outside ec-, ecto-, ex-, exo- extraoophor/o (use with -itis, -ectomy, -pexy, -plasty, -tomy) ovary ovari/o (use with -an) pain -algia, -dynia painful dyspancreas pancreat/o paralysis -plegia parathyroid gland parathyroid/o pelvis pelv/o pelvis (renal) pyel/o penis

pertaining to -ac, -al, -an, -ar, -ary, -eal, -ic, -ine, -ior, -oid, -ous, -tic pertaining to the body -somatic

balan/o

peritone/o

phalanges phalang/o pharynx pharyng/o pituitary gland hypophys/o, pituitar/o place top/o, -stasis pleura pleur/o practitioner -ian -tension pressure process -ation, -ism, -v process of cutting into -cision, -tomy, -section

process of cutting out
process of recording
process of viewing
produce (to)
produced by
-ectomy
-graphy
-opsy
-opsy
-gen, gen/o
-genic

producing -genic, -genesis
prolapse -ptosis
prostate gland prostat/o

puncture to remove fluid -centesis
put, place (to) -thesis, top/o

radius (lower arm bone) radi/o record -gram recording (process) -graphy rectum rect/o ervthr/o red -ectomy removal pyel/o renal pelvis -plasty repair resection -ectomy

resembling -oid
retina of the eye retin/o
rib cost/o
rule norm/o

sacrumsacr/osagging-ptosisscapulascapul/oscrotum, scrotal sacscrot/osecrete, secretion-crine, crin/oselfaut-

selfaut-sensationesthesi/oseparation-crit, -lysis, lys/oshin bonetibi/o

shoulder blade scapul/o side later/o

skin cutane/o (use with -ous)

derm/o (use with -al); dermat/o (use with -itis, -logy,

-osis)

epitheli/o (use with -al)

crani/o

-lapse, -listhesis

sliding -lapse, -lapse, -listhesis -listhesis

skull

slow bradysmall microsmall artery arteriol/o small bronchial tube bronchiol/o small intestine enter/o smell osm/o smooth muscle leiomy/o softening -malacia sound son/o specialist -ist specialist in the study of -logist speech -phasia spinal cord myel/o spine spin/o spitting -ptysis spleen splen/o stand (to) -stasis state of -sis sternum stern/o stomach gastr/o stone lith/o, -lith stop -stasis, -stat straight orth/o stretching -ectasia, -ectasis striated (skeletal) muscle rhabdomy/o structure -um study of -logy sugar glyc/o

surgical puncture to remove

fluid

surgical repair -plasty surrounding perisuture -rrhaphy swelling -oma

tailbone tendon testicle, testis thigh bone thirst throat three

through thymus gland thyroid gland

tibia time toes together tonsil

too much too little tooth

coccyg/o tendin/o, ten/o

orch/o, orchi/o, orchid/o femor/o

-dipsia pharyng/o tridia-, per-, trans-

-centesis

thym/o

thyr/o, thyroid/o, thyroaden/o tibi/o

chron/o dactyl/o con-, syn-, symtonsill/o hyperhypo-

dent/i, odont/o

toward adtrachea trache/o treatment iatr/o, -therapy tumor -oma, onc/o two hi-

ulna uln/o under hypo-, subup anaupon epiureter/o ureter urethra urethr/o urinary bladder cyst/o, vesic/o urinary tract ur/o

urine ur/o urine condition -uria

hyster/o (use with -ectomy, -graphy, -gram) uterus

metr/o (use with -itis, -rrhagia)

metri/o (use with -al) uter/o (use with -ine) endometr/o, endometri/o

uterus (inner lining)

colp/o (use with -pexy, -plasty, -scope, -scopy, -tomy) vagina

vagin/o (use with -al, -itis)

vas deferens vas/o

phleb/o (use with -ectomy, -itis, -lith, -thrombosis, -tomy) vein

ven/o (use with -ous, -gram)

venule venul/o

spin/o (use with -al) vertebra

spondyl/o (use with -itis, -listhesis, -osis, -pathy)

vertebr/o (use with -al)

angi/o (use with -ectomy, -dysplasia, -genesis, -gram, vessel

-graphy, -oma, -plasty, -spasm)

vas/o (use with -constriction, -dilation, -motor)

vascul/o (use with -ar, -itis)

-opsy view (to)

visual examination -scopy laryng/o voice box -emesis vomiting

lumb/o waist region hvdr/o water bari/o weight leuk/o white

-ectasia, -ectasis widening

trache/o windpipe

con-, syn-, symwith en-, endo-, intrawithin

gynec/o woman carp/o wrist bones

radi/o x-ray



English → Spanish Terms*

^{*}Diagrams of the body labeled with Spanish terms are on pages 410 and 411.

Here is a list of **English** \rightarrow **Spanish terms** that will help you communicate with Spanish-speaking patients in offices, hospitals, and other medical settings. Included are parts of the body and other medical terms as well.

abdomen (ahb-DOH-mehn)

acne acné (ahk-NEH)

acousticacústico (ah-KOOS-tee-ko)adenoidadenoide (ah-deh-NOH-ee-deh)amebicamébico (ah-MEH-bee-ko)

analgésico (ah-nahl-HEH-see-koh)

anemiaanemia (ah-NEH-mee-ah)anesthesiaanestesia (ah-nehs-TEH-see-ah)

angina angina (ahn-HEE-na)
angioma angioma (ahn-hee-OH-mah)
ankle tobillo (toh-BEE-voh)

antacid antiácido (ahn-tee-AH-see-doh)

antiarrhythmic antiarrítmico (ahn-tee-ah-RREET-mee-koh)

antibiótico (ahn-tee-bee-OH-tee-koh)

anticonvulsant antidiarrheal antidiarrheal antiemetic antiemetic anticonvulsivante (ahn-tee-kohn-bool-SEE-ban-teh) antiemetic (ahn-tee-dee-ah-RREH-tee-koh)

antiemetro (ann-tee-en-MEH-tee-kon)
antiepileptic
antihistamine
antiemetro (ann-tee-en-MEH-tee-kon)
antiepileptic (ahn-tee-en-MEH-tee-kon)
antiepileptic (ahn-tee-en-MEH-tee-kon)
antiepileptic (ahn-tee-en-MEH-tee-kon)

antivirus (ahn-tee-BEE-roos)

anus ano (AH-no)

appendix apéndice (ah-PEHN-dee-seh)

armbrazo (BRAH-soh)armpitaxila (ahk-SEE-lah)

arteriogram arteriograma (ahr-teh-ree-oh-GRAH-mah)

arthritis artritis (ahr-TREE-tees)
asthma asma (AHS-mah)

bacteria bacteria (bahk-TEH-ree-ah)

barbiturates barbitúricos (bahr-bee-TOO-ree-kohs)

birthmark lunar (loo-NAHR)

bleeding sangrado (sahn-GRAH-doh) blood sangre (SAHN-greh)

blood count biometría hemática (bee-oh-meh-TREE-ah eh-MAH-tee-kah)

bradycardia bradicardia (brah-dee-KAHR-dee-ah)

brain cerebro (seh-REH-bro)

breast/chest seno (SEH-noh), pecho (PEH-choh)

bronchial tubebronquio (BROHN-kee-oh)bronchitisbronquitis (brohn-KEE-tees)bruisesmoretónes (moh-reh-TOH-nehs)burnquemadura (keh-mah-DOO-rah)

buttocks nalgas (NAHL-gahs)

calf pantorrilla (pahn-toh-RREE-yah)

callus callo (KAH-yoh)
calm calma (KAHL-mah)

cardiac cardiaco (kahr-DEE-ah-koh) cataract catarata (kah-tah-RAH-tah)

cervix cuello uterino (KOO-eh-yoh) (oo-teh-REE-noh), cerviz (SERH-bees)

chancrechancro (CHAHN-kroh)cheekmejilla (meh-HEE-yah)

chemotherapy quimioterapia (kee-mee-oh-teh-RAH-pee-ah)

chin barbilla (bar-BEE-yah)

cholesterol colesterol (koh-lehs-teh-ROHL)
cirrhosis cirrosis (see-RROH-sees)

claustrophobiaclaustrofobia (klah-oos-troh-FOH-bee-ah)coagulationcoagulación (koh-ah-goo-lah-see-OHN)

collar bone clavícula (klah-VEE-kuh-la)

colon (KOH-lohn)

constipation estreñimiento (ehs-treh-nyee-mee-EHN-toh)

cortisone cortisona (kohr-tee-SOH-nah)

cough tos (tohs)

cyanotic cianótico (see-ah-NOH-tee-ko)

decongestants descongestionantes (dehs-kohn-hehs-tee-oh-NAHN-tehs)

dehydrated deshidratado (deh-see-drah-TAH-doh)

deliriousdelirio (deh-LEE-ree-oh)depresseddeprimido (deh-pree-MEE-doh)diabetesdiabetes (dee-ah-BEH-tehs)diarrheadiarrea (dee-ah-RREH-ah)digitalisdigital (dee-hee-TAHL)

ear (inner) oído (oh-EE-do) ear (outer) oreja (oh-REH-hah)

ecchymosis equimosis (eh-kee-MOH-sees)
eczema (ehk-SEH-mah)

elbow codo (KOH-doh)

embolism
emetic
enteritis
enteritis
epilepsy
euphoric
exudate

embolia (ehm-boh-LEE-ah)
emético (eh-MEH-tee-koh)
enteritis (ehn-teh-REE-tees)
epilepsia (eh-pee-LEHP-see-ah)
eufórico (eh-oo-FOH-ree-koh)
exudado (ehk-soo-DAH-doh)

eye ojo (OH-hoh) eyebrow ceja (SEH-hah)

eyelash pestaña (pehs-TAH-nyah) eyelids párpados (PAHR-pah-dohs) fibroid -fibroma (fee-BROH-mah)

finger dedo (DEH-doh) fingernail uña (OO-nyah) fist puño (POO-nvoh) fistula fístula (FEES-too-lah)

foot pie (pee-EH)

antebrazo (an-teh-BRAH-zoh) forearm

forehead frente (FREN-teh) fungus hongo (OHN-goh)

gallbladder vesícula biliar (beh-SEE-koo-lah bee-lee-AHR)

gangrene gangrena (gahn-GREH-nah)

gastroenteritis gastroenteritis (gahs-troh-ehn-teh-REE-tees)

gastroenterology gastroenterología (gahs-troh-ehn-teh-roh-loh-HEE-ah) genital organs órganos genitales (ORH-gah-nohs heh-nee-TAH-lehs)

glaucoma glaucoma (glah-oo-KOH-mah)

groin ingle (EEN-gleh) gums encías (ehn-SEE-ahs)

gynecologist ginecólogo (hee-neh-KOH-loh-goh)

hair cabello (kah-BEH-yoh) hand mano (MAH-noh) head cabeza (kah-BEH-sah) heart corazón (koh-rah-SOHN) heel

talón (tah-LOHN)

hematology hematología (eh-mah-toh-loh-HEE-ah)

hematoma hematoma (eh-mah-TOH-mah) hemolysis hemólisis (eh-MOH-lee-sees)

hemorrhage hemorragia (eh-moh-RRAH-hee-ah) hepatitis hepatitis (eh-pah-TEE-tees)

hernia hernia (EHR-nee-ah) hip cadera (kah-DEH-rah)

hypertension hipertensión (ee-pehr-tehn-see-OHN)

icteric ictérico (eek-TEH-ree-koh) infection infección (een-fehk-see-OHN) inflammation inflamación (een-flah-mah-see-OHN)

insulin insulina (een-soo-LEE-nah) intestine intestino (een-tes-TEE-noh)

intramuscular intramuscular (een-trah-moos-koo-LAHR) intravenous intravenoso (een-trah-beh-NOH-soh)

irradiate irradiar (ee-rrhah-dee-AHR)

jaw mandíbula (mahn-DEE-boo-lah)

kidney riñón (ree-NYON) knee rodilla (ro-DEE-vah) laparoscopia (lah-pah-rohs-KOH-pee-ah)

laryngitislaringitis (lah-reen-HEE-tees)laxativelaxante (lahk-SAHN-teh)leftizquierdo (ees-kee-EHR-doh)legpierna (pee-EHR-nah)

ligamento (lee-gah-MEHN-toh)

linguallingual (leen-GUAHL)liplabio (LAH-bee-oh)lithiumlitio (LEE-tee-oh)liverhígado (EE-gah-doh)

low cholesterol bajo colesterol (bah-hoh koh-lehs-teh-ROHL)

low fatbajo grasa (bah-hoh GRAH-sah)low sodiumbajo sodio (bah-hoh soh-dee-oh)

lung pulmón (pool-MOHN)

meningitis (meh-neen-HEE-tees)

morphine morfina (mohr-FEE-nah)

mouth boca (BOH-kah)

muscle músculo (MOOS-koo-loh)

narcotics narcóticos (nahr-KOH-tee-kohs)

nasalnasal (nah-SAHL)nauseanáusea (NAH-oo-seh-ah)navelombligo (ohm-BLEE-goh)neckcuello (koo-EH-voh)

neonatal neonatal (neh-oh-nah-TAHL)
nephrologist nephrology nervous nervioso (neh-phroh-lo-HEE-ah)
nervioso (nehr-bee-OH-soh)

nipple pezón (peh-SOHN)

nitroglycerin nitroglicerina (nee-troh-glee-seh-REE-nah)

nose nariz (nah-REES)

nostrils fosas nasales (foh-SAHS na-SAH-lehs)
Novocain novocaína (noh-boh-kah-EE-nah)

nuclear medicine medicina nuclear (meh-dee-SEE-nah NOO-kleh-ahr)

neurótico (neh-oo-ROH-tee-koh)

obstetricsobstetricia (ohbs-teh-TREE-see-ah)oncologyoncología (ohn-koh-loh-HEE-ah)ophthalmicoftálmico (ohf-TAHL-mee-koh)

ophthalmology oftalmología (ohf-tahl-moh-loh-HEE-ah)

optic óptico (OHP-tee-koh)

orthopedics ortopedia (ohr-toh-PEH-dee-ah)

orthopedic cirujano ortopédico (see-roo-HAH-noh ohr-toh-PEH-dee-koh)

surgeon

neurotic

otic ótico (OH-tee-koh) ovary ovario (oh-BAH-ree-oh) palatepaladar (pah-lah-DAHR)palpationpalpación (pahl-pah-see-OHN)palpitationpalpitación (pahl-pee-tah-see-OHN)pancreaspáncreas (PAHN-kreh-ahs)

pancreatitis
paralytic
pathogen
pathologic
pathology
pediatrics

paralytic
pathologic
pathologic
pathology
pediatrics

paralytic
paralítics (pahn-kreh-ah-TEE-tees)
paralítics (pah-rah-LEE-tee-koh)
patógeno (pah-TOH-hen-oh)
patológico (pah-toh-LOH-hee-koh)
patología (pah-toh-loh-HEE-ah)
pediatría (peh-dee-ah-TREE-ah)

pelvis (PEHL-bees)

penis pene (PEH-neh), miembro viril (mee-EHM-broh vee-REEL)
pneumonia pulmonía/neumonía (pool-moh-NEE-ah/neh-oo-moh-NEE-ah)

pruritic prurito (proo-REE-toh)
psoriasis psoriasis (soh-ree-AH-sees)
psychiatrist psiquiatra (see-kee-AH-trah)
psychologist psicólogo (see-KOH-loh-goh)
pubic pyorrhea piorrea (pee-oh-RREH-ah)

radiologist radiólogo (rah-dee-OH-loh-goh) radiology radiología (rah-dee-oh-loh-HEE-ah)

rectum recto (REHK-toh)

rheumatic reumático (reh-oo-MAH-tee-koh)

rib costilla (kohs-TEE-yah)
right derecho (deh-REH-choh)
roseola roseola (roh-seh-OH-lah)
rubella rubéola (roo-BEH-oh-lah)

scalp cuero cabelludo (KOO-eh-roh kah-beh-YOO-doh)

sebaceous sebáceo (seh-BAH-seh-oh)

sedatives sedativos/sedantes (seh-dah-TEE-bohs/seh-DAHN-tehs) espinilla (ehs-pee-NEE-yah), canilla (kah-NEE-yah)

shoulderhombro (OHM-bro)skinpiel (pee-EHL)skullcráneo (KRAH-ne-oh)

spinal column columna vertebral (koh-LUHM-nah behr-teh-BRAHL)

spleen bazo (BAH-soh)

stethoscope estetoscopio (ehs-teh-tohs-KOH-pee-oh)

stomach estómago (ehs-TOH-mah-goh)

stool sample muestra – fecal (moo-EHS-trah -feh-KAHL)

straightderecho (deh-REH-choh)subaxillarysubaxilar (soob-AHK-see-lahr)subcutaneoussubcutáneo (soob-koo-TAH-neh-oh)sublingualsublingual (soob-LEEN-goo-ahl)substernalsubesternal (soob-ehs-TEHR-nahl)

surgeoncirujano (see-roo-HAH-noh)surgerycirugía (see-roo-HEE-ah)symptomssíntomas (SEEN-toh-mahs)syncopesíncope (SEEN-koh-peh)systolesístole (SEES-toh-leh)

teeth dientes (dee-EHN-tehs)

temple sien (see-EHN)

testículos (tehs-TEE-koo-lohs)

tetanus tétano (TEH-tah-noh)
therapy terapia (teh-RAH-pee-ah)
thigh muslo (MOOS-loh)
throat garganta (gahr-GAHN-tah)
thumb pulgar (POOL-gahr)

thyroid pulgar (POOL-ganr) thyroid tiroide (tee-ROY-deh)

toes dedos (DEH-dos), del pié (dehl PEE-eh)

tongue lengua (LEHN-goo-ah)

tonsillitis tonsillitis/amigdalitis (tohn-see-LEE-tees/ah-meeg-dah-LEE-tees)

tonsils amígdalas (ah-MEEG-da-las)

ulcer úlcera (OOL-seh-rah) ulnar (OOL-nahr)

ultrasonido (ool-trah-soh-NEE-doh)

uremiauremia (oo-REH-mee-ah)urinary bladdervejiga (beh-HEE-gah)urineorina (oh-REE-nah)

urticaria (oor-tee-KAH-ree-ah)

uterus útero (OO-teh-roh) uvula úvula (OO-boo-lah)

vaginitis (bah-hee-NEE-tees)

vagus vago (BAH-goh)

valve válvula (BAHL-boo-lah)


varicocele (bah-ree-koh-SEH-leh)

vertigo (BEHR-tee-goh)


waist cintura (sin-TOO-rah)
womb vientre (bee-EHN-treh)
wrist muñeca (moo-NYEH-kah)

x-rays rayos equis (rah-YOHS EH-kees)

zygomatic cigomático (see-goh-MAH-tee-koh)



The body/El cuerpo (ehl KWEHR-poh).



The body/El cuerpo (ehl KWEHR-poh).



Index

A abbreviations, comprehensive list of, 318-328 cardiovascular system, 216 digestive system, 224 ears/hearing, 279 endocrine system, 232 eyes/vision, 278 female reproductive system, 238 male reproductive system, 248 musculoskeletal system, 253 urinary system, 285 abdomen, 59 CT scan of, 226 laparotomy and, 12, 12f, 46 MRI of. 226 ultrasonography for, 226 abdominal cavity, 51, 53 abdominal pain, 189 abdominocentesis (paracentesis), 310 ABG (arterial blood gas), 272 Achilles tendon, 255f, 331 acid phosphate tests, 296 acid reflux, 189 ACL (anterior cruciate ligament), 258 acquired immunodeficiency syndrome (AIDS), 147t, 174, 245-246acromegaly, 233 acronyms, comprehensive list of, 329-330 ACS (acute coronary syndrome), 219 ACTH (adrenocorticotropic hormone), 136t, 234 acute conditions, 95 acute coronary syndrome (ACS), 219 acute myocardial infarction (AMI), 219 acute myocardial ischemia, 184 acute renal failure (ARF), 287

Page numbers followed by "f" indicate figures, "t" indicate tables, and "s" indicates spotlights.

acute respiratory distress syndrome (ARDS), AD (Alzheimer disease), 264–265, 331 adductor magnus, 254f-255f adenectomy, 99t adenitis, 5 adenocarcinoma, 46, 91, 91f adenoidectomy, 99t adenoids, 97f, 269f excision of, 99t adenoma, 5, 91 adenopathy, 93t adjective suffixes, 94-95 adrenal glands, 7f, 46, 232f, 285f diseases of, 93t hormones of, 136t location of, 133f adrenaline (epinephrine), 136t adrenocorticotropic hormone (ACTH), 136t, 234 adrenopathy, 93t AED (automated external defibrillator), 219 AFP (alpha-fetoprotein) tests, 297 AIDS (acquired immunodeficiency syndrome), 147t, 174, 245-246 air sacs (alveoli), 269f alanine transaminase (ALT), 227, 296 albumin tests, 296 albuminuria, 286 alkaline phosphatase tests, 227, 296 allergists, 177t allergy tests, 281, 296 allied health careers, 340-348 alopecia, 280 alpha-fetoprotein (AFP) tests, 296 ALT (alanine transaminase), 227, 296 alveoli (air sacs), 269f Alzheimer disease (AD), 264-265, 331 ambulatory electrocardiography. See Holter monitoring

amenorrhea, 132, 239 arrhythmias, 217-218 В AMI (acute myocardial ventricular, 184 infarction), 219 arterial blood gas (ABG), back, structures of, 54, amniocentesis, 97f, 240, 296 272 54f - 55famnion sac, 240 arteries, 216f backbone, 54 ANA (antinuclear antibody) arteriography, 297 bacteremia, 88s tests, 257–258, 296 arterioles, 216f bacteria, 10t analysis of urine, 133 arteriosclerosis, 94, 95f bacterial tests, 281, 297 anastomoses, 103, 104f, 128, arteriovenous fistula, 193, baldness, 280 193f balloon angioplasty, 102, anemias, 18, 46, 132, 132t, arthralgia, 15 102f, 219 186, 189 arthritis, 5 barium, 189 anesthesiologists, 177t ankylosing spondylitis, 257 barium enema (BE), 226anesthesiology, 176 gouty, 257 227, 297, 308 aneurysm, 217 osteoarthritis, 13, 13f, 183s barium swallow, 226, 297 angina, 184, 217 rheumatoid, 183s, 183f, barium tests, 226, 298 angiography, 100, 218 257 Barlow syndrome, 331 cerebral, 265, 297 arthrocentesis, 96, 257, 297 Barrett esophagus, 331 coronary, 184, 184f, 297 arthrography/arthrogram, basophil, 9f digital subtraction, 303 15, 257, 297 BE (barium enema), 226fluorescein, 281, 305 arthroplasty, 258 227, 298, 308 magnetic resonance, 308 arthroscopy, 17, 136t, 257 Bell palsy, 331 pulmonary, 271, 311 of knee, 18f Bence Jones protein tests. angioplasty, 102, 102f, 219 ascites, 52s, 62, 63f 298 ankylosing spondylitis, 257 aspartate transaminase benign prostatic hyperplasia anterior, definition of, 56-57, (AST) tests, 227, 297 (BPH), 138, 147, 249 59, 60t Asperger syndrome, 331 benign tumors, 91, 92f, 128, anterior cruciate ligament asphyxia, 271 140s. See also cancer/ (ACL), 258 aspiration, 240, 297 malignant tumors antiarrhythmic drugs, 184 AST (aspartate biceps brachii, 254f–255f antibiotics, 134, 174 transaminase) tests, 227, biceps femoris, 255f antibody, 62, 133, 174, 183s 297 bilateral oophorectomy, 128 anticoagulant drugs, 184 asthma, 271 bile emulsification, 106 antigens, 133, 174 atelectasis, 271 bilirubin, 226-227 antihypertensive atheroma, 94 bilirubin tests, 298 medications, 193 atherosclerosis, 94, 95f, 217 biology, 5 antinuclear antibody (ANA) atrophy, 132, 138, 139f, biopsies, 5, 16, 240 tests, 257-258, 297 183fbone marrow, 298 anuria, 286 of bone, 183fmuscle, 257, 309 anus, 52f, 182f, 224f audiologists, 340 skin, 281, 312 audiometry, 297 aorta, 84, 95f, 148f, 190, 216f stereotactic breast, 308 apex/apices, 10t auditory canal, 279 types of, 298 Apgar score, 331 auditory nerve. 279 bladder, urinary, 7, 52f, 133f, aphasia, 132 auras, with migraines, 194 182f, 248f, 285f aplastic anemia, 132t auscultation, 297 blood, 11 apnea, 132 autoimmune diseases circulation of, 216f appendectomy, 99t, 227 antibodies and, 183s infections of, 88 appendicitis, 90t Sjögren syndrome, 334 travel, 148f appendix, 224f automated external urea in, 94s excision of, 99t defibrillator (AED), 219 in urine, 94s ARDS (acute respiratory autopsies, 18 withdrawing, 105f distress syndrome), 272 axial (transverse) plane, 57, blood bank technologists, 340 areola, 238f 57f, 84blood cells, 9, 9f ARF (acute renal failure). MRIs of, 58f blood chemistry profile, 298 287 axilla (underarm), 238f blood cultures, 298 armpit (axillary) lymph axillary (armpit) lymph blood differential tests, 298 nodes, 180, 244f

nodes, 180, 244f

blood pressure (BP), 219

blood sugar, 19s, 21-22 blood urea nitrogen (BUN). 286-287, 298 blood vessels, 277 dilation of, 194 body cavities, 50f-52f, 51-53 body planes, 56-64, 56f body systems definition of, 48 groups of cells, tissues, organs, and, 48f overview of, 48-49 bolus, food, 63f bone density tests, 257, 299 bone marrow biopsies, 299 malignant tumor of, 92t multiple myeloma, 91, 92t bone scans, 257, 299 bones. See also musculoskeletal system cancer of, 92t carpal, 140, 141f, 253f diseases of, 93t finger, 141f, 253f fractures of, 192, 192f, 331 metacarpal, 140, 141f, 253f of middle ear, 279 Paget disease and, 333 of spinal column, 54, 84 BP (blood pressure), 219 BPH (benign prostatic hyperplasia), 138, 147, 249 brachialis, 254f–255f brachioradialis, 255f brain, 6, 9 Alzheimer disease and, 264-265, 331 anatomy of, 263f concussion and, 264 epilepsy and, 264 glioblastoma and, 264 Reve syndrome and, 333 surrounding anatomy and structures of, 90f syncope and, 264 brain scans, 299 breast bone, 50f breast cancer, 100f, 140f, 174 breasts anatomy of, 238faspiration of, 240 mammography of, 100, 100f, 240, 308 stereotactic biopsies of, 308

bronchial tubes, 51f, 84, 269f bronchioles, 269f bronchitis, 89, 271 bronchoscopy, 59, 136t, 271. bronchus, 10t buccinator, 255f BUN (blood urea nitrogen), 286-287, 299 Burkitt lymphoma, 331 bursa(e), 10tbursitis, 90t

CA-125 tests, 299 CABG (coronary artery bypass grafting), 218 - 219CAD (coronary artery disease), 219 calcium (Ca), 258 calcium levels, 257 calcium tests, 299 calculus/calculi, 10t renal, 188, 188f callus formation, 192, 192f cancer/malignant tumors adenocarcinoma, 46, 91, 91*f* adenoma, 5, 91 benign tumors compared to, 140s of bones, 92tbreast, 100f, 140f, 174 Burkitt lymphoma, 331 carcinoma, 5, 15, 46, 91, 100f, 190, 226 chemotherapy for, 187, 246 chondroma, 60 chondrosarcoma, 60, 92t diagnosis of lung cancer, case study, 77 Ewing sarcoma, 332 fibrosarcoma, 92t glioblastoma, 264 hepatoma, 92t Hodgkin lymphoma, 187, 245 - 246Kaposi sarcoma, 333 leiomyomas, 92f leiomyosarcoma, 92t leukemia, 15, 38, 46, 88, 93sliposarcoma, 92t lung, 190 lymphoma, 92t, 245

cancer/malignant tumors (continued) melanoma, 92t, 281 mesothelioma, 92t metastasis of, 140, 140f, 174 multiple myeloma, 91, 92t, 246 myosarcoma, 91, 128 names without carcin/o and sarc/o, 92t non-Hodgkin lymphoma, 246 osteogenic sarcoma, 92t osteosarcomas, 46 primary, 174 prostatic carcinoma, 249 radiotherapy for, 103s, 182, 182f, 187, 246 rhabdomyosarcoma, 92t sarcoma, 14, 46, 64s, 92t seminoma, 249 testicular carcinoma, 249 thymoma, 92t Wilms tumor, 334 CAPD (continuous ambulatory peritoneal dialysis), 287 carbon dioxide (CO₂), 272 carbon dioxide tests, 299 carcinoembryonic antigen (CEA) tests, 300 carcinomas, 5, 46, 91, 100f, hepatocellular, 15, 226 prostatic, 249 testicular, 249 cardiac care unit (CCU), 184, 219 cardiac catheter ablation, 218 - 219cardiac catheterization, 218, 300 cardiac enzyme tests, 218, 300 cardiologists, 177t, 214 cardiology, 5, 16t case report for, 184s-185s cardiomyopathy, 93s cardiopulmonary resuscitation (CPR), 219, cardiovascular surgeons, 177t, 214cardiovascular system abbreviations for, 219

anatomy of, 216, 216f

cardiovascular system (continued) diagnostic procedures and laboratory tests for, 218 pathology of, 217 terminology of, 217 treatment procedures for, 218 - 219cardiovascular technicians. 342 cardioversion, 218 carpal bones, 140, 141f, 253f carpal tunnel syndrome. 147t, 174, 257cartilage, 54, 60 cancer of, 92t tracheal and laryngeal, 64f cataracts, 280 catheterization, 218, 300 catheters Foley, 300, 332 intra-abdominal, 287 cauda equina, 263f cauterization, 240 cavities. See body cavities CBC (complete blood count), CCU (cardiac care unit), 184, 219 CEA (carcinoembryonic antigen) tests, 300 cells, 48, 48f cellulitis, 90t central nervous system (CNS), 263f, 265 cephalgia, unilateral frontal, cephalic, definition of, 6 cerebellum, 263f cerebral, definition of, 6 cerebral angiography, 265, 297 cerebrospinal fluid (CSF) analysis, 265, 300 cerebrovascular accident (CVA), 6, 6s, 95, 128, 264 cerebrum, 6*f*, 263*f* cervical, definition of, 60 cervical (neck) lymph nodes. 180, 244f cervical nerves, 263f cervical spine, 54, 84 cervical vertebra, 253f, 258 cervix, 60, 61f, 238f cauterization of, 240 conization of, 240

Cesarean section (CS), 241 chemotherapy, 187, 246 chest x-rays, 57, 57f, 190, 190f. 271, 300 Chevne-Stokes respiration, 331 CHF (congestive heart failure), 217, 219 chiropractors, 340 chlamydial infection, 249 cholangiography, 226, 300 See also endoscopic retrograde cholangiography cholecystectomy, laparoscopic, 98, 99f, 106, 128, 227 cholelithiasis, 226 cholesterol tests, 300 chondroma, 60 chondrosarcoma, 60, 92t chorionic villus sampling, 301 chronic bronchitis, 271 chronic conditions, 95 chronic kidney disease (CKD), 287 chronic obstructive pulmonary disease (COPD), 271-272 chronic renal failure, 193 circulatory system, 48, 216f cirrhosis, 226 CK (creatine kinase) tests. 302 CKD (chronic kidney disease), 287 clavicle (collarbone), 146f, 253fclinical laboratory technologists (CLTs). 340 clinical skills, 176 CLTs (clinical laboratory technologists), 340 CNS (central nervous system), 263f, 265 CO₂ (carbon dioxide), 272 coccygeal, definition of, 60 coccygeal nerves, 263f coccygeal spine, 54, 84 cochlea, 279 colectomy, 99t colitis, ulcerative, 179s, 226 collarbone (clavicle), 146f, 253f

Colles fracture, 331 colocolostomy, 103 colon, 8f, 224f excision of, 99t polyposis of, 226 stomas of, 104f colonography, CT, 227 colonoscopy, 136t, 226, 301 polyps removed in, 143 virtual, 227 colorectal surgeons, 177t colostomy, 103, 104f, 227 colposcopy, 240, 301 combining forms, 3-4 definition of, 3 exceptions and unusual forms of, 11s list of common, 5-14 for medical specialists. 179 - 184for planes of body, 59-64 prefixes and, 130-131 suffixes and, 86-87 combining vowels, 2-3 common bile duct, 99f, 106 competency examinations, 176 complete blood count (CBC), computed tomography (CT), 57f, 190f abdominal, 226 colonography, 227 definition of, 301 description of procedure, for endocrine system, 234 for lymphatic system, 245 of nervous system, 265 for respiratory system, 271 concussion, 264 congenital, definition of, 134 congestive heart failure (CHF), 217, 219 conization, 240, 301 conjunctiva, 278, 280 conjunctivitis, 280 continuous ambulatory peritoneal dialysis (CAPD), 287 continuous positive airway pressure (CPAP), 272 COPD (chronic obstructive pulmonary disease). 271 - 272core biopsies, 298 cornea, 278

coronal (frontal) plane, defibrillation, 218 digestive system (continued) 56-57, 57f, 84 degenerative disorders terminology of, 225 MRIs of, 58f Huntington disease, 332 treatment procedures for, coronary angiography, 184, of joints, 13, 13f 184f, 297 Parkinson disease, 333 digital rectal examination coronary arteriography, 297 Tay-Sachs disease, 334 (DRE), 249, 302 coronary artery bypass degenerative joint disease digital subtraction grafting (CABG). (DJD), 258 angiography, 302 218 - 219delayed-onset muscle dilation, of blood vessels, 194 coronary artery disease soreness (DOMS), 258 dilation and curettage (CAD), 219 deltoid. 254f-255f (D&C), 240-241, 302 coronary artery spasm, 184, delusions, 14 discectomy, microscopic, 258 184f dementia, irreversible, 264 disease conditions (-pathies), coroners, 14s dental assistants, 341 93tcortex/cortices, 10t dental hygienists, 341 disks (discs), 54, 54f cortisol, 233 dental laboratory distal, definition of, 60t CPAP (continuous positive diuretics, 143s, 184 technicians, 341 diverticula, 226 airway pressure), 272 dental specialists, 181s diverticulitis, 226 CPR (cardiopulmonary dermal, 8 resuscitation), 219, 272 dermatitis, 8, 90t diverticulosis, 226 cranial cavity, 51, 53 dermatologists, 177t DJD (degenerative joint cranium, 253f dermatology, 16t, 176 disease), 258 creatine kinase (CK) tests, dermis, 277 DM. See diabetes mellitus DOMS (delayed-onset muscle DEXA (dual-energy x-ray soreness), 258 creatinine clearance tests, absorptiometry), 257-258, 299 Doppler ultrasound, 218, 303 302 double membranes, 52s creatinine tests, 287, 302 diabetes mellitus (DM), 138, Down syndrome, 147t Crohn disease, 179s, 195-234 definition of, 233 DRE (digital rectal 196, 226, 331 examination), 249, 303 glucose test for, 234 cross sections, 57 living with, 21-22 cryosurgery, 240 drug-eluting stents, 102f drugs, reference guide for top type 1, 19s, 21–22, 191, cryotherapy, 103 50 prescribed, 336t-337t cryptorchism, 249 233 CS (Cesarean section), 241 type 2, 19s, 233 dual-energy x-ray absorptiometry (DEXA), CSF (cerebrospinal fluid) diagnosis 257-258, 299 analysis, 265, 300 definition of, 10, 10t, 19, CSTs (surgical technologists), DUB (dysfunctional uterine of leukemia case study, 38 bleeding), 241 of lung cancer case study, Duchenne muscular CT. See computed dystrophy, 332 tomography duodenum, 8f, 224f diagnostic medical culdocentesis, 302 dura mater, 137f culture, 302 sonographers, 341 diagnostic suffixes, 87–95 dysentery, 19 Cushing syndrome, 233, 332 dysfunctional uterine dialysis, 101, 101f, 128, 287 cuticle, 277 bleeding (DUB), 241 diameter, 19 CVA (cerebrovascular diaphragm, 8f, 50f, 51, 53, dysmenorrhea, 186, 239 accident), 264 dyspepsia, 189 269f CyberKnife, 265 dysuria, 135, 188, 286 diarrhea, 134 cystography, 302, 315 dietitians, 342 cystoscope, 7, 7f cystoscopy, 7, 136t, 286, 302 digestive system Е abbreviations for, 227 cytology, 8 anatomy of, 224, 224f eardrum, 279 definition and role of, 49 ears/hearing diagnostic procedures and

laboratory tests for,

226-227

pathology of, 226

D&C (dilation and curettage), 240-241, 303 deep, definition of, 60t

ears, nose, throat (ENT), 281 anatomy of, 279 audiologists for, 340 Ménière disease and, 333

ears/hearing (continued) Rinne tests for, 333 tinnitus of, 281 tuning fork tests and, 281, 314, 333-334 ECG. See electrocardiogram ECG technicians, 342 echocardiography, 218–219, ectopic pregnancy, 135f, 239 EEG. See electroencephalogram EGD (esophagogastroduodenoscopy), 305 ejaculation, 7 electrocardiogram (ECG), 8, 184, 218-219, 303 electroencephalogram (EEG), 9, 265, 303 electrolyte panel, 303 electrolytes, 234 electromyography (EMG), 257-258, 303 electrophoresis (serum protein electrophoresis), ELISA (enzyme-linked immunosorbent assay), 245-246, 304 embryos, 238f emergency medical technicians (EMTs), 342 emergency medicine, 176 emergency practitioners. 177tEMG (electromyography), 257-258, 303 emphysema, 271 EMTs (emergency medical technicians), 342 endarterectomy, 219 endocarditis, 90t endocardium, 19 endocrine glands, 19, 46 major types of, 136t endocrine system abbreviations for, 234 anatomy of, 232, 232f definition and role of, 49 diagnostic procedures and laboratory tests for, 234 pathology of, 233-234 terminology of, 233 endocrinologists, 177t endocrinology, 16t case report for, 191s endodontists, 181s

endometriosis, 239 endometrium, 239 endoscopic retrograde cholangiography (ERCP), 226-227, 304 endoscopic ultrasonography (E-US), 226, 304 endoscopy, 304 gastrointestinal, 226 types of, 136t endotracheal intubation, 272 endotracheal tubes, 142f ENT (ears, nose, throat), 281 enteritis, 9 enzyme-linked immunosorbent assav (ELISA), 245-246, 304 eosinophil, 9 epidermis, 137, 277 epidural hematomas, 137f epiglottis, 63s, 63f, 269f epiglottitis, 90t epilepsy, 264 epinephrine (adrenaline), 136tepithelial, definition of, 61 eponyms, comprehensive list of, 331-334 Epstein-Barr virus, 332 ERCP (endoscopic retrograde cholangiography), 226-227, 304 erythrocyte sedimentation rate (ESR), 257–258, 304 erythrocytes (red blood cells), 9, 9f, 46 erythrocytosis, 93 erythromycin, 134 esophagogastroduodenoscopy (EGD), 304 esophagogastroscopy, 136t esophagography, 304 esophagoscopy, 226, 304 esophagus, 8f, 51f, 63f, 143f, 224f abnormal changes in lining of, 331 adenocarcinoma of, 91f definition of, 84 ESR (erythrocyte sedimentation rate). 257-258, 304 estradiol assays, 304 estrogen, 136t estrogen receptor assays, 304 ESWL (extracorporeal shock wave lithotripsy), 287

ETTs (exercise tolerance tests), 313 E-US (endoscopic ultrasonography), 226, eustachian tube, 279, 332 Ewing sarcoma, 332 exacerbation, definition of, 145 excision procedures, 99t excisional biopsies, 298 exercise tolerance tests (ETTs), 313 exocrine glands, 19, 46 exophthalmic goiter, 234 exophthalmometry, 234, 305 exophthalmos, 234 exploratory laparotomy, 12, 12fexternal oblique, 254f-255f extracorporeal shock wave lithotripsy (ESWL), 287 eve doctors ophthalmologists, 13, 13f opticians, 181 optometrists, 181 eyes/vision anatomy of, 278 cataracts and, 280 conjunctivitis and, 280 exophthalmic goiter and, 234exophthalmometry and, 234, 305 fluorescein angiography and, 281, 305 glaucoma and, 280 ophthalmic professionals for, 345 ophthalmologists for, 13, 13f. 177t ophthalmology for, 16t, 176 ophthalmoscopes and, 13, 13*f* ophthalmoscopy for, 281. 309 retinopathies of, 93t scotomas and, 194, 194f slit-lamp microscopy and, 281, 313 stye of, 281 visual acuity, 281

F

facial nerve paralysis, 331 fainting, 264

fallopian tubes, 17f, 238f, 239, 332	G	gracilis, 254f–255f Graves disease
salpingitis and, 239 family practitioners, 177t	gallbladder (GB), 8f, 224f, 227	(hyperthyroidism), 15, 16f, 138f, 234
fasting blood sugar (glucose) tests, 234, 306 fatty tissue, cancer of, 92t	location of, 99f stones, treatment of, 106 ultrasound, 305	GreenLight PVP (photoselective vaporization of prostate), 250
feces, 227 fellowship training, 176	gallium scans, 305 ganglion, 10t	groin (inguinal) lymph nodes, 180
female reproductive system abbreviations for, 241	gangrene, 93 gastrectomy, 15, 99t, 189	growth hormone (GH), 136t,
anatomy of, 238, 238f definition and role of, 49	subtotal, 146 gastric, definition of, 15	GTTs (glucose tolerance tests), 234, 306
diagnostic procedures and laboratory tests for, 240	gastric (peptic) ulcers, 189, 189f gastritis, 90t	gynecologists, 177t, 214 gynecology (GYN), 11, 11s, 16t, 241
pathology of, 239 terminology of, 239	gastrocnemius, 254f–255f gastroenteritis, 15	case report for, 186s
treatment procedures for, 240	gastroenterologists, 177t gastroenterology, 16t	н
femur, 192, 253f fetuses, 238f fibrillation, 217 fibroids, uterine, 91, 92f, 119,	case report for, 189s gastroesophageal reflux disease (GERD), 226–227	HAART (highly active antiretroviral therapy), 246 hair
186, 186f, 239–240 fibrosarcomas, 92t fibrous tissue, cancer of, 92t	gastrointestinal (GI), 227 gastrointestinal endoscopy, 226	alopecia and, 280 fibers, 277 follicles, 277
fibula, 192, 192f, 253f finger bones (phalanges), 141f, 253f	gastroscopes, 17 gastroscopy, 10, 189, 226, 305	roots, 277 hallucinations, 14 halves of body, 57
fingers RA and, 183 <i>f</i> webbed, 134 <i>f</i>	GB. See gallbladder GERD (gastroesophageal reflux disease), 226–227	hands RA and, 183f x-ray of, 141f
fixation, of fractures, 192 fluids, collection of, 52s fluorescein angiography, 281,	geriatricians, 177 <i>t</i> GFR (glomerular filtration rate), 287	HbA1c (hemoglobin A1c), 234 HCG (human chorionic gonadotropin), 240, 307
305 fluoroscopy, 305	GH (growth hormone), 136t, 234	Hct (hematocrit), 306 HD. See hemodialysis
flutter, 217 Foley catheters, 300, 332	GI (gastrointestinal), 227 Giardia, 332	HDL (high-density lipoprotein), 218–219,
follicle-stimulating hormone (FSH), 136t	glands, excision of, 99t glaucoma, 280	301 head, 6, 137 <i>f</i>
food bolus, 63f food tube. See esophagus	glial cells, 264 glioblastoma, 264	head, eyes, ears, nose, throat (HEENT), 281
forceps, $17f$	glomerular filtration rate (GFR), 287	headaches, migraine, 194 health information
fractures Colles, 331 of fibula, 192, 192f fixation of, 192	glucometer, 21–22 glucose (fasting blood sugar) tests, 234, 305	administrators (HIAs), 342 health information
frontal (coronal) plane, 56–57, 57f, 84 MRIs of, 58f	glucose tolerance tests (GTTs), 234, 306 gluteus maximus, 255f	technicians (HITs), 342 heart, 51f, 84, 216f, 269f cardiomyopathy compared
frozen section technique,	gluteus medius, 254f glycosuria, 286	to myocardial infarction of, 93s
FSH (follicle-stimulating hormone), 136t	goiter, 234 gonorrhea, 249, 333	congestive heart failure, 217, 219
fungal tests, 281, 298	gouty arthritis (gout), 257	ischemia of, 88, 88f

heart (continued) occlusions of, 88f transplantation, 219 tricuspid and mitral valves of, 147, 148f heart attack (myocardial infarction), 88f, 93s, 94, 128, 217, 219 prevention of, 184 HEENT (head, eyes, ears, nose, throat), 281 hematemesis, 189 hematocrit (Hct), 306 hematologists, 177t, 214hematology, 16t hematomas, 11 epidural and subdural, 137f hematuria, 94, 188, 286 hemigastrectomy, 137 hemiplegia, 137, 174, 264 Hemoccult tests, 227, 306 hemodialysis (HD), 101, 128, 287 arteriovenous fistula for. 193, 193f hemoglobin, 11, 15 hemoglobin A1c (HbA1c), 234 hemoglobin assays, 306 hemolytic anemia, 132t hemoptysis, 271 hemothorax, 271 hepatitis, 11, 90t, 226 hepatocellular carcinoma, 15, 226 hepatomas, 15, 92t hepatopathy, 93t herniated intervertebral disc. 258herpes genitalis, 249 HIAs (health information administrators), 342 high blood pressure. See hypertension high-density lipoprotein (HDL), 218–219, 301 highly active antiretroviral therapy (HAART), 246 hilum, 190 hip bone, 182f HIT (health information technician), 342 HIV (human immunodeficiency virus), 245 - 246viral load test for, 316 Hodgkin lymphoma, 187, 245-246, 332

Holter monitoring, 218, 306 home health aides, 343 hordeolum, 281 hormone replacement therapy (HRT), 241 hormones, 234 secretion of, 46, 232f types of, 136tHorner syndrome, 332 hospitalists, 177t HRT (hormone replacement therapy), 241 human chorionic gonadotropin (HCG), 240, 306 human immunodeficiency virus (HIV), 245–246 viral load test for, 316 humerus, 253f Huntington disease, 332 hydrocele, 249 hyperbilirubinemia, 226 hyperglycemia, 19, 138, 233 hyperplasia, 138, 139f hypertension (high blood pressure), 138, 184, 193, 217, 219 hyperthyroidism (Graves disease), 15, 16f, 138f, 234 hypertrophy, 138, 139f hypoglycemia, 19, 21, 139 hypothalamus, 234 hysterectomy, 96, 98f, 186, hysterosalpingography, 240, hysteroscopy, 136t, 306

iatrogenic, definition of, 180 IBD (inflammatory bowel disease), 179s, 226–227 IBS (irritable bowel syndrome), 226-227 ICD (implantable cardioverterdefibrillator), 219 ileostomy, 227 ileum, 8f, 224f stomas of, 104f ilium, 253f IM (intramuscular), 258 immunoassays, 306 immunoglobulin tests, 307 immunoglobulins, 246 immunohistochemistry, 307

implantable cardioverterdefibrillator (ICD), 219 in vitro fertilization (IVF), incisional biopsies, 298 infarct, 217 infarction, 94. See also myocardial infarction infections blood, 88 chlamydial, 249 nosocomial, 181 sexually transmitted, 241, 249 urinary tract, 135 infectious disease specialists. 177tinferior, definition of, 60t inflammation/inflammatory conditions, 89, 90t Crohn disease, 179s, 195-196, 226, 331 gouty arthritis, 257 inflammatory bowel disease, 179s, 226-227 of meninges, 264 PID, 239, 241 RA, 183s, 183f, 257 sarcoidosis, 245 inflammatory bowel disease (IBD), 179s, 226–227 inguinal lymph nodes, 244f inguinal (groin) lymph nodes, 180 insulin, 19s, 21–22, 136t, 138-139, 233 insulin pump, 21, 191, 191f intensive care units, 141s internal medicine, 176 internists, 176, 177t intervenous urography, 315 intervertebral disks, 139 intra-abdominal catheter. 287 intra-abdominal injuries, intracoronary artery stents, 102fintramural masses, 92f intramuscular (IM), 258 intrauterine, 139 intravenous (IV), 139, 139f intravenous pyelography (IVP), 315 intravenous urography, 315 iris, 278 iron deficiency anemia, 132t

irreversible dementia, 264

definition of, 245

irritable bowel syndrome laparoscopic cholecystectomy, liver (continued) (IBS), 226-227 98, 99f, 106, 128, 227 diseases of, 93t ischemia, 88, 88f, 93-94 laparoscopic oophorectomy, hepatitis of, 11, 90t, 226 acute myocardial, 184 98f, 128 malignant tumor of, 92t definition of, 128 laparoscopic surgery, 227 liver function tests (LFTs), Raynaud phenomenon and. laparoscopy, 12, 12f, 17, 102, 227. See also alanine 333 136t, 307transaminase: alkaline ischium, 253f definition of, 46, 227 phosphatase tests: IV (intravenous), 139, 139f for tubal ligation, 17f aspartate transaminase IVF (in vitro fertilization), laparotomy, 12, 12f, 46 tests: bilirubin large intestine, 8f, 9, 52f lobectomy, 272 IVP (intravenous laryngectomy, 105f low-density lipoprotein pyelography), 315 laryngoscopy, 103f, 136t, 271, (LDL), 218-219, 301 lower gastrointestinal larynx, 51f, 269f examination, 307 J cartilage of, 64f LPN (licensed practical jaundice, 226-227 definition of, 84 nurse), 343 jejunum, 8f, 224f location of, 61 lumbar nerves, 263f joints lateral, definition of, 60t lumbar puncture (spinal arthroplasty of, 258 lateral (sagittal) plane, 57, tap), 62, 62f, 265, 307 degenerative disorders of, 57f, 84lumbar spine, 54, 84 MRIs of, 58f lumbar vertebra, 253f, 258 13, 13f latissimus dorsi, 254f–255f lung capillaries, 216f hip, 145f knee, 13, 13f, 18f, 145f, LDL (low-density lungs, 8f, 51f, 269f 149 lipoprotein), 218–219, blood travel to, 148f cancer of, 190 RA and, 183s, 183f subluxation of, 183f left atrium, 216f collapsed, 271 left ventricle, 216f diagnosis of cancer in, case leg prosthesis, 144, 144f study, 77 K leiomyomas, 92f, 186, 186f, removal of, 272 x-ray of pneumonia K⁺ (potassium), 234 239 compared to normal, leiomyosarcoma, 92t Kaposi sarcoma, 333 keyhole surgery, 227 lens, 278 lunula, 277 leukemia, 15, 46, 88 kidneys, 14, 52f diagnosis case study for, lymph, 48 anatomy of, 285f lymph nodes, 84, 180, 238f dialysis procedures for, anatomy of, 244f leukocytosis compared to, 101, 101f, 128, 287 diseases of, 93t failure of, 286 nephrostomy and, 180, 180f leukocytes, 9f, 12, 15 malignant tumor of, 92t, transplantation of, 287 leukocytosis, 16, 46 331 lymph vessels, 244f leukemia compared to, 93s Wilms tumor of, 334 levator scapulae, 254f lymphadenopathy, 93t, 180, kidneys, ureters, bladder 187 LFTs (liver function tests), (KUB) x-rays, 286–287, 227. See also alanine lymphatic system 307 transaminase; alkaline abbreviations for, 246 knee joint anatomy of, 244, 244f arthroscopy of, 18f phosphatase tests; definition and role of, 48 aspartate transaminase osteoarthritis of, 13, 13f tests; bilirubin diagnostic procedures and total replacement of, 145f, laboratory tests for, licensed practical nurses 149 245 (LPNs), 343 KUB (kidneys, ureters, pathology of, 245 lipid tests, 218, 307 bladder) x-rays, 286terminology of, 245 lipoprotein tests, 218. See 287, 307 treatment procedures for, also cholesterol tests 246 liposarcoma, 92t lymphocytes, 9f, 48, 62, 245 lithotripsy, 188, 188f, 287 lymphoma, 92t liver, 8f, 11, 52f, 224f laminectomy, 99t, 258 Burkitt, 331 bile production of, 99f, 106

cirrhosis of, 226

laparoscopic appendectomy,

227

lymphoma (continued) Hodgkin, 187, 245–246 non-Hodgkin, 246

M

MAC (Mycobacterium avium complex), 246 magnetic resonance angiography (MRA), magnetic resonance imaging (MRI), 58, 58f-59f, 218 abdominal, 226 definition of, 308 description of procedure. 65 - 66for endocrine system, 234 for nervous system, 265 for respiratory system, 271 of upper body, 187f male reproductive system abbreviations for, 250 anatomy of, 248, 248f definition and role of, 49 diagnostic procedures and laboratory tests for, 249 pathology of, 249 terminology of, 249 treatment procedures for, 250 malignant tumors, benign compared to, 140s. See also cancer/malignant tumors mammary papilla, 238f mammography, 100, 100f, 240, 308 Marfan syndrome, 333 masseter, 255f MDI (metered-dose inhaler). M.E. See medical examiner medial, definition of, 60t medial malleolus, 253f mediastinal lymph nodes, 180, 244fmediastinal structures, 190 mediastinoscopy, 136t, 308 mediastinum, 51, 51f, 53, 84 medical assistants, 343 medical examiner (M.E.), 14s medical intensive care unit (MICU), 141s medical laboratory technologists, 343

medical specialists, 176-179 areas of practice for, 177t case reports for, 184 combining forms and vocabulary for, 179 - 184residency training for, 176 medical/surgical intensive care unit (MSICU), 141s medications, reference guide for top 50 prescribed, 336t - 337tmedulla oblongata, 263f melanocytes, 277 melanoma, 92t, 281Ménière disease, 333 meninges, 84, 90f, 137f inflammation of, 264 meningitis, 89, 264 menorrhagia, 94, 94s, 186, 239 menorrhea, 94s menstruation, 94, 239 mesothelioma, 92t metacarpal bones, 140, 141f, 253fmetastasis, 140, 140f, 174 metatarsals, 253f metered-dose inhaler (MDI), 272 MI. See myocardial infarction microscopic discectomy, 258 MICU (medical intensive care unit), 141s middle ear, bones of, 279 midsagittal plane, 57 migraines, 194 milk glands, 238f minimally invasive surgery, 227 mitral valve, 147, 148f mitral valve prolapse syndrome, 147t, 174 molds, 134 mole, 281 monocytes, 9f, 245 mononucleosis, 245 mouth, 224f MRA (magnetic resonance angiography), 308 MS (multiple sclerosis). 264-265 MSICU (medical/surgical intensive care unit). 141smucus, hypersection of, 89

MUGA (multiple-gated acquisition) scans, 218, 308 multiple myeloma, 91, 92t, 246 multiple myomas, 92f multiple sclerosis (MS), 264 - 265multiple-gated acquisition (MUGA) scans, 218, 309 muscle biopsies, 257, 308 muscles anterior superficial, 254f atrophy of, 132, 138, 139f, 183f biopsy of, 257 diseases of, 93t posterior superficial, 255f muscular dystrophy, 257, 332 musculoskeletal system abbreviations for, 258 anatomy of, 253-254, 253f - 255fanterior superficial muscles of, 254f definition and role of, 49 diagnostic procedures and laboratory tests for. 257 pathology of, 257 posterior superficial muscles of, 255f terminology of, 256 treatment procedures for. 258 Mycobacterium avium complex (MAC), 246 myelin sheath, 264 myelography/myelograms, 99, 128, 265, 308 mveloma definition of, 128 multiple, 91, 92t, 246 myocardial infarction (heart attack), 88f, 93s, 94, 128, 217, 219 prevention of, 184 myomas, 91, 92f, 128, 240 myomectomy, 99t, 240myopathy, 93t myosarcomas, 91, 128 myositis, 90t

N

Na⁺ (sodium), 234 nail plates, 277 nails, 277 nasogastric intubation, 308 nausea, 194 neck (cervical) lymph nodes, 180, 244f necrosis, 93 necrotic tissue, 217 needle biopsies, 187, 298 Neisseria gonorrhoeae, 333 neonatal intensive care unit (NICU), 141, 142f neonates, 141, 142f Apgar score and, 331 PKU tests and, 310 nephrectomy, 12 nephritis, 90t nephrolithiasis, 286 nephrologists, 177t, 214 nephrology, 15 case report for, 193s nephrosis, 16 nephrostomy, 180, 180f nerve endings, 277 nerves diseases of, 93t Horner syndrome of, 332 spinal, 84 nervous system abbreviations for, 265 anatomy of, 263, 263f central, 263f, 265 definition and role of, 49 diagnostic procedures and laboratory tests for, 265 pathology of, 264 peripheral, 263f terminology of, 264 treatment procedures for, 265 neural, 15 neurologists, 15, 177t, 214 neurology, 12, 16t case report for, 194s neuropathy, 93t neurosurgeons, 177t, 214 neurotomy, 17 neutrophil, 9f nevus, 281 NICU (neonatal intensive care unit), 141, 142f nitroglycerin, 184 non-Hodgkin lymphoma, 246 nonsteroidal antiinflammatory drugs (NSAIDs), 258

nose, 269f
nosocomial infections, 181
nothing by mouth (NPO),
227
NSAIDs (nonsteroidal
anti-inflammatory
drugs), 258
nuclear medicine
technologists, 344
nurse anesthetists, 344
nursing aides, 344
nutritionists, 342

0

 O_2 (oxygen), 272 obstetricians, 177t, 214 obstetrics (OB), 11s, 241 occlusions (blockages), heart muscle, 88f occult blood tests. See Hemoccult tests occupational therapist assistants (OTAs), 345 occupational therapists (OTs), 345 oncogenic viruses, 181 oncologists, 12, 177t, 214 oncology, 16t case report for, 187s oophorectomy, laparoscopic, 98f, 128 ophthalmic professionals, 345 ophthalmologists, 13, 13f, 177tophthalmology, 16t, 176 ophthalmoscopes, 13, 13f ophthalmoscopy, 281, 308 optic nerve, 278 opticians, 181 optometrists, 181 orbicularis oculi, 254f–255f orbicularis oris, 254f orchiopexy, 250 organs, 48, 48f orthodontists, 181 orthopedics, case report for, 192sorthopedists, 177t, 181, 214 osteoarthritis, 13, 13f, 183sosteogenic sarcoma, 92t osteomyelitis, 90t osteopathy, 93t osteoporosis, 233, 257

osteosarcomas, 46
OTAs (occupational therapist assistants), 345
otitis, 90t
otolaryngologists, 177t, 214
otoscopy, 281, 309
OTs (occupational therapists), 345
ovaries, 232f, 238f, 239
hormones of, 136t
ovum, 10t, 238f
oxygen (O₂), 272

P

PA (pulmonary artery), 190 PACU (post anesthesia care unit), 141s Paget disease, 333 palpation, 309 pancreas, 8f, 19s, 224f, 232f hormones of, 136t location of, 99f Whipple procedure for, 334 pap smear, 240, 309 pap tests, 333 paracentesis (abdominocentesis), 309 paralysis definition of, 142, 174 facial nerve, 331 hemiplegia, 137, 174, 264 paraplegia, 142, 174, 264 quadriplegia, 145, 174 paraplegia, 142, 174, 264 parathyroid glands, 136t, 142, 143f, 232f parathyroid hormone (PTH), 136tParkinson disease, 333 paronychium, 277 PAs (physician assistants), patella, 253f pathologists, 14, 14s, 177t, 214 pathology, 16t, 176 PCI (percutaneous coronary intervention), 219 PCP (Pneumocystis pneumonia), 246 PCR (polymerase chain reaction) tests, 309 PE (pulmonary embolism), 272

pectoralis major, 254f pediatric or psychiatric care unit (PICU), 141s pediatricians, 177t pediatrics, 176 pedodontists, 181s pedunculated growths, 92f PEEP (positive endexpiratory pressure), 272 pelvic cavity, 52–53 pelvic exams, 309 pelvic inflammatory disease (PID), 239, 241 pelvic ultrasonography, 240 pelvis, 52–53, 253f injuries to, 192 penicillin, 134 penis, 248f peptic (gastric) ulcers, 189, 189f percussion, 309 percutaneous coronary intervention (PCI), 219 percutaneous transhepatic cholangiography, 226 pericardium, 19, 84 periodontists, 181s peripheral nervous system, 263fperitoneal cavity, 52f peritoneal dialysis, 101, 101f, 128 peritoneal fluid, 62, 63f peritoneum, 52-53, 52f, 84, 239 peritonitis, 90t pernicious anemia, 132t peroneus longus, 254f PERRLA (pupils equal, round, reactive to light and accommodation), 281 PET (positron emission tomography) scans, 218, PFTs (pulmonary function tests), 271-272, 312 phalanges (finger bones), 141f, 253f pharmacy technicians, 345 pharyngeal, definition of, 63 pharyngitis, 90*t* pharynx (throat), 143f, 224f, 269f anatomy and physiology of. 63f definition of, 84

phenylalanine, 310 phenylketonuria (PKU) tests. 310 phlebotomists, 346 phlebotomy, 105f, 309 photoselective vaporization of prostate (GreenLight PVP), 250 physiatrists, 177t, 214 physical therapists (PTs). 346 physical therapy (PT), 258 physical therapy assistants (PTAs), 346 physician assistant (PA), 346 PICU (pediatric or psychiatric care unit). 141sPID (pelvic inflammatory disease), 239, 241 pigmented cells in skin, malignant tumor of, 92t pineal gland, 232f pituitary gland, 46, 50f, 232f, 234 hormones of, 136t PKU (phenylketonuria) tests, planes of body, 56-58, 56f combining forms for, 59–64 platelet count, 310 platelets, 9f, 14 platysma, 254f pleura, 51, 51f, 53, 62, 84, pleural cavity, 51, 51f pleural cells, malignant tumor of, 92t pleural effusion, 52s, 272, 314 drainage of, 96f pleural membranes, 271 pleural space, 269f plural formations, 10t pneumoconiosis, 271 Pneumocystis pneumonia (PCP), 246 pneumonectomy, 99t, 272 pneumonia, 89, 89f, 271 polydipsia, 143, 191 polymerase chain reaction (PCR) tests, 310 polyps, 143, 226 polyuria, 143s, 191 pons, 263f positive end-expiratory pressure (PEEP), 272

tomography (PET) scans, 218, 310 for nervous system, 265 post anesthesia care unit (PACU), 141s posterior, definition of, 56-57,60tposteroanterior chest x-rays, 190, 190f potassium (K⁺), 234 potassium tests, 310 precancerous lesions, 143 prefixes combining forms and. 130 - 131definition of, 4-5 list of common, 18-20 suffixes and, 130-131 terminology and, 132-147 pregnancy amniocentesis and, 97f, 240, 297 ectopic, 135f, 239 tests, 240, 310 prescribed medications, reference guide for top 50, 336t-337t primary malignant tumors, 174 procedural suffixes. 96 - 105proctosigmoidoscopy, 310 progesterone, 136t progesterone receptor assays. 310 prognosis, definition of, 10. 17, 46 prolapse, uterine, 144, 144f prone, definition of, 60t prostate gland, 7f, 248f excision of, 99t photoselective vaporization of, 250 transurethral resection of, 20s, 20f, 147 prostatectomy, 99t prostate-specific antigen (PSA), 249, 310 prostatic carcinoma, 249 prosthesis, 144, 144f, 258 prosthodontists, 181s protein electrophoresis. See serum protein electrophoresis prothrombin time, 311 proximal, definition of, 60t

positron emission

PSA (prostate-specific antigen), 249, 311 psychiatrists, 177t, 214 psychiatry, 176 psychology, 16t psychosis, 10t PT (physical therapy), 258 PTAs (physical therapy assistants), 346 PTH. See parathyroid hormone PTs (physical therapists). 346 pubis, 253*f* pulmonary angiography, 271, pulmonary artery (PA), 190 pulmonary circulation, 216f pulmonary edema, 217 pulmonary embolism (PE), pulmonary function tests (PFTs), 271-272, 311 pulmonary perfusion scans, 311 pulmonary ventilation scans, pulmonologists, 177t, 214 pupils, 278 pupils equal, round, reactive to light and accommodation (PERRLA), 281 pyelography. See urography

Q

quadriceps femoris, 254f quadriplegia, 145, 174

R

RA (rheumatoid arthritis), 183s, 183fradiation iodine uptake (RAIU), 234, 314 radiation oncologists, 177t, 214 radiation therapists, 347 radiation therapy (radiotherapy), 103s, 182, 182f, 187, 246 radioactive iodine uptake, 234 radiographers, 347 radiography. See also x-ray films definition of, 64

radiologic technologists, 347 radiologists, 177t, 214 radiology, 103s, 176 case report for, 190s-191s radiotherapy (radiation therapy), 103s, 182, 182f, 187, 246 radius, 253f RAIU (radiation iodine uptake), 234, 314 range of motion (ROM), 258 Raynaud phenomenon, 333 rectocele, 182, 182f rectum, 7f, 52f, 182f, 224f, 248frectus abdominis, 254f red blood cell count, 311 red blood cells (erythrocytes), 9, 9f, 46 registered nurses (RNs), 347 relapse, 145, 174 remission, 145, 174 renal, definition of, 14 renal calculi, 188, 188f renal failure, 286 renal pelvis, 285f renal transplantation, 287 research skills, 176 resections, 20, 99t residency training, for medical specialists, 176 respiratory system abbreviations for, 272 anatomy of, 269, 269f definition and role of, 49 diagnostic procedures and laboratory tests for, 271 pathology of, 271 terminology of, 270 treatment procedures for, 272 respiratory therapists, 348 retina, 13f, 93t, 278retinopathy, 93t retrogastric, 20 retrograde pyelogram (RP), 286–287, 315 retroperitoneal area, 52f, 146 Reve syndrome, 333 rhabdomyosarcoma, 92t rheumatoid arthritis (RA), 183s, 183f, 257 rheumatoid factor assays, 311

rheumatologists, 177t, 214 rheumatology, 16t, 183 rhinitis, 14 rhomboideus major, 255f ribs, 253f right atrium, 216f right ventricle, 216f Rinne tests, 333 RNs (registered nurses), 347 ROM (range of motion), 258 roots of words, 2-4 definition of, 2 suffixes containing, 18s Rorschach test, 334 RP (retrograde pyelogram), 286-287, 315

S

sacral nerves, 263f sacral spine, 54, 84 sacrum, 253f sagittal (lateral) plane, 57, 57f, 84 MRIs of, 58fsalivary glands, 46 Salmonella, 334 salpingectomy, 98f salpingitis, 239 sarcoidosis, 245 sarcomas, 14, 46, 64s, 92t Ewing, 332 Kaposi, 333 sartorius, 254f scalenes, 254f scapula (shoulder bone), 146f, 253f sclera, 278 scotomas, 194, 194f scrotum, 248f sebaceous glands, 277 seizures, 264 semen, 7 semen analysis, 249, 311 seminomas, 249 sense organ system, 49 abbreviations for, 281 anatomy of, 277–279 diagnostic procedures and laboratory tests for, 281 pathology of, 280-281 terminology of, 280 sensitivity tests, 302 septicemia (sepsis), 88, 88s sequential multiple analysis (SMA), 299

serum enzyme tests. See cardiac enzyme tests serum protein electrophoresis (electrophoresis), 311 serum tests, 234 Sestamibi scans, 311 sexually transmitted diseases (STDs), 241 sexually transmitted infections (STIs), 241. Shigella, 334 shock, 217 shortness of breath (SOB), shoulder bone (scapula), 146f, 253f sickle cell anemia, 132t SICU (surgical intensive care unit), 141s sigmoid colon, 224f sigmoidoscopy, 136t, 226. See also proctosigmoidoscopy Sjögren syndrome, 334 skeletal muscles, cancer of, 92tskin, 49 abbreviations for, 281 anatomy of, 277-279 biopsies, 281, 312 dermis, 277 diagnostic procedures and laboratory tests for, 281 epidermis, 137, 277 melanoma and, 281 nevus of, 281 pathology of, 280-281 pigmented cells in, malignant tumor of, 92tterminology of, 280 skin lesions, removal of, 103 skin tests, 312 skull, cranial cavity, 51 sleep apnea, 132 slit-lamp microscopy, 281, 312 SMA (sequential multiple analysis), 299 small bowel follow-through. See barium tests; upper gastrointestinal examination small intestine, 8f, 9, 52f Snellen test, 334

SOB (shortness of breath). 2.72sodium (Na+), 234 sodium level tests, 312 soft tissue, swelling of, 183f soleus, 254f-255f sonography. See ultrasonography spasm, coronary artery, 184, 184f speculum, vaginal, 17f speech-language pathologists, 348 sperm, 7, 248f spinal cavity, 52-53, 54f spinal column, 52, 54 divisions of, 54, 55f, 84 spinal cord, 52, 84 anatomy of, 263f myelograms for, 99, 128 surrounding anatomy and structures of, 90f spinal nerves, 263f spinal tap (lumbar puncture), 62, 62f, 265, 308 spirometers, 271 spleen, 8f, 99f, 244f excision of, 99t splenectomy, 99t, 128 sputum tests, 271, 312 Staphylococcus aureus, 164 STDs (sexually transmitted diseases), 241 stents, arterial, 102, 102f, 184, 219 stereotactic breast biopsies, stereotactic radiosurgery, 265 sternocleidomastoid, 254f - 255fsternum, 253f STIs (sexually transmitted infections), 241, 249 stomach, 8f, 10, 52f, 224f excision of, 99t subtotal gastrectomy of, 146 stomas, 103, 104f stool culture, 227, 312 stool guaiac tests. See Hemoccult tests stress tests, 218, 312 stroke (cerebrovascular accident), 6, 6s, 95, 128,

264

stve. 281 subcutaneous tissue, 277 subdural hematomas, 137f subhepatic, 20 subluxation, of joints, 183f subserosal masses, 92f subtotal gastrectomy, 146 subtotal hysterectomy, 96 suffixes, 2-4 adjective, 94-95 combining forms and, 86 - 87commonly confused, 135s definition of, 2 diagnostic, 87–95 forming plural, 10t list of common, 15–17 prefixes and, 130-131 procedural, 96–105 roots of words in, 18s terminology and, 87-105 superficial, definition of, 60tsuperior, definition of, 60t supine, definition of, 60t surfactant, 142f surgery, 176 surgical intensive care unit (SICU), 141s surgical technologists (CSTs), 348 swallowing process, 63f sweat glands, 46, 277 symbols, comprehensive list of, 330 symptoms, remission and relapse of, 145, 174 syncope, 264 syndromes, 146, 147t, 174 syphilis, 249 systemic circulation, 216f systems. See body systems T

T3 (triiodothyronine), 234, 314

T4 (thyroxine), 136t, 234, 314

T&A. See tonsillectomy and adenoidectomy

TAH. See total abdominal hysterectomy

TAH-BSO (total abdominal hysterectomy with bilateral salpingo-oophorectomy), 241

tarsals, 253f Tay-Sachs disease, 334 tear glands, 46 technetium Tc 99m sestamibi scans, 218, 312 teeth, dental specialists for. 181s tenaculum, 17f tendons, atrophy of, 183f TENS (transcutaneous electrical nerve stimulation), 265 testes, 232f, 248f cryptorchism of, 249 hormones of, 136t orchiopexy and, 250 testicular carcinoma, 249 testosterone, 136t thallium-201 scans, 218, 312 thoracentesis, 96, 96f, 272, thoracic cavity, 51, 51f, 53 thoracic nerves, 263f thoracic spine, 54, 84 thoracic surgeons, 177t, 214 thoracic vertebra, 253f, 258 thoracoscopy, 313 thoracotomy, 272 throat. See pharynx thrombocytes, 9f, 14 thrombolytic therapy, 219 thrombophlebitis, 90t thrombosis, 14 thrombus, 14 thymoma, 92t thymus gland, 244f malignant tumor of, 92t thyroid function tests, 234, 313 thyroid gland, 46, 143f, 232f hormones of, 136tlocation of, 138f thyroid scans, 234, 313 thyroid-stimulating hormone (TSH), 136t, 234, 314 thyroxine (T4), 136t, 234, 314 TIA (transient ischemic attack), 265 tibia, 253f tibialis anterior, 254f tinnitus, 281 tissue capillaries, 216f tissue plasminogen activator (tPA), 219 tissues, 48, 48f

TKR (total knee joint replacement), 145f, 149 toes, webbed, 134f tomography/tomograms, 313 tomosynthesis, 100, 100f tonsillectomy, 96, 97f tonsillectomy and adenoidectomy (T&A), 97f tonsils, 97f, 269f total abdominal hysterectomy (TAH), 98f total abdominal hysterectomy with bilateral salpingooophorectomy (TAH-BSO), 241 total hip joint replacement, 145ftotal hysterectomy, 96, 98f total knee joint replacement (TKR), 145f, 149 total parenteral nutrition (TPN), 227 Tourette syndrome, 334 toxic shock syndrome (TSS), 147t, 164tPA (tissue plasminogen activator), 219 TPN (total parenteral nutrition), 227 trachea, 8f, 51f, 63f, 143f, 269f cartilage of, 64f definition of, 84 tracheostomy, 105f, 272 tracheotomy, 64f transcutaneous electrical nerve stimulation (TENS), 265 transdermal, 20 transient ischemic attack (TIA), 265 transurethral, 20 transurethral resection of prostate gland (TURP), 20s, 20f, 147, 250 transverse (axial) plane, 57, 57f, 84 MRIs of, 58ftrapezius, 254f-255f triceps brachii, 254f-255f tricuspid valve, 147, 148f triglycerides tests, 313 triiodothyronine (T3), 234, 314

troponin tests, 313 TSH (thyroid-stimulating hormone), 136t, 234, 314 TSS. See toxic shock syndrome tubal ligation, 17f, 240 tuberculin tests, 271, 314 tuberculosis, 271 tumors, benign, 91, 92f, 128, 140s. See also cancer/ malignant tumors tuning fork tests, 281, 313, 333-334 TURP. See transurethral resection of prostate gland

U

UA (urinalysis), 133s, 287, 315 ulcerative colitis, 179s, 226 ulcers, peptic, 189, 189f ulna, 253*f* ultrasonography, 186, 186f abdominal, 226 definition of, 314 Doppler, 218, 303 endoscopic, 226, 304 fetal, 148f gallbladder, 306 pelvic, 240 underarm (axilla), 238f unilateral frontal cephalgia, upper gastrointestinal examination, 314 upper respiratory infection (URI), 272 urea, 94s, 287 uremia, 94s, 128, 286 ureters, 7f, 188, 285f urethra, 7f, 52f, 248f, 285f URI (upper respiratory infection), 272 uric acid, 287 uric acid tests, 257, 314 urinalysis (UA), 133s, 287, 314 urinary bladder, 7, 7f, 52f, 133f, 182f, 248f, 285f urinary catheterization, 287 urinary system abbreviations for, 287 anatomy of female, 285, 285f

urinary system (continued) definition and role of, 49 diagnostic procedures and laboratory tests for, 286 - 287pathology of, 286 terminology of, 286 treatment procedures for, 287 urinary tract, female, 7, 7f urinary tract, male, 7, 7f urinary tract infection (UTI), 135, 287 urine blood in, 94s diuretics and, 143s polyuria and, 143s urine tests, 234 urography, 287, 314 urologists, 177t, 214 urology, 16t case report for, 188s uterine artery embolization, 240 uterine prolapse, 144, 144f uterus, 7f, 52f, 60, 61f, 238f fibroids in, 91, 92f, 119, 186, 186f, 239–240 hysterectomy and, 96, 98f, 186, 240 UTI (urinary tract infection), 135, 287

V

VA (visual acuity), 281 vagina, 7f, 52f, 182f, 238f vaginal speculum, 17f varicocele, 249

varix/varices, 10t vas deferens, 248f vasectomy, 250 vasoconstrictors, 194 VATS (video-assisted thoracic surgery), 272, 314 VCUG (voiding cystourethrogram), 287, 302, 316 veins, 216f venae cavae, 84 venography, 297, 315 ventilation-perfusion scans (VQs), 271–272, 315 ventricular arrhythmias, 184 venules, 216f vertebra(e), 10t, 54, 54f vertebroplasty, 258 VF (visual field), 281 video-assisted thoracic surgery (VATS), 272, 314 viral load test, for HIV, 315 virtual colonoscopy, 227 visceral muscle, cancer of, 92tvision. See eyes/vision visual acuity (VA), 281 visual field (VF), 281 vitreous humour, 278 vocabulary, for medical specialists, 179-184 voice box. See larvnx voiding cystourethrogram (VCUG), 287, 302, 315 von Willebrand disease, 334 VQs (ventilation-perfusion scans), 271-272, 316

W

WBC count. See white blood cell count webbed fingers and toes, 134f
Weber tuning fork test, 334
Western blot tests, 245, 315
Whipple procedure, 334
white blood cell (WBC)
count, 93s, 315
Wilms tumor, 334
windpipe. See trachea
word analysis, 2–5

X

xiphoid process, 253f x-ray films (radiography), 64 angiography, 100 cerebral angiography, 265 chest, 57, 57f, 190, 190f, 271, 301 coronary angiography, 184, 184f of hand, 141f hysterosalpingography, 240 KUB, 286-287, 307 mammography, 100, 100f, 240 myelograms, 99, 128, 265, 309 of normal lungs and pneumonia, 89f posteroanterior chest, 190, 190f of renal calculi, 188, 188f for urinary system, 286 - 287





ELSEVIER

Additional resources

for the classroom and beyond!






Student Resources on Evolve

Online learning tools help you succeed in your coursework and on exams.

- Audio Terms pronounced and defined
- Quizzes and Practice Exams
- Body Spectrum Electronic Anatomy Coloring Book
- Medical animations

- · Electronic flash cards
- · Medical Millionaire game
- Tournament of Terminology game
- Interactive exercises, accessible to all

Included with your textbook!



Medical Language Instant Translator, 6th Edition

Davi-Ellen Chabner, BA, MAT

This pocket-sized reference equips you with the tools needed to analyze medical terms, form medical plurals, and identify the leading prescription drugs. It also provides quick access to common clinical tests, diagnoses, and procedures.

2017 • 356 pp., illustd. ISBN: 978-0-323-37843-7 Sold separately.

Educator Support

Educator Resources on Evolve

Save class preparation time and teach more effectively with the TEACH Lesson Plan Manual and other online resources.

- · Customizable lesson plans
- Instructor's Manual

- PowerPoint[®] lecture slides
- Classroom Handouts

· Test bank with more than 650 questions

FREE with qualified adoptions!

Start using your Evolve resources today!

Visit your bookstore | Call 1-800-545-2522 | Go online evolve.elsevier.com



ELSEVIER

elsevier.com